

REQUEST FOR BIDS:

APPOINTMENT OF A SERVICE PROVIDER FOR A GRADE 6GB CIDB REGISTERED CONTRACTOR FOR THE CONSTRUCTION OF A SKILLS DEVELOPMENT CENTRE IN GA-PHASHA (24°19'09"S 30°00'36"E)

(BID NUMBER: PROC T657)

COMPULSORY BRIEFING SESSION ON: 18 JULY 2024 @13H00

VENUE: GA-PHASHA (24°19'09"S 30°00'36"E)

CLOSING DATE AND TIME: 15 AUGUST 2024 AT 11H00 AM



D 4 (50		
Page 1 of 50		

CONTENTS

	BID DOCUMENTS CHECK LIST	3
1.	INVITATION TO BID	
2.	PRICING SCHEDULE	8
3.	DECLARATION OF INTEREST SBD 4	10
4.	PREFERENCE POINTS	12
5.	CONTRACT FORM - RENDERING OF SERVICES SBD 7.2	17
8.	AUTHORITY FOR SIGNATORY	19
9.	TERMS OF REFERENCE / SPECIFICATIONS	20
10.	GENERAL CONDITIONS OF CONTRACT	33
11.	SUPPLIER DECLARATION FORM	48

BID DOCUMENTS CHECK LIST:

VERY IMPORTANT: THE CONTENTS OF THE BID/ TENDER DOCUMENT MUST BE AS FOLLOWS:

The potential bidder must submit four (4) Bid proposals, compile one (1) original, (1) electronic version (USB), make one (1) copy from the original bid document and email proposal to Tenders@serviceseta.org.za in a zipped file up to a maximum size of 100MB.

- 1. The Services SETA bid documents must be submitted in official format (not to be re-typed).
- 2. The bid proposal must be properly bonded, punched, numbered and separated per checklist schedule below.

PLEASE SUBMIT THE BID PROPOSAL AS PER AFOREMENTIONED SUBMISSION REQUIREMENTS AND BELOW CHECKLIST SCHEDULE, AS IT MAKES IT EASIER FOR THE BID EVALUATION COMMITTEE TO EVALUATE YOUR PROPOSAL.

Checklist Schedule

Cobodulos	Description	Submitted:
Schedules	Description	YES or NO
Schedule 1	The potential bidder must be registered with National Treasury Central Supplier Database (CSD)	
Schedule 2	Bid document must be signed and duly completed, together with all declaration of interest/standard bidding documents (SBD's 1, 3.3, 4, 6.1 and 7.2)	
Schedule 3	Provide and attach a copy of Company Registration Certificate	
Schedule 4	Provide and attach the certified copy of the grade 6GB CIDB	
Schedule 5	The Potential Bidder or the Subcontractor must provide and attach a proof of CIDB Electrical Building (EB) registration.	
Schedule 6	The potential bidder must submit Proof of its B-BBEE Status Level of Contributor	
Schedule 7	The potential bidder must be tax compliant on National Treasury Central Supplier Database (CSD) prior to award.	
Schedule 8	Capability of Service Provider	
Schedule 9	Methodology and Approach	
Schedule 10	Similar Project Experience	
Schedule 11	Assignment Experience	
Schedule 12	Subcontracting	
Schedule 13	Identity Documents, Cancelled Cheque or Letter from the Bank Confirming Banking Details	
Schedule 14	Pricing Schedule	
Schedule 15	Bid proposals (4) compile one (1) original, (1) electronic version (USB), make one (1) copy from the original bid document must be properly bounded and email proposal to Tenders@serviceseta.org.za in a zipped file up to a maximum size of 100MB.	

POSTAL ADDRESS

PART A INVITATION TO BID YOU ARE HEREBY INVITED TO BID FOR REQUIREMENTS OF THE (SERVICES SETA)

						,	/	
				15 AUGUST				
BID NUMBER:	PROC T657	CLOSING DA	\	2024	TIME	SING =.	11H00AM	
DID NUMBER.	APPOINTMENT OF			IDED EOD A				
	CONTRACTOR FOR							
DESCRIPTION	GA-PHASHA (24°12				WLLO	DEVELO:		
	DOCUMENTS MAY	BE DEPOSIT	ED IN	THE BID BO	X SIT	UATED AT	(STREET	
ADDRESS)	A LIEAD OFFICE							
(SERVICES SE	A HEAD OFFICE)							
PARKTOWN,	JOHANNESBURG							
NB: ALL BIDS	MUST BE SUBMIT	TED IN THE	TEND	ER BOX				
The bid box is	open during office	hours:						
Monday – Thu	rsday: 8am – 4pm							
Friday: 8am -	3pm							
NOTE!								
	IT AUTHORITY MU E SBD FORMS	ST SIGN IN I	FULL	WHERE REG	QUIRI	ED AND IN	NITIAL ALL	
BIDS MUST BE	E SUBMITTED AS 1	ORIGINAL.	ELEC	TRONIC CO	PY (U	ISB), 1 CO	PY AND EMAIL	
	Tenders@servic							
100MB, EACH	MARKED AS SUCI	Н.						
BIDDING PROC	EDURE ENQUIRIES	MAY BE						
DIRECTED TO			TECH	NICAL ENQU	IIRIES	MAY BE D	IRECTED TO:	
CONTACT								
PERSON	Conny Mathebu			ACT PERSON	N N	lyiko Micha	vi	
TELEPHONE NUMBER	(011) 276 9621		TELE!	PHONE	0	11 694 869	3	
FACSIMILE	(011) 270 3021		INOIVIL	LIX		11 00 + 000	<u> </u>	
NUMBER	N/A		FACS	IMILE NUMBE	ER N	l/A		
E-MAIL ADDRES	SS <u>tenders@servic</u>	eseta.org.za	E-MAI	L ADDRESS		nfrastructure eta.org.za	eTenders@service	
					5	eta.org.za		
SUPPLIER INFO	RMATION							
NAME OF BIDDI	ER							

STREET ADDRESS						
TELEPHONE NUMBER	CODE			NUMBER		
CELLPHONE	CODE			NUMBER		
NUMBER						
FACSIMILE NUMBER	CODE			NUMBER		
E-MAIL ADDRESS						
VAT REGISTRATION NUMBER						
SUPPLIER	TAX			CENTRAL		
COMPLIANCE STATUS	COMPLIANCE SYSTEM PIN:		OR	SUPPLIER DATABASE		
				No:	MA	AAA
ARE YOU THE ACCREDITED			ARE		Α	
REPRESENTATIVE	Yes	□No	FORE	IGN BASE LIER FOR TH		☐ Yes ☐ No
IN SOUTH AFRICA	UE VEC ENCLO	.0.		DS /SERVICE		TIE VEC. ANOMED THE
FOR THE GOODS /SERVICES	[IF YES ENCLO PROOF]	SE	OFFE	RED?		[IF YES, ANSWER THE QUESTIONNAIRE BELOW]
OFFERED?						<u>'</u>
QUESTIONNAIRE TO	D BIDDING FORE	EIGN SUPPL	IERS			
IS THE ENTITY A RE ☐ YES ☐ NO	SIDENT OF THE	REPUBLIC (OF SOL	JTH AFRICA (I	(RSA	A)?
DOES THE ENTITY HAVE A BRANCH IN THE RSA? YES NO						
DOES THE ENTITY HAVE A PERMANENT ESTABLISHMENT IN THE RSA? YES NO						
DOES THE ENTITY HAVE ANY SOURCE OF INCOME IN THE RSA? YES NO						
IS THE ENTITY LIABLE IN THE RSA FOR ANY FORM OF TAXATION? ☐ YES ☐ NO						
IF THE ANSWER IS "NO" TO ALL OF THE ABOVE, THEN IT IS NOT A REQUIREMENT TO REGISTER FOR A TAX COMPLIANCE STATUS SYSTEM PIN CODE FROM THE SOUTH AFRICAN REVENUE SERVICE (SARS) AND IF NOT REGISTER AS PER 2.3 BELOW.						

PART B TERMS AND CONDITIONS FOR BIDDING

1. BID SUBMISSION:

- 1.1. BIDS MUST BE DELIVERED BY THE STIPULATED TIME TO THE CORRECT ADDRESS. LATE BIDS WILL NOT BE ACCEPTED FOR CONSIDERATION.
- 1.2. ALL BIDS MUST BE SUBMITTED ON THE OFFICIAL FORMS PROVIDED (NOT TO BE RE-TYPED) OR IN THE MANNER PRESCRIBED IN THE BID DOCUMENT.
- 1.3. THIS BID IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT, 2000 AND THE PREFERENTIAL PROCUREMENT REGULATIONS, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER SPECIAL CONDITIONS OF

CONTRACT.

1.4. THE SUCCESSFUL BIDDER WILL BE REQUIRED TO FILL IN AND SIGN A WRITTEN CONTRACT FORM (SBD7).

2. TAX COMPLIANCE REQUIREMENTS

- 2.1 BIDDERS MUST ENSURE COMPLIANCE WITH THEIR TAX OBLIGATIONS.
- 2.2 BIDDERS ARE REQUIRED TO SUBMIT THEIR UNIQUE PERSONAL IDENTIFICATION NUMBER (PIN) ISSUED BY SARS TO ENABLE THE ORGAN OF STATE TO VERIFY THE TAXPAYER'S PROFILE AND TAX STATUS.
- 2.3 APPLICATION FOR TAX COMPLIANCE STATUS (TCS) PIN MAY BE MADE VIA E-FILING THROUGH THE SARS WEBSITE WWW.SARS.GOV.ZA.
- 2.4 BIDDERS MAY ALSO SUBMIT A PRINTED TCS CERTIFICATE TOGETHER WITH THE BID.
- 2.5 IN BIDS WHERE CONSORTIA / JOINT VENTURES / SUB-CONTRACTORS ARE INVOLVED; EACH PARTY MUST SUBMIT A SEPARATE TCS CERTIFICATE / PIN / CSD NUMBER.
- 2.6 WHERE NO TCS PIN IS AVAILABLE BUT THE BIDDER IS REGISTERED ON THE CENTRAL SUPPLIER DATABASE (CSD), A CSD NUMBER MUST BE PROVIDED.
- 2.7 NO BIDS WILL BE CONSIDERED FROM PERSONS IN THE SERVICE OF THE STATE, COMPANIES WITH DIRECTORS WHO ARE PERSONS IN THE SERVICE OF THE STATE, OR CLOSE CORPORATIONS WITH MEMBERS PERSONS IN THE SERVICE OF THE STATE."

NB: FAILURE TO PROVIDE / OR COMPLY WITH ANY OF THE ABOVE PARTICULARS MAY RENDER THE BID INVALID.

SIGNATURE OF BIDDER:	
CAPACITY UNDER WHICH THIS BID IS SIGNED: (Proof of authority must be submitted e.g. company resolut	ion)
DATE:	

(Professional Services)

OFFER TO BE VALID FOR 120 WORKING DAYS FROM THE CLOSING DATE OF BID.

Entity name	
Total value	

In order to compare process, bidders must indicate their prices on the basis of the following:

Deliverables	Quantity	Amount VAT)	(Exclusive
A fully functional skills centre with all associated structures as	1		
per BOQ ¹			
Other cost (if any) provide clear breakdown			
Vat 15 %			
Total (including all other applicable charges)			

¹Of the amount quoted for construction of a fully functional centre the following will be subcontracted as follows:

Name of proposed local subcontracto r	Address of proposed local subcontract or	Nature and extent of work to be subcontracte d	Percentage (%) of the total contract amount to be subcontracted	Subcontractor Grading Designation Electrical Building - EB	Subcontractor Grading Designation CIDB - GB	Amount contracted	sub-
1							
2							
3							
4							
5							
TOTAL A	MOUNT	TO BE SU	BCONTRA	CTED		R	
TOTAL F	PERCENT	AGE TO B	E SUBCON	NTRACTED		%	

NB: Attached find the Bill of Quantities for detailed pricing to be indicated

Please Note the following:

- Services provided must reflect prices in accordance with the terms of reference;
- · Bidders are also advised to indicate a total cost breakdown for this assignment;
- Own pricing schedule can be compiled to cover costs as per terms of reference;
- Bidders must clearly state the contract renewal and termination with steps of the termination process clearly identified.

	It must be noted that the bid will NOT necessarily be concluded in terms of total price ad/or rates only due to the high technical and functional requirements.	
2	Total bid price (incl of all applicable taxes) R	
	3. Period required for commencement with project after acceptance of bid	
	4. Are the rates quoted firm for the full period of contract? Yes or	No
	5. If not firm for the full period, provide details of the basis on which adjustments will be applied for, for example consumer price index.	
/	All applicable taxes" includes value- added tax, pay as you earn, income tax, Unemploym	ent
	Insurance fund contributions and skills development levies.	
	Any enquiries regarding bidding procedures may be directed to the following memb writing.	ersin
	Supply Chain Management	
	Email: tenders@serviceseta.org.za	
	Or for technical information –	

Email: InfrastructureTenders@serviceseta.org.za

1. PURPOSE OF THE FORM

Any person (natural or juristic) may make an offer or offers in terms of this invitation to bid. In line with the principles of transparency, accountability, impartiality, and ethics as enshrined in the Constitution of the Republic of South Africa and further expressed in various pieces of legislation, it is required for the bidder to make this declaration in respect of the details required hereunder.

Where a person/s are listed in the Register for Tender Defaulters and / or the List of Restricted Suppliers, that person will automatically be disqualified from the bid process.

2. Bidder's declaration

2.1 Is the bidder, or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest1 in the enterprise, employed by the state?

YES/NO

2.1.1 If so, furnish particulars of the names, individual identity numbers, and, if applicable, state employee numbers of sole proprietor/ directors / trustees / shareholders / members/ partners or any person having a controlling interest in the enterprise, in table below.

Full Name	Identity Number	Name of State institution

2.2 Do you, or any person connected with the bidder, have a relationship with any person who is employed by the procuring institution? YES/NO

9

¹ the power, by one person or a group of persons holding the majority of the equity of an enterprise, alternatively, the person/s having the deciding vote or power to influence or to direct the course and decisions of the enterprise.

2.2.1	If so, furnish particulars:
2.3	Does the bidder or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest in the enterprise have any interest in any other related enterprise whether or not they are bidding for this contract? YES/NO
2.3.1	If so, furnish particulars:
3 D	ECLARATION
	I, the undersigned, (name)in submitting the accompanying bid, do hereby make the following statements that I certify to be true and complete in every respect:
3.1	I have read and I understand the contents of this disclosure;
3.2	I understand that the accompanying bid will be disqualified if this disclosure is found not to be true and complete in every respect;
3.3	The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However, communication between partners in a joint venture or consortium2 will not be construed as collusive bidding.
3.4	In addition, there have been no consultations, communications, agreements or arrangements with

- any competitor regarding the quality, quantity, specifications, prices, including methods, factors or formulas used to calculate prices, market allocation, the intention or decision to submit or not to submit the bid, bidding with the intention not to win the bid and conditions or delivery particulars of the products or services to which this bid invitation relates.
- 3.4 The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.
- 3.5 There have been no consultations, communications, agreements or arrangements made by the bidder with any official of the procuring institution in relation to this procurement process prior to and during the bidding process except to provide clarification on the bid submitted where so required by the

² Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.

institution; and the bidder was not involved in the drafting of the specifications or terms of reference for this bid.

I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

I CERTIFY THAT THE INFORMATION FURNISHED IN PARAGRAPHS 1, 2 and 3 ABOVE IS CORRECT.

I ACCEPT THAT THE STATE MAY REJECT THE BID OR ACT AGAINST ME IN TERMS OF PARAGRAPH 6 OF PFMA SCM INSTRUCTION 03 OF 2021/22 ON PREVENTING AND COMBATING ABUSE IN THE SUPPLY CHAIN MANAGEMENT SYSTEM SHOULD THIS DECLARATION PROVE TO BE FALSE.

Signature	Date
Position	Name of bidder

4. PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2022

This preference form must form part of all tenders invited. It contains general information and serves as a claim form for preference points for specific goals.

NB: BEFORE COMPLETING THIS FORM, TENDERERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF THE TENDER AND PREFERENTIAL PROCUREMENT REGULATIONS, 2022

1. GENERAL CONDITIONS

- 1.1 The following preference point systems are applicable to invitations to tender:
 - the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
 - the 90/10 system for requirements with a Rand value above R50 000 000 (all applicable taxes included).

1.2 To be completed by the organ of state

(delete whichever is not applicable for this tender).

- a) The applicable preference point system for this tender is the 90/10 preference point system.
- b) The applicable preference point system for this tender is the 80/20 preference point system.
- c) Either the 90/10 or 80/20 preference point system will be applicable in this tender. The lowest/ highest acceptable tender will be used to determine the accurate system once tenders are received.
- 1.3 Points for this tender (even in the case of a tender for income-generating contracts) shall be awarded for:
 - (a) Price; and
 - (b) Specific Goals.

1.4 To be completed by the organ of state:

The maximum points for this tender are allocated as follows:

	POINTS	POINTS
PRICE	90	80
SPECIFIC GOALS	10	20
Total points for Price and SPECIFIC GOALS	100	100

1.5 Failure on the part of a tenderer to submit proof or documentation required in terms of this tender to claim points for specific goals with the tender, will be interpreted to mean that preference points for specific goals are not claimed.

1.6 The organ of state reserves the right to require of a tenderer, either before a tender is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the organ of state.

2. **DEFINITIONS**

- (a) "tender" means a written offer in the form determined by an organ of state in response to an invitation to provide goods or services through price quotations, competitive tendering process or any other method envisaged in legislation:
- (b) "price" means an amount of money tendered for goods or services, and includes all applicable taxes less all unconditional discounts:
- (c) "rand value" means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;
- (d) "tender for income-generating contracts" means a written offer in the form determined by an organ of state in response to an invitation for the origination of income-generating contracts through any method envisaged in legislation that will result in a legal agreement between the organ of state and a third party that produces revenue for the organ of state, and includes, but is not limited to, leasing and disposal of assets and concession contracts, excluding direct sales and disposal of assets through public auctions; and
- (e) "the Act" means the Preferential Procurement Policy Framework Act, 2000 (Act No. 5 of 2000).

3. FORMULAE FOR PROCUREMENT OF GOODS AND SERVICES

3.1. POINTS AWARDED FOR PRICE

Where

3.1.1 THE 80/20 OR 90/10 PREFERENCE POINT SYSTEMS

A maximum of 80 or 90 points is allocated for price on the following basis:

80/20 or 90/10 $Ps = 80 \left(1 - \frac{Pt - Pmin}{}\right) \text{ or } Pmin$ $Ps = 90 \left(1 - \frac{Pt - Pmin}{}\right)$

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration

Pmin = Price of lowest acceptable tender

3.2. FORMULAE FOR DISPOSAL OR LEASING OF STATE ASSETS AND INCOME GENERATING PROCUREMENT

3.2.1. **POINTS AWARDED FOR PRICE**

A maximum of 80 or 90 points is allocated for price on the following basis:

80/20 or 90/10
$$Ps = 80 \left(1 + \frac{Pt - Pmax}{}\right) \text{ or } Ps = 90 \left(1 + \frac{Pt - Pmax}{}{}\right)$$

Where

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration

Pmax = Price of highest acceptable tender

4. POINTS AWARDED FOR SPECIFIC GOALS

- 4.1. In terms of Regulation 4(2); 5(2); 6(2) and 7(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the purposes of this tender the tenderer will be allocated points based on the goals stated in table 1 below as may be supported by proof/ documentation stated in the conditions of this tender:
- 4.2. In cases where organs of state intend to use Regulation 3(2) of the Regulations, which states that, if it is unclear whether the 80/20 or 90/10 preference point system applies, an organ of state must, in the tender documents, stipulate in the case of—
 - (a) an invitation for tender for income-generating contracts, that either the 80/20 or 90/10 preference point system will apply and that the highest acceptable tender will be used to determine the applicable preference point system; or
 - (b) any other invitation for tender, that either the 80/20 or 90/10 preference point system will apply and that the lowest acceptable tender will be used to determine the applicable preference point system.

then the organ of state must indicate the points allocated for specific goals for both the 90/10 and 80/20 preference point system.

Table 1: Specific goals for the tender and points claimed are indicated per the table below.

(Note to organs of state: Where either the 90/10 or 80/20 preference point system is applicable, corresponding points must also be indicated as such.

Note to tenderers: The tenderer must indicate how they claim points for each preference point

system.)

The specific goals allocated points in terms of this tender	Number of points allocated (90/10 system) (To be completed by the organ of state)	Number of points allocated (80/20 system) (To be completed by the organ of state)	Number of points claimed (90/10 system) (To be completed by the tenderer)	Number of points claimed (80/20 system) (To be completed by the tenderer)
Black People Ownership	3	6		
Woman Ownership	3	6		
Youth Ownership	1,5	3		
Disability Ownership	0,5	1		
Skills Transfer and Development	0	0		
Local Suppliers (Residing in a local municipality)	2	4		
Total	10	20		

DECLARATION WITH REGARD TO COMPANY/FIRM

4.0	Name of common ultima	
4.3.	Name of company/firm	

- 4.4. Company registration number:
- 4.5. TYPE OF COMPANY/ FIRM
 - Partnership/Joint Venture / Consortium
 - 1 One-person business/sole propriety
 - Y Close corporation
 - Y Public Company
 - Y Personal Liability Company
 - Υ (Pty) Limited
 - Y Non-Profit Company
 - Y State Owned Company

[TICK APPLICABLE BOX]

- 4.6. I, the undersigned, who is duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the specific goals as advised in the tender, qualifies the company/ firm for the preference(s) shown and I acknowledge that:
 - i) The information furnished is true and correct;
 - ii) The preference points claimed are in accordance with the General Conditions as indicated in

paragraph 1 of this form;

iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 4.2, the contractor may be required to furnish documentary proof to the satisfaction of the organ of state that the claims are correct;

- iv) If the specific goals have been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the organ of state may, in addition to any other remedy it may have
 - (a) disqualify the person from the tendering process;
 - (b) recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;
 - (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;
 - (d) recommend that the tenderer or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted from obtaining business from any organ of state for a period not exceeding 10 years, after the *audi alteram partem* (hear the other side) rule has been applied; and
 - (e) forward the matter for criminal prosecution, if deemed necessary.

	SIGNATURE(S) OF TENDERER(S)
SURNAME AND NAME:	
DATE:	
ADDRESS:	

THIS FORM MUST BE FILLED IN DUPLICATE BY BOTH THE SERVICE PROVIDER (PART 1) AND THE PURCHASER (PART 2). BOTH FORMS MUST BE SIGNED IN THE ORIGINAL SO THAT THE SERVICE PROVIDER AND THE PURCHASER WOULD BE IN POSSESSION OF ORIGINALLY SIGNED CONTRACTS FOR THEIR RESPECTIVE RECORDS.

PART 1 (TO BE FILLED IN BY THE SERVICE PROVIDER)

1.	I hereby undertake to render services described in the attached bidding documents to (name of the
	institution)in accordance with the requirements and task directives
	proposals specifications stipulated in Bid Number at the price/s quoted. My offer/specifications stipulated in Bid Number
	remain binding upon me and open for acceptance by the Purchaser during the validity period indicated
	and calculated from the closing date of the bid.

- 2. The following documents shall be deemed to form and be read and construed as part of this agreement:
 - (i) Bidding documents, viz
 - Invitation to bid;
 - Proof of tax compliance status;
 - Pricing schedule(s);
 - Filled in task directive/proposal;
 - Preference claim form for Preferential Procurement in terms of the Preferential Procurement Regulations;
 - Bidder's Disclosure form;
 - Special Conditions of Contract;
 - (ii) General Conditions of Contract; and
 - (iii) Other (specify)
- 3. I confirm that I have satisfied myself as to the correctness and validity of my bid; that the price(s) and rate(s) quoted cover all the services specified in the bidding documents; that the price(s) and rate(s) cover all my obligations and I accept that any mistakes regarding price(s) and rate(s) and calculations will be at my own risk.
- 4. I accept full responsibility for the proper execution and fulfilment of all obligations and conditions devolving on me under this agreement as the principal liable for the due fulfillment of this contract.
- 5. I declare that I have no participation in any collusive practices with any bidder or any other person regarding this or any other bid.
- 6. I confirm that I am duly authorised to sign this contract.

NAME (PRINT)	·	
INAIVIE (I IXIIVI)		WITNESSES
CAPACITY		
SIGNATURE		1
NAME OF FIRM		
DATE		

CONTRACT FORM - RENDERING OF SERVICES

PART 2 (TO BE FILLED IN BY THE PURCHASER)

1.				in		my	capacity
	accept your bid	d under reference nu ted hereunder and/or	mber				ne rendering of
2.	An official orde	r indicating service d	elivery instructions	is fort	thcoming.		
3.		make payment for the within 30 (thirty) day				with the terms a	and conditions
	PROVIDER FOR A REGISTERED CO	OF A SERVICE GRADE 6GB CIDB INTRACTOR FOR TION OF A SKILLS CENTRE IN GA- 9"S 30°00'36"E)		CON N D	MPLETIO ATE	TOTAL PREFEREN CE POINTS CLAIMED	POINTS CLAIMED FOR EACH SPECIFIC GOAL
4.	I confirm that I	am duly authorised to	o sign this contract				
S	IGNED AT		ON				
N	AME (PRINT)						
S	IGNATURE						
0	FFICIAL STAMP				WITNESS	ES	
					1		

6. AUTHORITY FOR SIGNATORY

Signatories for close corporations and companies shall confirm their authority **by attaching to this form** a duly signed and dated copy of the relevant resolution of their members or their board of directors, as the case may be.

An example for a company is shown below:

"By resolution of the board of directo	rs passed on	20
Mr		has been duly authorized to sign all
documents in connection with the Ter	nder for Contract	
No	_and any Contract, which may ar	ise there from on behalf of
SIGNED ON BEHALF OF THE COM	PANY:	
IN HIS CAPACITY AS:		
DATE:		
SIGNATURE OF SIGNATORY:		
AS WITNESSES: 1		

2

7. TERMS OF REFERENCE / SPECIFICATIONS

1. PURPOSE OF THIS PROJECT

APPOINTMENT OF A SERVICE PROVIDER FOR A GRADE 6GB CIDB REGISTERED CONTRACTOR FOR THE CONSTRUCTION OF A SKILLS DEVELOPMENT CENTRE IN GAPHASHA (24°19'09"S 30°00'36"E)

INTRODUCTION AND OVERALL OBJECTIVES

The Services Sector Education and Training Authority (Services SETA) was established and registered in March 2000 in terms of the Skills Development Act of 1998. The SETA aims to provide for the skills development needs of the services sector through the bursary awards and implementation of learnerships, disbursement of grants and monitoring of education and training.

The Services SETA hereby invites bids from experienced, knowledgeable service providers to submit proposals for the appointment of a grade 6GB CIDB registered contractor for the construction of a skills development centre in Ga-Phasha (Limpopo)

LATE SUBMISSIONS WILL NOT BE ACCEPTED AFTER THE CLOSING DATE AND TIME

Please note that all pertinent documentation is available on the Services SETA website at www.serviceseta.org.za

2. BACKGROUND

The Services SETA requires the services of a GRADE 6GB CIDB registered contractor for the construction of a Skills Development Centre in Ga-Phasha. This is a greenfield project. Work is projected to be completed within eight (8) months. The extent of the construction work is measured in schedules and in quantities.

3. SCOPE OF WORK/ DELIVERABLES

The company bid proposal must cover, but not limited to the following:

The successful service provider will be expected to ensure the following specific deliverables, an understanding of which must be reflected in the project proposal:

The Contractor will be required to provide site preparation works, superstructure (the project consists of a main skills centre, the simulation area, the guard house, and the feature wall), roof, finishings (Plastering, Painting, Tiling, and Carpentry & Joinery) as well as electrical & mechanical fittings and fixtures. Install electrical infrastructure on the completion of work and submit an approved Electrical Certificate of Compliance

Bidders might be invited to make a presentation as part of the selection process.

a. LOCATION OF WORKS

The site is situated at these coordinates:

24°19'09"S 30°00'36"E

b. DRAWINGS AND BILL OF QUANTITIES

The scope of works is attached as Bill of Quantities (annexure A) and will be attached to bid document on the Services SETA website. Additional construction drawings will, in terms of Clause 5.9 of the General Conditions of Contract (2010), be issued to the appointed bidder/Contractor by the Project Managers/Employer on the commencement date and from time to time as required.

The contractor must comply with all architectural designs and approved drawings. At no point in time is the contractor to deviate from the approved drawings except if such written notices for the alterations are directed from the Engineer and or the Architect.

c. TEMPORARY WORKS

The contractor will be responsible for the erection of work sheds and all necessary preliminary site preparations to enable him to commence work on the erection of the buildings. This will include ablution facilities and water connections.

d. PRICING SCHEDULE

Bidders must refer to the pricing schedule on **section 2 (SBD 3.3 above)** and the attached Bill of Quantities (BOQ). The two (2) documents must be added together to form a total quoted price and be inclusive of all taxes, material, labour and all the other cost. No additional cost shall be paid outside the submitted price.

Escalation will not be applicable for the first 12 months after project commencement.

Bidders might be invited to make a presentation as part of the selection process. The site will be used as a work placement for skills development.

NB: Successful service providers may be subject to the vetting and due diligence process before appointment by the Services SETA.

4. THE DURATION OF ASSIGNMENT

It is envisaged that the project will be for a period of 12 months.

5. KINDLY FORWARD THE FOLLOWING BID DOCUMENTS, WHERE A CERTIFIED COPY OF A DOCUMENT IS REQUIRED, IT MUST BE CERTIFIED WITHIN THE LAST THREE (3) MONTHS

QUALIFICATION REQUIREMENT

QUALIFICATION/ GATEKEEPER REQUIREMENT (MANDATORY)		
	Has applicabl documer attached	nt been
 The potential bidder must be registered with National Treasury Central Supplier Database (CSD). 	Yes	No
 Bid document must be signed and duly completed, together with all declaration interest/ standard bidding documents (SBD's 1, 3.3, 4, 6.1 and 7.2). 	Yes	No
3. Provide and attach a copy of Company Registration Certificate.	Yes	No
4. Provide and attach the certified copy of the grade 6GB CIDB	Yes	No
The Potential Bidder or the Subcontractor must provide and attach a proof of CIDB Electrical Building (EB) registration.	Yes	No
The bidder must comply with the aforementioned qualification requirements abide by any of the requirements will lead to automatic disqualification.	above. Fa	ilure to
OTHER IMPORTANT BID REQUIREMENT		
	Has applicabl documer attached	nt been

1.The tenderer must submit proof of its B-BBEE status level of contributor	Yes	No
PLEASE NOTE: The tenderer failing to submit proof of B-BBEE status level of contributor or is a non-compliant contributor to B-BBEE may not be disqualified, but may only score points out of 80 for price; and scores Zero(0) points out of 20 for specific goals. To claim specific goals on locality bidder must provide a proof from local municipality.		
2.The potential bidder must be Tax Compliant on National Treasury Central Supplier	Yes	No
Database (CSD) prior to award		
3. The Supplier status must be active, when verifying with Central Supplier Database	Yes	No
(CSD). Provide MAAA number		
	Yes	No
4. Tax Status, the potential bidder must indicate pin number		

6. EVALUATION CRITERIA

The value of this bid is estimated to be above R1 000 000 but below R50 000 000 (all applicable taxes included); therefore the **80/20** system shall be applicable.

Criterion 1- Qualification Requirement

Bidders will first be evaluated in terms of the gatekeeper/minimum requirements. Bidders who do not fulfil all the requirements or do not submit the required documents will be disqualified.

Criterion 2-Functionality Evaluation

Functionality is worth 100 points. The minimum threshold is 70 points. <u>Bidders who score less than 70 points on functionality will therefore be disqualified</u>; those who score 70 points or more will be further evaluated on **Criteria 3**.

Criterion 3-Price and Preference Evaluation

Price and Specific goals (B-BBEE status level of contributor), Evaluation will be conducted on a 80/20 or 90/10 preferential procurement principle.

NOTE: For the purpose of comparison and in order to ensure a meaningful evaluation, bidders must submit detailed information in substantiation of compliance to the evaluation criteria mentioned-above. Bidders may be invited to make a presentation as part of the evaluation process



FUNCTIONALITY SCORE SHEET

NAME OF POTENTIAL BIDDER.
BID REFERENCE NUMBER PROC T657

CRITERION 2- FUNCTIONALITY

Α	В	С				D	Е	F	G	Н
FUNCTIONALITY	REQUIREMENT	SCORE QUALIFICATION			MEASUREMENT (what must be provided/ demonstrated as minimum)					
						Indicate what pages/ section in proposal?	Weighted Points	Yes	No	Score
Capability of Service Provider	The key team members must have specific experience, skills and capacity to deliver in relation to score qualification criteria.	Key Staff who will be d The Bidder has at least competencies which are employed on a full time direct the services which 1. Project Manager/Sit Qualification B Eng, BSc or B-Tech in Engineering, Architecture, Quantity Surveyor or Construction Management Note: Names submittee construction without writi	one key suitable specified in the basis and will are to be proving the Agent Years Experience 10 years and above 5-9 years	ply qualified person in the Supplier Declarate either provide the seded. Points 20 10 may not be substitutional person in the Supplier Declarate the Supplie	tion who are ervices or will	Attach a brief CV's of the proposed team members. What page (s) or section of your proposal 3 deputing team members' may be found? State page (s) number or State section/tab	20pts			

Methodology and project approach	Demonstrate an understanding of the scope of the project and the approach and methodology to be implemented to attain project objectives.	Demonstrate an understanding of the scope of the project and the approach and methodology to be applied to attain project objectives. Methodology statement and programme of works submitted with all activities, duration, start, finish & review design dates = 0-20 pts Methodology statement and programme of works submitted with activities & duration = 0-10 pts No methodology statement and programme of works submitted = 0 pts	Attached Proposed Programme of Works What page (s) or section of your proposal information will be found? State page (s) number or State section/ tabon your proposal.	20pts		
Similar Project Experience	Demonstrable number of projects of similar construction nature successfully completed	Experience - to be evaluated in terms of demonstrable number of projects of similar construction nature successfully completed over the last 7 years or currently in progress by main contractor or joint venture / consortia partners: Projects between R10m and R20m in descending order as follows: 5 projects and more = 0-20 pts 4 projects = 0-16 pts 3 projects = 0-12 pts 2 projects = 0-8 pts 1 project = 0-4 pts NB: In case of a project exceeding R20m, the points will be calculated by dividing the project value by R20m rounded to the nearest whole number.	Bid proposal What page (s) or section of your proposal information will be found? State page (s) number or State section/ tab on your proposal.	20pts		

Assignment Experience	The potential bidder must provide and attach three formal testimonial/ references letters	Provide and attach three (3) or more testimonials/ reference letters with a letterhead, contactable details, dates and signature in the construction refurbishment industry not older than ten (10) years. Three (3) or more contactable testimonial/reference letters in relation to previous work listed =0-15pts Two (2) contactable testimonial/reference letters in relation to previous listed =0-10pts One (1) contactable testimonial/reference letters in relation to previous listed=0-5pts No contactable testimonial/ reference letters in relation to previous work I = 0pts	work State	Attach three (references. nat page (s) or section ur proposal information like the page (s) numbers of the section or yoposal.	er n/			
Subcontracting		Local Subcontractors and demonstration of Local Employme Important to note: Subcontracting must only be to 51% Black Ow Entities that are Exempted Micro Enterprises. Services SETA reserves the right to verify. -Subcontractor work valued at 30% and above, between at least 5 subcontractors = 0-25pts -Subcontractor work valued between 20% and 30%, between at least subcontractors = 0-20pts -Subcontractor work valued between 10% and 20%, between at least subcontractors work valued between 10% and 20%, between at least subcontractors = 0-10pts -Subcontractor work valued at less than 10%= 0pts	rned regan with sulface with su	bmit subcontractor gistration documen d in-principle agreeme h propose bcontractors nat page (s) or section ur proposal information be found? ate page (s) numb or ate section on yooposal.	ts nt ed of 25pts er			
Assignment Experien	ce							
Total weighted Po	oints				100			
The minimum fund further evaluated		points. Bidders who score less than 70 points on functionality will therefore	ore be dis	qualified; those who	score 70 poi	nts or mo	ore will	эе
			80 (Price)	R		,	•••	
Price and Prefere	nce points used: 80/20 pr	eferential procurement principle	20 (BEE S	Status) Level	and poin	ts		

Name of Evaluator:			
Signature:	Date:	/20	

10. GENERAL CONDITIONS OF CONTRACT

THE NATIONAL TREASURY

Republic of South Africa

GOVERNMENT	PROCUREMENT:
GENERAL CONDIT	IONS OF CONTRACT
July	<i>t</i> 2010

NOTES

The purpose of this document is to:

- (i) Draw special attention to certain general conditions applicable to government bids, contracts and orders; and:
- (ii) To ensure that clients be familiar with regard to the rights and obligations of all parties involved in doing business with government.

In this document words in the singular also mean in the plural and vice versa and words in the masculinealso mean in the feminine and neuter.

- The General Conditions of Contract will form part of all bid documents and may not be amended.
- Special Conditions of Contract (SCC) relevant to a specific bid, should be compiled separately for every bid (if (applicable) and will supplement the General Conditions of Contract. Whenever there is a conflict, the provisions in the SCC shall prevail.

TABLE OF CLAUSES

- 1. Definitions
- 2. Application
- 3. General
- 4. Standards
- 5. Use of contract documents and information; inspection
- 6. Patent rights
- 7. Performance security

8. Inspections, tests and analysis		
	Page 31 of 50	

- 9. Packing
- 10. Delivery and documents
- 11. Insurance
- 12. Transportation
- 13. Incidental services
- 14. Spare parts
- 15. Warranty
- 16. Payment
- 17. Prices
- 18. Contract amendments
- 19. Assignment
- 20. Subcontracts
- 21. Delays in the supplier's performance
- 22. Penalties
- 23. Termination for default
- 24. Dumping and countervailing duties
- 25. Force Majeure
- 26. Termination for insolvency
- 27. Settlement of disputes
- 28. Limitation of liability
- 29. Governing language
- 30. Applicable law
- 31. Notices
- 32. Taxes and duties
- 33. National Industrial Participation Programme (NIPP)
- 34. Prohibition of restrictive practices

General Conditions of Contract

1. Definitions

- 1. The following terms shall be interpreted as indicated:
- 1.1 "Closing time" means the date and hour specified in the bidding documents for the receipt of bids.
- 1.2 "Contract" means the written agreement entered into between the purchaser and the supplier, as recorded in the contract form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.
- 1.3 "Contract price" means the price payable to the supplier under the contract for the full and proper performance of his contractual obligations.
- 1.4 "Corrupt practice" means the offering, giving, receiving, or soliciting of anything of value to influence the action of a public official in the procurement process or in contract execution.
- 1.5 "Countervailing duties" are imposed in cases where an enterprise abroad is subsidized by its government and encouraged to market its products internationally.
- 1.6 "Country of origin" means the place where the goods were mined, grown or produced or from which the services are supplied. Goods are produced when, through manufacturing, processing or substantial and major assembly of components, a commercially recognized new product results that is substantially different in basic characteristics or in purpose or utility from its components.
- 1.7 "Day" means calendar day.
- 1.8 "Delivery" means delivery in compliance of the conditions of the contract or order.
- 1.9 "Delivery ex stock" means immediate delivery directly from stock actually on hand.
- 1.10 "Delivery into consignees store or to his site" means delivered and unloaded in the specified store or depot or on the specified site in compliance with the conditions of the contract or order, the supplier bearing all risks and charges involved until the supplies are so delivered and a valid receipt is obtained.
- 1.11 "Dumping" occurs when a private enterprise abroad market its goods on own initiative in the RSA at lower prices than that of the country of origin and which have the potential to harm the local industries in the RSA.
- 1.12 "Force majeure" means an event beyond the control of the supplier and not involving the supplier's fault or negligence and not foreseeable. Such events may include, but is not restricted to, acts of the purchaser in its sovereign capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions and freight embargoes.

- 1.13 "Fraudulent practice" means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of any bidder, and includes collusive practice among bidders (prior to or after bid submission) designed to establish bid prices at artificial non-competitive levels and to deprive the bidder of the benefits of free and open competition.
- 1.14 "GCC" means the General Conditions of Contract.
- 1.15 "Goods" means all of the equipment, machinery, and/or other materials that the supplier is required to supply to the purchaser under the contract.
- "Imported content" means that portion of the bidding price represented by the cost of components, parts or materials which have been or are still to be imported (whether by the supplier or his subcontractors) and which costs are inclusive of the costs abroad, plus freight and other direct importation costs such as landing costs, dock dues, import duty, sales duty or other similar tax or duty at the South African place of entry as well as transportation and handling charges to the factory in the Republic where the supplies covered by the bid will be manufactured.
- 1.17 "Local content" means that portion of the bidding price which is not included in the imported content provided that local manufacture does take place.
- 1.18 "Manufacture" means the production of products in a factory using labour, materials, components and machinery and includes other related value-adding activities.
- 1.19 "Order" means an official written order issued for the supply of goods or works or the rendering of a service.
- 1.20 "Project site," where applicable, means the place indicated in bidding documents.
- 1.21 "Purchaser" means the organization purchasing the goods.
- 1.22 "Republic" means the Republic of South Africa.
- 1.23 "SCC" means the Special Conditions of Contract.
- 1.24 "Services" means those functional services ancillary to the supply of the goods, such as transportation and any other incidental services, such as installation, commissioning, provision of technical assistance, training, catering, gardening, security, maintenance and other such obligations of the supplier covered under the contract.
- 1.25 "Written" or "in writing" means handwritten in ink or any form of electronic or mechanical writing.

2. Application

2.1 These general conditions are applicable to all bids, contracts and orders including bids for functional and professional services, sales, hiring, letting and the granting or acquiring of rights, but excluding immovable property, unless otherwise indicated in the bidding documents.

- 2.2 Where applicable, special conditions of contract are also laid down to cover specific supplies, services or works.
- 2.3 Where such special conditions of contract are in conflict with these general conditions, the special conditions shall apply.

3. General

- 3.1 Unless otherwise indicated in the bidding documents, the purchaser shall not be liable for any expense incurred in the preparation and submission of a bid. Where applicable a non-refundable fee for documents may be charged.
- 3.2 With certain exceptions, invitations to bid are only published in the Government Tender Bulletin. The Government Tender Bulletin may be obtained directly from the Government Printer, Private Bag X85, Pretoria 0001, or accessed electronically from www.treasury.gov.za

4. Standards

4.1 The goods supplied shall conform to the standards mentioned in the bidding documents and specifications.

5. Use of contract documents and information; inspection.

- 5.1 The supplier shall not, without the purchaser's prior written consent, disclose the contract, or any provision thereof, or any specification, plan, drawing, pattern, sample, or information furnished by or on behalf of the purchaser in connection therewith, to any person other than a person employed by the supplier in the performance of the contract. Disclosure to any such employed person shall be made in confidence and shall extend only so far as may be necessary for purposes of such performance.
- 5.2 The supplier shall not, without the purchaser's prior written consent, make use of any document or information mentioned in GCC clause 5.1 except for purposes of performing the contract.
- 5.3 Any document, other than the contract itself mentioned in GCC clause 5.1 shall remain the property of the purchaser and shall be returned (all copies) to the purchaser on completion of the supplier's performance under the contract if so required by the purchaser.
- 5.4 The supplier shall permit the purchaser to inspect the supplier's records relating to the performance of the supplier and to have them audited by auditors appointed by the purchaser, if so required by the purchaser.

6. Patent rights

6.1 The supplier shall indemnify the purchaser against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the goods or any part thereof by the purchaser.

7. Performance security

- 7.1.1 Within thirty (30) days of receipt of the notification of contract award, the successful bidder shall furnish to the purchaser the performance security of the amount specified in SCC.
- 7.1.2 The proceeds of the performance security shall be payable to the purchaser as compensation for any loss resulting from the supplier's failure to complete his obligations under the contract.
- 7.3 The performance security shall be denominated in the currency of the contract, or in a freely convertible currency acceptable to the purchaser and shall be in one of the following forms:
 - (a) a bank guarantee or an irrevocable letter of credit issued by a reputable bank located in the purchaser's country or abroad, acceptable to the purchaser, in the form provided in the bidding documents or another form acceptable to the purchaser; or
 - (b) a cashier's or certified cheque
- 7.4 The performance security will be discharged by the purchaser and returned to the supplier not later than thirty (30) days following the date of completion of the supplier's performance obligations under the contract, including any warranty obligations, unless otherwise specified in SCC.

8. Inspections, tests and analyses

testing authority concerned.

- 8.1 All pre-bidding testing will be for the account of the bidder.
- 8.2 If it is a bid condition that supplies to be produced or services to be rendered should at any stage during production or execution or on completion be subject to inspection, the premises of the bidder or contractor shall be open, at all reasonable hours, for inspection by a representative of the Department or an organization acting on behalf of the Department.
- 8.3 If there are no inspection requirements indicated in the bidding documents and no mention is made in the contract, but during the contract period it is decided that inspections shall be carried out, the purchaser shall itself make the necessary arrangements, including payment arrangements with the

Page 36 of 50

- 8.4 If the inspections, tests and analyses referred to in clauses 8.2 and 8.3 show the supplies to be in accordance with the contract requirements, the cost of the inspections, tests and analyses shall be defrayed by the purchaser.
- 8.5 Where the supplies or services referred to in clauses 8.2 and 8.3 do not comply with the contract requirements, irrespective of whether such supplies or services are accepted or not, the cost in connection with these inspections, tests or analyses shall be defrayed by the supplier.
- Supplies and services which are referred to in clauses 8.2 and 8.3 and which do not comply with the contract requirements may be rejected. 8.7 Any contract supplies may on or after delivery be inspected, tested or analyzed and may be rejected if found not to comply with the requirements of the contract. Such rejected supplies shall be held at the cost and risk of the supplier who shall, when called upon, remove them immediately at his own cost and forthwith substitute them with supplies which do comply with the requirements of the contract. Failing such removal the rejected supplies shall be returned at the suppliers cost and risk. Should the supplier fail to provide the substitute supplies forthwith, the purchaser may, without giving the supplier further opportunity to substitute the rejected supplies, purchase such supplies as may be necessary at the expense of the supplier.
- 8.8 The provisions of clauses 8.4 to 8.7 shall not prejudice the right of the purchaser to cancel the contracton account of a breach of the conditions thereof, or to act in terms of Clause 23 of GCC.

9. Packing

- 9.1 The supplier shall provide such packing of the goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in the contract. The packing shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packing, case size and weights shall take into consideration, where appropriate, the remoteness of the goods' final destination and the absence of heavy handling facilities at all points in transit.
- 9.2 The packing, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the contract, including additional requirements, if any, specified in SCC, and in any subsequent instructions ordered by the purchaser.

10. Delivery and documents

- 10.1 Delivery of the goods shall be made by the supplier in accordance with the terms specified in the contract. The details of shipping and/or other documents to be furnished by the supplier are specified in SCC.
- 10.2 Documents to be submitted by the supplier are specified in SCC.

11. Insurance

11.1 The goods supplied under the contract shall be fully insured in a freely convertible currency against loss or damage incidental to manufacture or acquisition, transportation, storage and delivery in the manner specified in the SCC.

12. Transportation

12.1 Should a price other than an all-inclusive delivered price be required, this shall be specified in the SCC.

13. Incidental services

- 13.1 The supplier may be required to provide any or all of the following services, including additional services, if any, specified in SCC:
 - (a) performance or supervision of on-site assembly and/or commissioning of the supplied goods;
 - (b) furnishing of tools required for assembly and/or maintenance of the supplied goods;
 - (c) furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied goods;
 - (d) performance or supervision or maintenance and/or repair of the supplied goods, for a period of time agreed by the parties, provided that this service shall not relieve the supplier of any warranty obligations under this contract; and
 - (e) training of the purchaser's personnel, at the supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied goods.
- 13.2 Prices charged by the supplier for incidental services, if not included in the contract price for the goods, shall be agreed upon in advance by the parties and shall not exceed the prevailing rates charged to other parties by the supplier for similar services.

14. Spare parts

- 14.1 As specified in SCC, the supplier may be required to provide any or all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the supplier:
 - (a) such spare parts as the purchaser may elect to purchase from the supplier, provided that this election shall not relieve the supplier of any warranty obligations under the contract; and
 - (b) in the event of termination of production of the spare parts:

- (i) Advance notification to the purchaser of the pending termination, in sufficient time to permit the purchaser to procure needed requirements; and
- (ii) following such termination, furnishing at no cost to the purchaser, the blueprints, drawings, and specifications of the spare parts, if requested.

15. Warranty

- 15.1 The supplier warrants that the goods supplied under the contract are new, unused, of the most recent or current models, and that they incorporate all recent improvements in design and materials unless provided otherwise in the contract. The supplier further warrants that all goods supplied under this contract shall have no defect, arising from design, materials, or workmanship (except when the design and/or material is required by the purchaser's specifications) or from any act or omission of the supplier, that may develop under normal use of the supplied goods in the conditions prevailing in the country of final destination.
- 15.2 This warranty shall remain valid for twelve (12) months after the goods, or any portion thereof as the case may be, have been delivered to and accepted at the final destination indicated in the contract, or for eighteen (18) months after the date of shipment from the port or place of loading in the source country, whichever period concludes earlier, unless specified otherwise in SCC.
- 15.3 The purchaser shall promptly notify the supplier in writing of any claims arising under this warranty.
- 15.4 Upon receipt of such notice, the supplier shall, within the period specified in SCC and with all reasonable speed, repair or replace the defective goods or parts thereof, without costs to the purchaser.
- 15.5 If the supplier, having been notified, fails to remedy the defect(s) within the period specified in SCC, the purchaser may proceed to take such remedial action as may be necessary, at the supplier's risk and expense and without prejudice to any other rights which the purchaser may have against the supplier under the contract.

16. Payment

16.1 The method and conditions of payment to be made to the supplier under this contract shall be specifie;9d in SCC.

- 16.2 The supplier shall furnish the purchaser with an invoice accompanied by a copy of the delivery note and upon fulfillment of other obligations stipulated in the contract.
- 16.3 Payments shall be made promptly by the purchaser, but in no case later than thirty (30) days after submission of an invoice or claim by the supplier.
- 16.4 Payment will be made in Rand unless otherwise stipulated in SCC.

17. Prices

17.1 Prices charged by the supplier for goods delivered and services performed under the contract shall not vary from the prices quoted by the supplier in his bid, with the exception of any price adjustments authorized in SCC or in the purchaser's request for bid validity extension, as the case may be.

18. Contract amendments

18.1 No variation in or modification of the terms of the contract shall be made except by written amendment signed by the parties concerned.

19. Assignment

19.1 The supplier shall not assign, in whole or in part, its obligations to perform under the contract, except with the purchaser's prior written consent.

20. Subcontracts

20.1 The supplier shall notify the purchaser in writing of all subcontracts awarded under this contracts if not already specified in the bid. Such notification, in the original bid or later, shall not relieve the supplier from any liability or obligation under the contract.

21. Delays in the supplier's performance

21. Delivery of the goods and performance of services shall be made by the supplier in accordance with the time schedule prescribed by the purchaser in the contract.

- 21.2 If at any time during performance of the contract, the supplier or its subcontractor(s) should encounter conditions impeding timely delivery of the goods and performance of services, the supplier shall promptly notify the purchaser in writing of the fact of the delay, its likely duration and its cause(s). As soon as practicable after receipt of the supplier's notice, the purchaser shall evaluate the situation and may at his discretion extend the supplier's time for performance, with or without the imposition of penalties, in which case the extension shall be ratified by the parties by amendment of contract.
- 21.3 No provision in a contract shall be deemed to prohibit the obtaining of supplies or services from a national department, provincial department, or a local authority.
- 21.4 The right is reserved to procure outside of the contract small quantities or to have minor essential services executed if an emergency arises, the supplier's point of supply is not situated at or near the place where the supplies are required, or the supplier's services are not readily available.
- 21.5 Except as provided under GCC Clause 25, a delay by the supplier in the performance of its delivery obligations shall render the supplier liable to the imposition of penalties, pursuant to GCC Clause
- 22, unless an extension of time is agreed upon pursuant to GCC Clause 21.2 without the application of penalties.
- 21.6 Upon any delay beyond the delivery period in the case of a supplies contract, the purchaser shall, without canceling the contract, be entitled to purchase supplies of a similar quality and up to the same quantity in substitution of the goods not supplied in conformity with the contract and to return any goods delivered later at the supplier's expense and risk, or to cancel the contract and buy such goods as may be required to complete the contract and without prejudice to his other rights, be entitled to claim damages from the supplier.

22. Penalties

22.1 Subject to GCC Clause 25, if the supplier fails to deliver any or all of the goods or to perform the services within the period(s) specified in the contract, the purchaser shall, without prejudice to its other remedies under the contract, deduct from the contract price, as a penalty, a sum calculated on the delivered price of the delayed goods or unperformed services using the current prime interest rate calculated for each day of the delay until actual delivery or performance. The purchaser may also consider termination of the contract pursuant to GCC Clause 23.

23. Termination for default

- 23.1 The purchaser, without prejudice to any other remedy for breach of contract, by written notice of default sent to the supplier, may terminate this contract in whole or in part:
 - (a) if the supplier fails to deliver any or all of the goods within the period(s) specified in the contract, or within any extension thereof granted by the purchaser pursuant to GCC Clause 21.2;
 - (b) if the Supplier fails to perform any other obligation(s) under the contract; or
 - (c) if the supplier, in the judgment of the purchaser, has engaged in corrupt or fraudulent practices in competing for or in executing the contract.
- 23.2 In the event the purchaser terminates the contract in whole or in part, the purchaser may procure, upon such terms and in such manner as it deems appropriate, goods, works or services similar to those undelivered, and the supplier shall be liable to the purchaser for any excess costs for such similar goods, works or services. However, the supplier shall continue performance of the contract to the extent not terminated.
- 23.3 Where the purchaser terminates the contract in whole or in part, the purchaser may decide to impose a restriction penalty on the supplier by prohibiting such supplier from doing business with the public sector for a period not exceeding 10 years.
- If a purchaser intends imposing a restriction on a supplier or any person associated with the supplier, the supplier will be allowed a time period of not more than fourteen (14) days to provide reasons why the envisaged restriction should not be imposed. Should the supplier fail to respond within the stipulated fourteen (14) days the purchaser may regard the intended penalty as not objected against and may impose it on the supplier.
- 23.5 Any restriction imposed on any person by the Accounting Officer / Authority will, at the discretion of the Accounting Officer / Authority, also be applicable to any other enterprise or any partner, manager, director or other person who wholly or partly exercises or exercised or may exercise control over the enterprise of the first-mentioned person, and with which enterprise or person the first-mentioned person, is or was in the opinion of the Accounting Officer / Authority actively associated.
- 23.6 If a restriction is imposed, the purchaser must, within five (5) working days of such imposition, furnish the National Treasury, with the following information:
 - (i) the name and address of the supplier and / or person restricted by the purchaser;
 - (ii) the date of commencement of the restriction
 - (iii) the period of restriction; and
 - (iv) the reasons for the restriction.

These details will be loaded in the National Treasury's central database of suppliers or persons prohibited from doing business with the public sector.

23.7 If a court of law convicts a person of an offence as contemplated in sections 12 or 13 of the Prevention and Combating of Corrupt Activities Act, No. 12 of 2004, the court may also rule that such person's name be endorsed on the Register for Tender Defaulters. When a person's name has been endorsed on the Register, the person will be prohibited from doing business with the public sector for a period not less than five years and not more than 10 years. The National Treasury is empowered to determine the period of restriction and each case will be dealt with on its own merits. According to section 32 of the Act the Register must be open to the public. The Register can be perused on the National Treasury website.

24. Anti-dumping and countervailing duties and rights

When, after the date of bid, provisional payments are required, or antidumping or countervailing duties are imposed, or the amount of a provisional payment or anti-dumping or countervailing right is increased in respect of any dumped or subsidized import, the State is not liable for any amount so required or imposed, or for the amount of any such increase. When, after the said date, such a provisional payment is no longer required or any such anti-dumping or countervailing right isabolished, or where the amount of such provisional payment or any such right is reduced, any such favourable difference shall on demand be paid forthwith by the contractor to the State or the State may deduct such amounts from moneys (if any) which may otherwise be due to the contractor in regard to supplies or services which he delivered or rendered, or is to deliver or render in terms of the contract or any other contract or any other amount which may be due to him.

25. Force Majeure

- 25.1 Notwithstanding the provisions of GCC Clauses 22 and 23, the supplier shall not be liable for forfeiture of its performance security, damages, or termination for default if and to the extent that his delay in performance or other failure to perform his obligations under the contract is the result of an event of force majeure.
- 25.2 If a force majeure situation arises, the supplier shall promptly notify the purchaser in writing of such condition and the cause thereof. Unless otherwise directed by the purchaser in writing, the supplier shall continue to perform its obligations under the contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the force majeure event.

26. Termination for insolvency

26.1 The purchaser may at any time terminate the contract by giving written notice to the supplier if the supplier becomes bankrupt or otherwise insolvent. In this event, termination will be without compensation to the supplier, provided that such termination will not prejudice or affect any right of action or remedy which has accrued or will accrue thereafter to the purchaser.

27. Settlement of Disputes

- 27.1 If any dispute or difference of any kind whatsoever arises between the purchaser and the supplier in connection with or arising out of the contract, the parties shall make every effort to resolve amicably such dispute or difference by mutual consultation.
- 27.2 If, after thirty (30) days, the parties have failed to resolve their dispute or difference by such mutual consultation, then either the purchaser or the supplier may give notice to the other party of his intention to commence with mediation. No mediation in respect of this matter may be commenced unless such notice is given to the other party.
- 27.3 Should it not be possible to settle a dispute by means of mediation, it may be settled in a South African court of law.
- 27.4 Mediation proceedings shall be conducted in accordance with the rules of procedure specified in the SCC.
- 27.5 Notwithstanding any reference to mediation and/or court proceedings herein,
 - (a) the parties shall continue to perform their respective obligations under the contract unless they otherwise agree; and
 - (b) the purchaser shall pay the supplier any monies due the supplier.

28. Limitation of liability

- 28.1 Except in cases of criminal negligence or willful misconduct, and in the case of infringement pursuant to Clause 6;
 - (a) the supplier shall not be liable to the purchaser, whether in contract, tort, or otherwise, for any indirect or consequential loss or damage, loss of use, loss of production, or loss of profits or interest costs, provided that this exclusion shall not apply to any obligation of the supplier to pay penalties and/or damages to the purchaser; and
 - (b) the aggregate liability of the supplier to the purchaser, whether under the contract, in tort or otherwise, shall not exceed the total contract price, provided that this limitation shall not apply to the cost of repairing or replacing defective equipment.

29. Governing language

29.1 The contract shall be written in English. All correspondence and other documents pertaining to the contract that is exchanged by the parties shall also be written in English.

30. Applicable law

30.1 The contract shall be interpreted in accordance with South African laws, unless otherwise specified in SCC.

31. Notices

- 31.1 Every written acceptance of a bid shall be posted to the supplier concerned by registered or certified mail and any other notice to him shall be posted by ordinary mail to the address furnished in his bid or to the address notified later by him in writing and such posting shall be deemed to be proper service of such notice
- The time mentioned in the contract documents for performing any act after such aforesaid notice has been given, shall be reckoned from the date of posting of such notice.

32. Taxes and duties

- A foreign supplier shall be entirely responsible for all taxes, stamp duties, license fees, and other such levies imposed outside the purchaser's country.
- 32.2 A local supplier shall be entirely responsible for all taxes, duties, license fees, etc., incurred until delivery of the contracted goods to the purchaser.
- 32.3 No contract shall be concluded with any bidder whose tax matters are not in order. Prior to the award of a bid the Department must be in possession of a tax clearance certificate, submitted by the bidder. This certificate must be an original issued by the South African Revenue Services.

33. National Industrial Participation (NIP) Programme

33.1 The NIP Programme administered by the Department of Trade and Industry shall be applicable to all contracts that are subject to the NIP obligation.

34 Prohibition of Restrictive practices

34.1 In terms of section 4 (1) (b) (iii) of the Competition Act No. 89 of 1998, as amended, an agreement between, or concerted practice by, firms, or a decision by an association of firms, is prohibited if it is

between parties in a horizontal relationship and if a bidder (s) is / are or a contractor(s) was / were involved in collusive bidding (or bid rigging).

- 34.2 If a bidder(s) or contractor(s), based on reasonable grounds or evidence obtained by the purchaser, has / have engaged in the restrictive practice referred to above, the purchaser may refer the matter to the Competition Commission for investigation and possible imposition of administrative penalties as contemplated in the Competition Act No. 89 of 1998.
- 34.3 If a bidder(s) or contractor(s), has / have been found guilty by the Competition Commission of the restrictive practice referred to above, the purchaser may, in addition and without prejudice to any other remedy provided for, invalidate the bid(s) for such item(s) offered, and / or terminate the contract in whole or part, and / or restrict the bidder(s) or contractor(s) from conducting business with the public sector for a period not exceeding ten (10) years and / or claim damages from the bidder(s) or contractor(s) concerned.

11. SERVICES SETA SUPPLIER DECLARATION FORM

The Supply Chain Management Manager

SSETA Vendor Management has received a request to load your company on to the SSETA vendor database. Please furnish us with the following to enable us to process this request:

- 1. Complete the "Supplier Declaration Form" (SDF) on page 2 of this letter
- 2. Original cancelled cheque OR letter from the bank verifying banking details (with bank stamp)
- 3. **Certified** copy of Identity document of Shareholders/Directors/Members (where applicable)
- 4. **Certified** copy of certificate of incorporation, CM29 / CM9 (name change)
- 5. **Certified** copy of share Certificates of Shareholders, CK1 / CK2 (if CC)
- 6. A letter with the company's letterhead confirming physical and postal addresses
- 7. Original or certified copy of SARS Tax Clearance certificate and Vat registration certificate
- 8. Proof of company registered with National Treasury Central Supplier Database (CSD)
- 9. Tax compliant on National Treasury Central Supplier Database (CSD) prior to award (Refer above 8)
- 10. Proof of B-BBEE status level of contributor" means:
 - B-BBEE Status level certificate issued by an authorized body or person;
 - A sworn affidavit as prescribed by the B-BBEE Codes of Good Practice;
 - Any other requirement prescribed in terms of the B-BBEE Act;
- NB: Failure to submit the above documentation will delay the vendor creation process.
 - Where applicable, the respective Services SETA business unit processing your application may request further information from you. E.g. proof of an existence of a Service/Business contract between your business and the SSETA.

IMPORTANT NOTES:

- a) <u>If your annual turnover is less than R10million</u>, then in terms of the DTI codes, you are classified as an Exempted Micro Enterprise (EME). If the company is classified as an EME, the company is only required to obtain a sworn affidavit on an annual basis, confirming the following: (a) Annual Total Revenue of R10milion or less and (b) Level of Black Ownership.
- b) <u>If your annual turnover is between R10million and R50million</u>, then in terms of the DTI codes, you are classified as a Qualifying Small Enterprise (QSE). A QSE must comply with all of the elements of B-BBEE for the purposes of measurement.

Enhanced B-BBEE recognition level for QSE:

- A QSE which is 100% Black Owned qualifies for a Level One B-BBEE recognition.
- A QSE which is at least 51% Black Owned qualifies for a Level Two B-BBEE recognition level
- In the above cases the QSEs mentioned above are only required to obtain an sworn affidavit on an annual basis confirming the following:
 - a) Annual Total Revenue of R50million or less:
 - b) Level of Ownership
- c) <u>If your annual turnover is in excess of R50million</u>, then in terms of the DTI codes, you are classified as a Large Enterprise and you claim a specific BEE level based on all 5 elements of the BBBEE Generic score-card. Please include your BEE certificate in your submission as confirmation of your status.

NB: BBBEE certificate and detailed scorecard should be obtained from an accredited rating agency (permanent SANAS Member).

- d) To avoid PAYE tax being automatically deducted from any invoices received from you. you must also contact the SSETA person who lodged this request on your behalf, so as to be correctly classified in terms of Tax legislation.
- e) Unfortunately, **No payments can be made to a vendor** until the vendor has been registered, and no vendor can be registered until the vendor application form, together with its supporting documentation, has been received and processed.
- f) Please return the completed Supplier Declaration Form (SDF) together with the required supporting documents mentioned above to the SSETA Official who is intending to procure your company's services/products in order that he/she should complete and Internal SSETA Departmental Questionnaire before referring the matter to the appropriate SSETA Vendor Office.

Regards,

SUPPLIER DECLARATION FORM

Company Trading Name								
Company Registered	d Name							
Company Registration Number Proprietor		Or ID Numb	er If	A Sole	•			
Form of entity	CC	Trust	Pt	y Ltd	Lim	ited	Partnership	Sole Proprietor
VAT number (if regis	stered)					•		
Company Telephone	e Number							
Company Fax Numb	er							
Company E-Mail Add	dress							
Company Website Address								
Bank Name				Bank Numb		ccount		
Postal Address								
							С	ode
Physical Address								
,							C	ode
Contact Person								
Designation								
Telephone								
Email								



Item

No

CONSTRUCTION OF GA-PHASHA SKILLS CENTRE

CONTRACT BOQ - ALL INCLUSIVE

Amount

Rate

Quantity

SECTION 1 BILL No. 1 PRELIMINARIES BUILDING AGREEMENT AND PRELIMINARIES The JBCC Preliminaries Code 2103, May 2018 edition for use with the JBCC Principal Building Agreement Edition 6.2 Code 2101, May 2018 is taken to be incorporated herein. The tenderer is deemed to have referred to these documents for the full intent and meaning of each clause. These clauses are referred to by number and heading only. Where standard clauses or options are not applicable to the contract such modifications or corrections as are necessary are given under each relevant clause. Where an item is not relevant to this specific contract such item is marked. "N/A" signifying "Not Applicable". Contractors are referred to the above mentioned documents for the full intent and meaning of each clause thereof These clauses are hereinafter referred to by clause number and heading only. Where standard clauses or alternatives are not entirely applicable to this contract such modifications, corrections or supplements as will apply are given under each relevant clause heading and such modifications, corrections or supplements shall take precedence notwithstanding anything contrary contained in the above mentioned documents Where any item is not relevant to this specific contract such item is marked N/A, signifying "not applicable" R **Carried to Summary** Section 1 **PRELIMINARIES** Bill No. 1 **PRELIMINARIES Ga-Phasha Skills Centre** 2 4 5 6



PREAMBLES FOR TRADES

CONSTRUCTION OF GA-PHASHA SKILLS CENTRE

	The Model Preambles for Trades (2017 edition) as published by the Association of South African Quantity Surveyors shall be deemed to be incorporated in these bills of quantities and no claims arising from brevity of description of items fully described in the said Model Preambles will be entertained			
	Supplementary preambles are incorporated in these bills of quantities to satisfy the requirements of this project. Such supplementary preambles shall take precedence over the provisions of the said Model Preambles			
	The contractor's prices for all items throughout these bills of quantities must take account of and include for all of the obligations, requirements and specifications given in the said Model Preambles and in any supplementary preambles			
	PRICING OF PRELIMINARIES			
	Should the contractor select Option A in terms of subclause D 3.0 in the Contract Data - Contractor to Employer (CE) for the purpose of adjustment of these preliminaries, the amount entered into the amount column in these preliminaries is to be divided into one or more of the three categories provided namely Fixed (F), Value Related (V) and Time Related (T)			
	SECTION A - PRINCIPAL BUILDING AGREEMENT			
	<u>Definitions</u>			
1	Clause 1.0 - Definitions and interpretation			
	<u>F</u> :V:			
	T:	Item		
	Carried to Summary Section 1 PRELIMINARIES Bill No. 1 PRELIMINARIES		R	
	Ga-Phasha Skills Centre			
	1 2 3			



4	5	6



	Objective and preparations			
1	Clause 2.0 - Law, regulations and notices			
	F: T:	ltem		
2	Clause 3.0 - Offer and acceptance			
	F: T:	Item		
3	Clause 4.0 - Cession and assignment			
	F: T:	ltem		
4	Clause 5.0 - Documents F:V: T:			
		Item		
5	Clause 6.0 - employer's agents			
	F: T:	ltem		
6	Clause 7.0 – Design responsibility			
	F: T:	Item		
	Carried to Summary Section 1 PRELIMINARIES Bill No. 1 PRELIMINARIES		R	
	Ga-Phasha Skills Centre			



1	2	3
4	5	6



	Without limiting the generality of the provisions of clause 7.0, the contractor's attention is drawn to the provisions of the Construction Regulations, 2003 issued in terms of the Occupational Health and Safety Act, 1993. It is specifically stated that the employer shall prepare a documented health and safety specification for the works and that the employer shall ensure that the contractor has made provision for the cost of health and safety measures during the execution of the works. The contractor shall price opposite this item for compliance with the act and the regulations and the reasonable provisions of the aforementioned health and safety specifications			
1	Clause 8.0 - Works risk			
	F: T:	Item		
2	Clause 9.0 - Indemnities			
	F:V:			
	T:	Item		
3	Clause 10.0 - Insurances			
	F:			
	V:T:	Item		
4	Clause 11.0 - Securities			
	F:V:			
	T:	Item		
5	Clause 12.0 – Obligations of the parties			
	F:	Item		
	V:T:	item		
	Carried to Summary		R	
	Section 1 PRELIMINARIES BIII No. 1 PRELIMINARIES			
	Ga-Phasha Skills Centre			



1	2	3
4	5	6



1	Clause 13.0 – Setting out F:	ltem		
2	Clause 14.0 – Nominated subcontractors			
	F: T:	ltem		
3	Clause 15.0 - Nominated subcontractors F:			
	T:	Item		
4	Clause 16.0 - Site and access			
	Clause 16.7 - Known services Clause 16.8 - Protection of trees			
	F: T:	ltem		
5	Clause 17.0 - Contract instructions			
	F: T:	Item		
6	Clause 18.0 – Interim completion			
	F: V:T:	Item		
	Carried to Summary		R	
	Section 1 PRELIMINARIES BIII No. 1 PRELIMINARIES			
	Ga-Phasha Skills Centre			



1	2	3
4	5	6



CONTRACT BOQ - ALL INCLUSIVE

1 Clause 19.0 – Practical completion

	F: T:	
		Item
2	Clause 20.0 – Completion in sections	
	F: T:	Item
3	Clause 21.0 – Defects liability period and Final completion	
	F: T:	Item
4	Clause 22.0 – Latent Defects Liability Period	
	F: T:	Item
5	Clause 23.0 – Revision of the date of the practical completion	
	F: T:	Item
6	Clause 24.0 – Penality for late or non- completion	
	F: T:	Item

Carried to Summary

R

Section 1 PRELIMINARIES Bill No. 1 PRELIMINARIES



a-Filasila (Skills Centre	T -			
	2	3			
	5	6			



CONTRACT BOQ - ALL INCLUSIVE

1	Clause 25.0 - Payment	
	F: T:	Item
2	Clause 26.0 – Adjustment of the contract value and final account	
	F: T:	Item
3	Clause 27.0 – Recovery of expense and/or loss	
	F: T:	Item
4	Clause 28.0 – Suspension by the contractor	
	F: T:	Item
5	Clause 29.0 - Termination	
	The removal and replacement of materials and/or workmanship which do not conform to specification or drawing shall not constitute grounds for the extension of the construction period nor for the adjustment of the contract value (Clause 29.3)	
	F: T:	Item
6	Clause 30.0 – Dispute resolution	
	F: T:	Item

PRELIMINARIES

Section 1 PRELIMINARIES Bill No. 1



arried to	Summary	R
a-Phasha Skills Centro	е	
2	3	
_		
5	6	



	SECTION B - PRELIMINARIES			
	Definitions and interpretation			
1	Clause 1.0 - Definitions and interpretation			
	F: T:	Item		
	<u>Documents</u>			
2	Clause 2.1 - Checking of documents			
	F: T:	ltem		
3	Clause 2.2 - Provisional bills of quantities			
	F: T:	ltem		
4	Clause 2.3 - Availability of construction documentation			
	F: T:	Item		
	Previous work and adjoining properties			
5	Clause 3.1 - Previous work - dimensional accuracy			
	F: T:	Item		
6	Clause 3.2 - Previous work - defects			
	F: T:	Item		
	Occurrent to Occurrence			
	Carried to Summary Section 1 PRELIMINARIES Bill No. 1 PRELIMINARIES		R	



CONTRACT BOQ - ALL INCLUSIVE

Ga-Phasha Skills Centre

1	2	3
4	5	6



1	Clause 3.3 - Inspection of adjoining properties F:			
	T:	ltem		
	Samples, shop drawings and manufacturer's			
	instructions			
2	Clause 4.1 - Samples of materials			
	F:V:			
	T:	Item		
3	Clause 4.2 - Workmanship samples			
	<u>F</u> :V:			
	T:	Item		
4	Clause 4.3 - Shop drawings			
	F:V:	_		
	T:	Item		
5	Clause 4.4 - Compliance with manufacturer's instructions			
	F: T:	Item		
	Deposits and fees			
6	Clause 5.1 - Deposits and fees			
	F: T:	Item		
	Carried to Summary		R	
	Section 1			
	PRELIMINARIES Bill No. 1			
	PRELIMINARIES			



CONTRACT BOQ - ALL INCLUSIVE

Ga-Phasha Skills Centre

1	2	3
4	5	6



	Temporary services			
1	Clause 6.1 - Water			
	F: T:	ltem		
2	Clause 6.2 - Electricity			
	F: T:	ltem		
3	Clause 6.3 - Telecommunication facilities			
	F: T:	ltem		
4	Clause 6.4 - Ablution facilities			
	F: T:	ltem		
	Prime cost amounts			
5	Clause 7.1 - Responsibility for prime cost amounts			
	F: T:	ltem		
	Special attendance on n/s subcontractors			
6	Clause 8.1 - Special attendance			
	F: T:	ltem		
	Carried to Summary		R	
	Section 1 PRELIMINARIES Bill No. 1 PRELIMINARIES			



CONTRACT BOQ - ALL INCLUSIVE

Ga-Phasha Skills Centre

1	2	3
4	5	6



CONTRACT BOQ - ALL INCLUSIVE

General

1	Clause 9.1 - Protection of the works	
	F: T:	ltem
2	Clause 9.2 - Protection/isolation of existing/sectionally occupied works	
	F: T:	Item
3	Clause 9.3 - Security of the works	
	F: T:	Item
4	Clause 9.4 - Notice before covering work	
	F: T:	Item
5	Clause 9.5 - Disturbance	
	F: T:	Item
6	Clause 9.6 - Environmental disturbance	
	F: V: T:	Item
7	Clause 9.7 - Works cleaning and clearing	
	F: T:	Item

Carried to Summary

R

Section 1 PRELIMINARIES Bill No. 1 PRELIMINARIES



To.	10			
2	3			
5	6			



1	Clause 9.8 - Vermin			
	F: T:	Item		
2	Clause 9.9 - Overhand work			
	F: T:	Item		
	Schedule of variables			
	Information necessary for elections and completion of those clauses contained in the schedule which are necessary for tender purposes is given hereunder. Where no information is given it shall mean that no specific requirements are expected or that the clause is not relevant to this specific contract			
	10.1 - Provisional bills of quantities [clause 2.2]			
	The quantities are provisional Yes			
	10.2 - Availability of construction documentation [clause 2.3]			
	Construction documentation is complete Yes			
	10.3 - Previous work - dimensional accuracy [clause 3.1]			
	The contractor is responsible for ensuring the dimensional accuracy and integrity of each building and must satisfy himself as to opening sizes, etc before ordering components			
	10.4 - Previous work - defects [clause 3.2] N/A			
	10.5 - Inspection of adjoining properties [clause 3.3] N/A			
	Carried to Summary Section 1 PRELIMINARIES Bill No. 1 PRELIMINARIES		R	
	Ga-Phasha Skills Centre			
	1 2 3			
١		1 1	II	



4	5	6



10.6 -	Water [clause 7.2]		
	Option A (by contractor)	Yes	
	Option B (by employer - free of	f charge) No	
	Option C (by employer - metero	ed) No	
10.7 -	Electricity [clause 7.3]		
	Option A (by contractor)	Yes	
	Option B (by employer - free of	f charge) No	
	Option C (by employer - meter	ed) No	
0.8 -	Telecommunications [clause 7.	4]	
	Telephone	Yes	
	Facsimile	No	
	E-mail	No	
0.9 -	Ablution facilities [clause 7.5]		
	Option A (by contractor)	Yes	
	Option B (by employer)	No	
10 -	Protection of the works [clause	9.1]	
	The contractor shall provide necessary, maintain, remove a completion of the works, suita temporary fencing as necessary of the works and protection of satisfaction of the Principal Age	and make good on able hoardings or y for the enclosure the public, to the	
II No. RELIM	1 INARIES	arried to Summary	R
	2	3	
	5	6	
			I



10.11 - Protection/isolation of occupied works [clause 9.2]	existing/sectionally		
Protection/isolation is required	Yes		
10.12 - Disturbance [clause 9.5]			
The contractor shall execute little noise and disturbance adjoining premises and occushall keep the site, structures during operations to prever provide, erect and remove of the works, all necessary screens, to the satisfaction of the	e as possible to upants thereof; he s, etc well watered at dust and shall e on completion by temporary dust		
10.13 - Environmental disturbance [cla	ause 9.6]		
No specific requirements			
	arried to Summary	R	
Section 1 PRELIMINARIES BIII No. 1 PRELIMINARIES			
Ga-Phasha Skills Centre			
1 2	3		
4 5	6		



SECTION C - SPECIFIC PRELIMINARIE	<u>S</u>			
Site instructions				
Instructions issued on site are to be recording a site instruction book which is to be material by the contractor				
F: V:		Item		
Warranties for material and workmansh	nip			
Where warranties for materials and/or we called for, the contractor shall obtain a waddressed to the employer, from the firm materials and/or doing the work and shall the principal agent on the certified corcontract. The warranty shall state that materials and installation are warranted period from the date of final completion defects that may arise during the specified made good at the expense of the firm materials and/or doing the work, upon writ so. The warranty will not be enforced damaged by defects in the construction of which case the responsibility for replaced entirely with the contractor	written warranty, in supplying the deliver same to impletion of the toworkmanship, for a specified in and that any diperiod shall be in supplying the ten notice to do if the work is of the building in			
F:T:		Item		
Carr Section 1 PRELIMINARIES Bill No. 1 PRELIMINARIES	ied to Summary		R	
Ga-Phasha Skills Centre				
1 2 3				



4	5	6



1	Co-operation of contractor for cost management			
	It is specifically agreed that the contractor accepts the obligation of assisting the principal agent in implementing proper cost management. The contractor will be advised by the principal agent of all cost management procedures which will be implemented to ensure that the final building cost does not exceed the budget. The principal agent undertakes to make available to the contractor all budgetary allowances and cost assessments/reports to enable the proper procedure to be implemented and the contractor shall attend all cost plan review and cost management meetings. The contractor undertakes to extend these procedures, as necessary, to all subcontractors			
	F:T:	Item		
2	Propping of floors below			
	The contractor is advised that propping of floors below may be required if he wishes to use any areas of completed suspended reinforced concrete slabs for vehicle access, storage of materials and goods and location of plant, scaffolding, etc. The location of these areas and any necessary propping shall be approved by the principal agent and the cost thereof shall be borne by the contractor			
	F: V: T:	Item		
3	Testing of windows for water tightness Each window shall be tested for water tightness with water sprayed on using adequate pressure. If in the opinion of the principal agent, the pressure proves to be inadequate, then the pressure shall be boosted by means of compressed air or other approved means			
	F: V: T:	Item		
	Carried to Summary		R	
	Section 1 PRELIMINARIES Bill No. 1 PRELIMINARIES			
	Ga-Phasha Skills Centre			



1	2	3
4	5	6



Testing of flat roof waterproofing for water tightness			
Flat roof waterproof areas shall be prepared with small sand dykes around them of a size and enclosing an area approved by the principal agent, flooded with water and kept "ponded" for at least 36 hours as a test to ensure the water tightness of the waterproofing and before any further construction work is carried out above the waterproofing			
F: V: T:	Item		
Carried to Summary Section 1		R	
PRELIMINARIES Bill No. 1			
PRELIMINARIES			
Ga-Phasha Skills Centre			
1 2 3			



4	5	6



OCCUPATIONAL HEALTH AND SAFETY ACT			
The contractor shall comply with all the requirements set out in the Construction Regulations, 2014 issued under the Occupational Health and Safety Act, 1993 (Act No 85 of 1993) and all amendments and revisions.			
It is required of the contractor to thoroughly study the Health and Safety Specification that must be read together with and is deemed to be incorporated under this Section of the bills of quantities / lump sum document			
The contractor must take note that compliance with the Occupational Health and Safety Act, Construction Regulations (as amended) and Health and Safety Specification is compulsory. In the event of partial or total non-compliance, the principal agent , notwithstanding the provisions of clause A31.0 of Section A or any other clause to the contrary, reserves the right to delay issuing any progress payment certificate until the contractor provides satisfactory proof of compliance. The contractor shall not be entitled to any compensation of whatsoever nature, including interest, due to such delay of payment.			
Provision for pricing of the Occupational Health and Safety Act, Construction Regulations and Health and Safety Specification is made under this clause and it is explicitly pointed out that all requirements of the aforementioned are deemed to be priced hereunder and no additional claims in this regard shall be entertained			
Fixed: Value related: Time related:	ltem		
Carried to Summary		R	
Section 1 PRELIMINARIES BIII No. 1 PRELIMINARIES			
Ga-Phasha Skills Centre			
1 2 3			



4	5	6



1	COMMUNITY LIAISON OFFICER (CLO)			
	Provide the sum of R54 000.00 (Fifty-four Thousand Rand only) for payment of CLO for duration of the contract	Item		
	SUMMARY OF CATEGORIES			
	Category : Fixed R			
	Category : Value R			
	Category : Time R			
	Carried to Summary Section 1		R	
	PRELIMINARIES Bill No. 1			
	PRELIMINARIES			
	Ga-Phasha Skills Centre			
	1 2 3			
	4 5 6			



Section 1						
Bill No. 1						
PRELIMINARIES						
SUMMARY						
				Page		Amount
Total Brought Fo	orward from Pag	ge No.		No		
				4		
				6		
				8		
				16		
				18		
				21		
		Carried Forw	<i>r</i> ard		R	
Section 1 PRELIMINARIES Bill No. 1						
PRELIMINARIES Ga-Phasha Skill						
		lo.				
1	2	3				
4	5	6				



Section 1						
Bill No. 1						
PRELIMINARIES						
SUMMARY						
				Page		Amount
		Brought Forward	I	No	R	
Total Brought Forw	rard from Page No.					
				32		
				34		
	Total Carried	d to Final Summary			R	
Section 1 PRELIMINARIES Bill No. 1 PRELIMINARIES						
Ga-Phasha Skills C	entre					
1	2	3				
4	5	6				



Item No

CONSTRUCTION OF GA-PHASHA SKILLS CENTRE

	Quantity	Rate	Amount
SECTION 2			Amount
SECTION 2			
BILL No. 1			
FOUNDATIONS (PROVISIONAL)			
GENERAL PREAMBLES			
Tenderers are advised to study the Model Preambles for Trades (September 2008 Edition) published by the Association of south African Quantity Surveyors before pricing this bill			
NOTE IN RESPECT OF REMEASUREMENT OF FOUNDATIONS			
Foundation brickwork and concrete walls have been measured to top of unfinished floor level			
Carried to Summary		R	
Section 2 SKILLS CENTRE			
Bill No. 1 Foundations (Provisional)			
Ga-Phasha Skills Centre			
1 2 3			



4	5	6



<u>EARTHWORKS</u>	
NOTE	
All excavations are measured as being in "earth" and filling compacted to 95% modified AASHTO density	'or
Descriptions of excavations shall be deemed to inclusion for setting aside surplus excavated material in spoil heat for use as filling, or for depositing within 150m of perimeter of the excavations and spreading and roug levelling as directed, as well as for increase in bulk a multiple handling of excavated material caused by Contractor's method of operation	ps he hly nd
Descriptions of carting away of excavated material sl be deemed to include loading excavated material o trucks directly from the excavations or, alternatively, fr stock piles situated on the building site and for bulking	nto
Working space for formwork to sides of all concrete except columns, shall be measured only where concrete face is less than 750mm from the face of measured excavations	he
Working space for formwork to sides of columns shall measured for the width of the column face only wh both:	
the top of the column base is more than 1,5m below commencing level of the excavations and	he
the column face is less than 500mm from the face of measured excavations	he
Carried to Sumn	ary R
SKILLS CENTRE	
Bill No. 1 Foundations (Provisional)	
Ga-Phasha Skills Centre	
1 2 3	
5 6	



CONTRACT BOQ - ALL INCLUSIVE

No claim shall be considered for any working space for formwork to concrete other than as above described or for working space beyond the sides of trench excavations for the building of brick or block walls

Descriptions of excavations for working space shall be deemed to include for any additional risk of collapse so incurred and for the returning and compacting of the excavated material as described

Excavations

Excavate in earth not exceeding 2m deep below natural, elevated or reduced ground level for

1	Trenches	m3	79
2	Holes	m3	1
	(End of excavations in earth)		
3	Extra over all excavations for carting away surplus material from excavations and/or from stockpiles on site to a dumping site to be located by the Contractor	m3	79
4	Risk of collapse of sides of reduced level excavations from natural, elevated or reduced ground level to not exceeding 1,5m deep	m2	314
5	Allow for keeping excavations free of all water other than subterranean water		ltem
	Filling, etc.		
6	150mm Thick Rip & Re-compact insitu material to 98% MOD.AASHTO at OMC	m3	120
7	150mm Thick G5 Layer compacted to 98% MOD.AASHTO at OMC	m3	239

Carried to Summary

R

Section 2 SKILLS CENTRE Bill No. 1 Foundations (Provisional)



Skills Centre	Γ-		
2	3		
5	6		



CONTRACT BOQ - ALL INCLUSIVE

Tests Tests to determine the degree of compaction, etc. of No ground or filling 4 **Protection against termites** Poisoning surface of ground in bottoms of trenches, bases, etc. m2 408 Poisoning surface of ground or filling under floors, steps, etc. including raking out 75mm deep V-shaped channels against the walls, etc. treating with poison solution, 797 backfilling and ramming m2 **CONCRETE Concrete test cubes** Prepare set of three 150 x 150 x 150mm concrete strength test cubes, label and send to an approved laboratory for testing, pay all charges and submit report to the Principal Agent. Only successful tests will be paid for (Provisional) No 4 Reinforced concrete with a coarse aggregate of 19mm and a minimum compressive strength of 25MPa at 28 days 1 m3 Bases 79 6 Ground beams m3 7 In surface beds cast in panels on waterproofing 108 (elsewhere) m3 **Sundries** Finish top surface of concrete slabs, etc. to a smooth

Carried to Summary R

m2

636

Section 2 SKILLS CENTRE Bill No. 1 Foundations (Provisional)

and even power floated surface



	Ta	T _a		
1	2	3		
1	5	6		



	<u>FORMWORK</u>			
	ROUGH FORMWORK (DEGREE OF ACCURACY III)			
	Rough formwork to sides			
1	Rectangular ground beams	m2	314	
	Movement Joints			
2	Movement joint not exceeding 300mm wide formed of 13mm bitumen impregnated soft board placed vertically in position in concrete floor	m	112	
	Saw cut joints			
3	6 x 20mm Saw cut joints in top of concrete	m	92	
	Construction joints			
4	Construction joints	m	69	
	Boxing in rough formwork to form			
5	100 x 100mm Chamfers along top or bottom edges of ground beams perpendicular to the sofit of surface bed.	m	659	
	REINFORCEMENT			
	High tensile steel reinforcement to structural concrete work			
6	16mm Diameter bars	t	2.41	
7	12mm Diameter bars	t	1.40	
	Carried to Summary			R
	Section 2 SKILLS CENTRE Bill No. 1 Foundations (Provisional)			K



CONTRACT BOQ - ALL INCLUSIVE

Ga-Phasha Skills Centre

1	2	3
4	5	6



Mesh reinforcement				
Mesh reinforcement with mesh reference number 193 laid in surface beds with 300mm wide side and end laps	0	200		
(measured net)	m2	636		
Carried to Summary			R	
Section 2 SKILLS CENTRE Bill No. 1 Foundations (Provisional)				
Ga-Phasha Skills Centre				
1 2 3				



4	5	6



Section 2			
Bill No. 1			
Foundations (Provisional)			
<u>SUMMARY</u>			
	Page		Amount
Total Brought Forward from Page No.	No		
	41		
	43		
	44		
	46		
Carried Forward to Summary of Section No. 2		R	
Section 2 SKILLS CENTRE			
Bill No. 1 Foundations (Provisional)			
Ga-Phasha Skills Centre			
1 2 3			
4 5 6			



Item No			Quantity	Rate	Amount
	SECTION 2				
	BILL No. 2				
	CONCRETE, FORMWORK AND REINFORCEMENT				
	GENERAL PREAMBLES				
	Tenderers are advised to study the Model Preambles for Trades (September 2008 Edition) published by the Association of south African Quantity Surveyors before pricing this bill				
	CONCRETE				
	Concrete test cubes				
1	Prepare set of three 150 x 150 x 150mm concrete strength test cubes, label and send to an approved laboratory for testing, pay all charges and submit report to the Principal agent. Only successful tests will be paid for (Provisional)	No	4		
	Mass concrete				
	Mass concrete with a coarse aggregate of 19mm and a minimum compressive strength of 25MPa at 28 days				
2	In ramps	m3	1		
	Reinforced concrete				
	Carried to Summary Section 2			R	
	SKILLS CENTRE Bill No. 2				
	Concrete, Formwork and Reinforcement Ga-				
	Phasha Skills Centre				
	1 2 3				
	4 5 6				



Pa at 28 days in		
g beam	m3	11
labs	m3	11
<u>Sundries</u>		
Finish raking top surface of concrete slabs, etc. to a smooth and even wood floated surface including additional dry sand/cement mixture added as necessary whilst the concrete is still wet	m2	43
FORMWORK		
Formwork to		
Soffit of slabs	m2	43
Edges, risers, ends and reveals not exceeding 300mm high or wide	m	27
Smooth formwork to sides and soffits of rectangular beams		
Beams propped up exceeding 1.5m and not exceeding 3.5m high		
	m2	114
Movement Joints		
Movement joint not exceeding 300mm wide formed of 13mm bitumen impregnated soft board placed vertically in position in concrete floor	m	89
Carried to Summary		
Section 2 SKILLS CENTRE Bill No. 2		



CONTRACT BOQ - ALL INCLUSIVE

Ga-Phasha Skills Centre

1	2	3
4	5	6



	Boxing in rough formwork to form			
1	100 x 100mm Chamfers along top or bottom edges of ground beams perpendicular to the sofit of surface bed.	m	356	
	REINFORCEMENT			
	High tensile steel bar reinforcement to structural concrete work			
2	16mm Diameter bars	t	0.80	
3	12mm Diameter bars	t	4.19	
	Mesh reinforcement			
4	Mesh reinforcement with mesh reference number 193 laid in surface beds with 300mm wide side and end laps (measured net)	m2	43	
	Carried to Summary			R
	Section 2 SKILLS CENTRE Bill No. 2			
	Concrete, Formwork and Reinforcement			
	Ga-Phasha Skills Centre			



1	2	3
4	5	6



Section 2			
Bill No. 2			
Concrete, Formwork and Reinforcement			
SUMMARY			
	Page No		Amount
Total Brought Forward from Page No.	49		
	50		
	52		
Carried Forward to Summary of Section No	. 2	R	
Section 2 SKILLS CENTRE			
Bill No. 2 Concrete, Formwork and Reinforcement			
Ga-Phasha Skills Centre			
1 2 3			



4	5	6



Item No			Quantity	Rate	Amount
	SECTION 2				
	BILL No. 3				
	MASONRY				
	GENERAL PREAMBLES				
	Tenderers are advised to study the Model Preambles for Trades (September 2008 Edition) published by the Association of south African Quantity Surveyors before pricing this bill)			
	Brickwork in burnt clay bricks in (5:1) cement	<u>t</u>			
1	Piers	m3	7		
2	Half brick wall	m2	123		
3	Half brick wall in beamfilling	m2	27		
4	One brick wall	m2	901		
5	One and a half brick walls	m2	57		
6	285mm Hollow walls of two half brick skins including wire ties	m2	71		
	Brick reinforcement				
7	Brick reinforcement 75mm wide built into brick walls with sufficient laps at end joints, angles and intersections (measured net)	m	483		
	Carried to Summa Section 2	ry		R	
	SKILLS CENTRE Bill No. 3 Masonry				
	Ga-Phasha Skills Centre				
	1 2 3				
	4 5 6				



CONTRACT BOQ - ALL INCLUSIVE

1	Brick reinforcement 150mm wide built into brick walls with sufficient laps at end joints, angles and intersections (measured net)	m	3 100
	<u>Sundries</u>		
2	Closing 70mm cavities of hollow walls vertically with brickwork one brick wide	m	19
	Joint forming material in movement joints		
3	38 x 1,6mm Galvanised hoop iron roof tie with one end built six courses deep into top of brickwork and other end wrapped around and nailed to trusses	No	189
	Nutec Cement/Fibre-cement window cills		
4	Internal window sill 100mm wide	m	83
5	External window sill 100mm wide set sloping	m	56
	Prestressed concrete lintels		
6	110 x 75mm Lintels in lengths not exceeding 3m	m	151
7	110 x 75mm Lintels in lengths exceeding 3m not exceeding 4.5m	m	15
	FACE BRICKWORK		
	Extra over for face brick: External face bricks pointed with flush horizontal and vertical joints. Firelight Travertine face brick.		
8	Cavity wall 280mm thick consisting of two skins of 110mm brickwork and 50mm wide cavity face brick on both sides	m2	71
9	230mm brickwork face brickwork.	m2	340
	Masonry		

Section 2 SKILLS CENTRE Bill No. 3



		Carried to Sumn
-Phasha \$	Skills Centre	
1	2	3
4	5	6



1	460mm brickwork face brickwork on brick piers	m2	57		
	WINDOW CILLS				
	Facebrick on edge window sills				
2	Window sill, facebrick on edge	m	90		
	Galvanised hoop iron cramps, ties, etc				
3	50 x 1.5mm Wall tie 605mm long, five times bent along length, with one end shot-pinned to concrete and the other end built into brickwork	No	20		
	PAVING				
	Paving of clay-brick pavers laid with butt joints to stretcher bond pattern on and including 25mm thick river-sand bed with sand & cement mixture swept into joints and hosed down, including weed killer and preparation of ground				
4	Paving to entrance walkway areas, aprons, etc to falls	m2	187		
5	220mm Wide brick-on-flat header course edging on 75mm thick mortar bed	m	120		
6	Fair raking cutting	m	13		
	Carried to Summary Section 2 SKILLS CENTRE Bill No. 3 Masonry			R	
	Ga-Phasha Skills Centre				



1	2	3
4	5	6



Section 2			
Bill No. 3			
Masonry			
SUMMARY			
Total Brought Forward from Page No.	Page No 56 58		Amount
	59		
Carried Forward to Summary of Section No. 2		R	
Section 2 SKILLS CENTRE Bill No. 3 Masonry			
Ga-Phasha Skills Centre			



4	5	6



Item No		Quantity	Rate	Amount
	SECTION 2			
	BILL No. 4			
	WATERPROOFING			
	GENERAL PREAMBLES			
	Tenderers are advised to study the Model Preambles for Trades (September 2008 Edition) published by the Association of south African Quantity Surveyors before pricing this bill			
	DAMP-PROOFING TO WALLS			
1	375 Micron embossed black polyethylene damp-proof course to walls, cills, etc. (measured net) m2	63		
	DAMP-PROOFING UNDER FLOORS, ETC.			
	Colour coded polyethylene sheeting complying with SANS 952, Type C in widest practicable widths with all joints lapped and sealed in accordance with the manufacturer's instructions			
2	250 Micron green medium density damp-proof membrane laid loose on top of sand bed (elsewhere) under solid floors with pressure sensitive tape jointing m2	636		
3	250 Micron green medium density damp-proof membrane laid loose on top of sand bed (elsewhere) to under sides and both sides of ground beams m2	358		
	WATERPROOFING TO ROOFS, BASEMENTS, ETC			
	Carried to Summary Section 2 SKILLS CENTRE Bill No. 4 Waterproofing		R	
	Ga-Phasha Skills Centre			
	1 2 3			
	4 5 6			



	Prime with one coat bitumen primer and one layer 4mm fully bonded waterproof membrane comprising two bitumen layers reinforced with woven spun bonded polyester fabric and coated with polyethelene film for heat bonding, laid with 75mm side and 100mm end laps			
1	On soffits of slab	m2	43	
2	On flat roofs	m2	43	
	PROTECTIVE ROOFING PAINT			
	Two coats bituminous aluminium paint			
3	On waterproofing to roofs	m2	43	
4	On waterproofing to box gutters	m2	5	
	Section 2 SKILLS CENTRE Bill No. 4 Waterproofing			R
	Ga-Phasha Skills Centre			



1	2	3
4	5	6



Section 2		
Bill No. 4		
Waterproofing		
SUMMARY		
	Page	Amount
Total Brought Forward from Page No.	No 63	
	64	
Carried Forward to Summary of Section No. 2		R
Section 2 SKILLS CENTRE Bill No. 4		
Waterproofing Co. Phospha Skilla Contro		
Ga-Phasha Skills Centre		



4	5	6



Item No

CONSTRUCTION OF GA-PHASHA SKILLS CENTRE

	Quantity	Rate	Amount
SECTION 2			
BILL No. 5			
ROOF COVERINGS, ETC.			
GENERAL PREAMBLES			
Tenderers are advised to study the Model Preambles for Trades (September 2008 Edition) published by the Association of south African Quantity Surveyors before pricing this bill			
PROFILED METAL SHEETING AND ACCESSORIES			
O.58mm Thick concealed fixing roofing sheets manufactured from roll-formed from certified steel complying with ISQ 550 (3T). The profile shall have three trapezoidal ribs at 203mm centers giving a net cover of 406mm. The rib height shall be 41mm and provide capillary breaks. The male rib shall have spurs at 283mm centers to ensure a positive double interlocking action at side-laps. Each pan shall incorporate two stiffener ribs. Profiled roof sheets to be coated on both sides with 'Global Coat" or "Chromadek Colour" and laid on structural timber/steel structure incorporating all necessary accessories such as flashings and eave closers in strict compliance to manufacturer's instructions.			
merchant, stating that the galvanised roof covering supplied complies with the required thickness specified			
		_	
Carried to Summary Section 2 SKILLS CENTRE Bill No. 5 Roof Coverings, etc Ga-Phasha Skills Centre		R	
1 2 3			
4 5 6			



Chromadek roof sheeting 50mm x 50mm purlins on appro. Underlay on prefabricated trusses to appecialist details at max 1200mm centre to centre to engineers details at 5° roof pitch			
5,58mm Roof sheeting with pitch not exceeding 25° (xed to timber purlins (elsewhere)	m2	832	
0.58mm Sheet iron side wall flashing 370mm girth	m	120	
ROOF AND WALL INSULATION			
Omm Thick Approved FBL foll backed aluminium planket			
nsulation blanket laid taut over purlins (at approximately 000mm centres) and fixed concurrent with roof covering with stapled longitudinal flap joints, including fixing at top and bottom edges to purlins with and including hoop iron traps			
шарэ	m2	832	
RANSLUSCENT ROOF SHEETING			
Chromadek roof sheeting 50mm x 50mm purlins on appro. Underlay on prefabricated trusses to appecialist details at max 1200mm centre to centre to an appear of the centre to be appeared by the centre to centre to appear to the centre to appear to t			
ranslucent roof sheeting including frame, waterproofed and fixed as per manufacturer's specification, size 6843 3000mm Wide.	No	2	
Carried to Summary			R
section 2 KILLS CENTRE Bill No. 5 Boof Coverings, etc			
a-Phasha Skills Centre			



1	2	3
4	5	6



Section 2			
Bill No. 5			
Roof Coverings, etc			
SUMMARY			
Total Brought Forward from Page No.	Page No 69		Amount
Carried Forward to Summary of Section No. 2 Section 2 SKILLS CENTRE Bill No. 5 Roof Coverings, etc		R	
Ga-Phasha Skills Centre			



4	5	6



Item No

CONSTRUCTION OF GA-PHASHA SKILLS CENTRE

	Quantity	Rate	Amount
			Amount
SECTION 2			
BILL No. 6			
CARPENTRY AND JOINERY			
GENERAL PREAMBLES			
Tenderers are advised to study the Model Preambles for Trades (September 2008 Edition) published by the Association of south African Quantity Surveyors before pricing this bill			
TIMBER			
All softwood to be South African Pine			
Carried to Summary		R	
Section 2 SKILLS CENTRE Bill No. 6 Carpentry and Joinery			
Ga-Phasha Skills Centre			
1 2 3			



4	5	6



<u>DESCRIPTIONS</u>					
The term "planted on" shall i member to another	mean the na	iling of one timber			
The term "screwed on" s screwing of one timber men					
The term "screwed on ar screwing of one timber mem of screws sunk and pelleted	ber to anoth				
The term "plugged" shall me of a timber member to ar brickwork or concrete					
The term "plugged and pelle of a timber member to ar brickwork or concrete with pelleted	nd including	plastic plugs in			
Shelving, etc. described as a from underside and prices a drilling through the steel for	are to includ	e for countersunk			
Descriptions of floors, ceilings, joinery, etc. shall be deemed to include for all square cutting					
Descriptions of items given in lineal metre shall be deemed to include for mitres, stopped ends, fitted intersections, etc.					
Descriptions of rounded chamfers, moulded edges include for angles, ends, etc.	, etc. shal				
Prefabricated metal contrusses	nector pla	te timber roof			
<u></u>					
	Ca	rried to Summary		R	
Section 2 SKILLS CENTRE Bill No. 6					
Carpentry and Joinery					
Ga-Phasha Skills Centre					
1 2	3	3			
4 5	6	3			





CONTRACT BOQ - ALL INCLUSIVE

Roofs, etc

Allow for the preparation and submission of the following documents (applicable to ALL roofs), inclusive of Detailed shop drawings indicating truss sizes, truss positions, bracings, etc to be submitted for approval prior to commencement of fabrication, Design certificate indicating the licensed programme used, SANS specifications adhered to, general procedures and loading adopted, sizes and grading of timber components, details, etc.

NOTE:

- a. All the roof trusses to be at average 1177mm centres and constructed for a 15 degrees pitch unless otherwise stated
- b. All the roof trusses to be designed and constructed with softwood structural timber to include for live loads, wind loads and to take corrugated roof covering, purlins and fibre cement or gypsum plasterboard ceilings with brandering. Each roof truss shall have all its members accurately cut and close butted together and rigidly fixed by CSIR approved patented galvanized metal spiked connectors, fixed on both sides of each intersection by an approved method, all in accordance with the manufacturer's instructions.
- c. Unless otherwise described all rafter feet are to extend 770mm beyond the length of the tie beam, with ends twice splay cut
- d. The design, manufacture and transportation of the roof trusses, bracing, etc. shall be under the control of a registered Engineer in accordance with SANS 0243 and it shall be required from the manufacturer of the trusses to lodge a written guarantee that his construction has been designed by a qualified Structural Engineer and that he is in possession of a capability certificate issued by the Institute for Timber Construction and approved by the Principal Agent

Carried to Summary

Section 2 SKILLS CENTRE Bill No. 6 Carpentry and Joinery

Ga-Phasha Skills Centre

1	2	3
4	5	6

R	



	e. The tenderer's attention is drawn to the fact that the Architect's roof truss drawings only represent the overall size and bearing points of the trusses and not the required design. f. Erection must be carried out as described in "The Erection and Bracing of Timber Roof Trusses" published by the Truss Plate Association of South Africa Ltd. and the National Timber Research Institute, CSIR. g. Descriptions of roof trusses shall be deemed to include for design, manufacture, supply, hoisting and fixing in position, trimming ends, notching, etc. and for any temporary bracing.				
1	Mono pitch roof truss size 17.73m long x 2.4m high	No	10.00		
	Sundry roof timbers				
	Sawn Softwood (Grade 5)				
2	38 x 114mm Wall plate	m	104		
3	50 x 76mm Purlin including additional timber supports at spliced joints	m	1 439		
	Roof sundries				
4	Galvanised mild steel hurricane type fixing clips nailed between rafter and purlin connection (Provisional)	No	200		
	Wood preservative				
5	Two coats wood preservative applied hot on wrought exposed roof timbers	m2	851		
	Fascias and bargeboards				
	Carried to Summary Section 2 SKILLS CENTRE Bill No. 6 Carpentry and Joinery Ga-Phasha Skills Centre			R	



1	2	3
4	5	6



	Tempered fibre-cement				
1	15 x 225mm Fascia board countersunk screwed to roof timbers (elsewhere) with two brass screws at maximum 1200mm centres and jointed with and including standard aluminium halfround cover strips at all joints	m	47		
2	15 x 225mm Barge board countersunk screwed to roof timbers (elsewhere) with two brass screws at maximum 1200mm centres and nailed with steel nails into mortar joints at maximum 750mm centres and jointed with and including standard aluminium halfround cover strips at all joints	m	57		
	Doors				
	NOTE				
	All framed and ledged batten doors and combination doors, where battens are utilised, shall only be of construction acceptable to the Department, i.e. mortice and tenon where the tenon is exposed on the outside edges of styles and where the tenon is wedged to form a dovetailed shape				
	40mm Thick flush panel maple veneered door with lightweight core filling				
3	40mm x 0,820 x 2,032m Framed, ledged and braced batten door formed of 40 x 110mm styles and top rail, 20 x 225mm bottom ledge, 20 x 150mm middle ledge and 20 x 110mm diagonal braces, filled in flush one side with 20 x 75mm tongued, grooved and V-jointed both sides vertical boarding fixed in and including grooves in styles and top rail	No	5		
				_	
	Section 2 SKILLS CENTRE Bill No. 6 Carpentry and Joinery			R	
	Ga-Phasha Skills Centre				



1	2	3
4	5	6



1	40mm x 0,92 x 2,032m Framed, ledged and braced batten door formed of 40 x 110mm styles and top rail, 20 x 225mm bottom ledge, 20 x 150mm middle ledge and 20 x 110mm diagonal braces, filled in flush one side with 20 x 75mm tongued, grooved and V-jointed both sides vertical boarding fixed in and including grooves in styles and top rail	No	5		
	Solid laminated flush panel doors with hardboard face suitable for paint both sides and two wrought Meranti concealed vertical edge strips				
2	40mm x 0,813 x 1,882m Door	No	2		
3	40mm x 1,613 x 2,032m Double door in two equal leaves hung folding with rebated meeting edges	No	1		
	<u>FITTINGS</u>				
	General				
	The following cupboard fittings have been measured as complete units i.e. the components of the units have not been separately measured. The descriptions, therefore, of such units shall be deemed to include all components, assembling, housing, notching, glueing, blocking, planting on and screwing with countersunk screws, edge strips, decorative plastic finish, glass, ironmongery, metalwork, paint or varnish finishes, etc (refer Architect's drawings as attached to the back of these Bills of Quantities) Fittings to Administration Building				
	Section 2 SKILLS CENTRE Bill No. 6 Carpentry and Joinery			R	
	Ga-Phasha Skills Centre				
	1 2 3				



4	5	6



1	Cupboard: Length 8383mm, 900mm high with Rusternburg Granite worktop with bullnose edge, Windsor Cherry Melamine door fronts with 16mm x 2mm PVC edging strips, 8 Number 128Euro H-011 Alluminium cupboard door pull fitted horizontally with steel self tapper screw and 2 No. Sink 1140mm long stainless steel grade 304 (18/8) on baked enamel steel cupboard with 1 shelf and 3 swing doors as per Architect's drawing Kitchen cupboard Length 8383mm, 900mm high				
	(Provisional)	No	1		
	Store room shelving with back uprights screwed to wall with three masonry wall plugs, 24mm wrought laminated SA pine shelves in running lenghts, fixed with two selftaping screws per rail. Provide butt joints at center of rail where necessary. 18mm x 76mm SA pine filler piece flush with front of shelf. 18mm x 76mm SA pine filler piece flush with top of shelf, Finish as for shelf. Cut to fit between uprights. Finish as for shelf. Cut to fit between rails as per drawing No: DT 54				
2	Store room shelving, 9500mm length and 2000mm height (Provisional)	No	4		
	Carried to Summary	,		R	
	Section 2 SKILLS CENTRE Bill No. 6 Carpentry and Joinery Ga-Phasha Skills Centre				
	1 2 3				
	4 5 6				



900i bull with 128i hori Sini bak	mm high with Rustenburg Granite worktop with nose edge, Windsor Cherry Melamine door fronts 16mm x 2mm PVC edging strips, 8 Number Euro H-011 Aluminium cupboard door pull fitted zontally with steel self tapper screw and 2 No. 1140mm long stainless steel grade 304 (18/8) on ed enamel steel cupboard with 1 shelf and 3 swing rs as per Architect's drawing				
com bacl	cupboard 2 000 x 551 x 900mm high overall prising tops, bottoms, sides, divisions, shelves, cs, filler panels, doors, ironmongery, finishes, etc all er architect drawing		2		
SKIL Bill I Carp	Carried to Summary ion 2 .LS CENTRE No. 6 pentry and Joinery Phasha Skills Centre	,		R	



4	5	6



Section 2			
Bill No. 6			
Carpentry and Joinery			
SUMMARY			
	Page		Amount
Total Brought Forward from Page No.	No		
	77		
	79		
	81		
	83		
	84		
Carried Forward to Summary of Section No. 2		R	
Section 2 SKILLS CENTRE			
Bill No. 6 Carpentry and Joinery			
Ga-Phasha Skills Centre			
1 2 3			
I ·	i	1	i .



4	5	6



Item No				Quantity	Rate	Amount
	SECTION 2					
	BILL No. 7					
	CEILINGS, PARTITIONS AND ACC	ESS FLOORING				
	PREAMBLES					
	For preambles see "Specification Method to be used PW371"	of Material and				
	SUPPLEMENTARY PREAMBLES					
	Descriptions:					
	Items described as "nailed" shall be with hardened steel nails or pins brickwork or concrete					
	Items described as "plugged" shainclude screwing to fibre, plastic or exceeding 600mm centres, and w "bolted" the bolts have been given else	metal plugs at not here described as				
	CEILINGS ETC					
	SUSPENDED CEILINGS					
	suspension system including mai	d exposed tee				
1	Ceilings suspended not exceeding purlins at 2,00m centres.	1m below timber	m2	324		
2	"Shadowline" pre painted cornice, na	iled	m	276		
	Carried Forward to Summ	ary of Section No. 2			R	
	Section 2 SKILLS CENTRE					
	Bill No. 7 Ceilings, Partitions and Access Flooring	ıg Ga-				
	Phasha Skills Centre					
	1 2	3				
	4 5	6				



ltem No			Quantity	Rate	Amount
	SECTION 2				
	BILL No. 8				
	FLOOR COVERINGS, PLASTIC LININGS ETC				
	PREAMBLES				
	For preambles see "Specification of Material and Method to be used PW371"				
	Note: All materials shall be in colours to be selected by the Representative / Agent and, where applicable, laid to approved patterns.				
	SUPPLEMENTARY PREAMBLES				
	Vinyl tiles, sheeting, wall linings, carpets, etc. are to be supplied and laid complete on a cement screed (screed elsewhere) under guarantee by an approved firm of Specialists.				
	Prices for vinyl products are to include for cleaning off tiles on completion and apply three coats waterproof floor dressing in accordance with the Manufacturer's specification.				
	ARTIFICIAL GRASS				
	Artificial grass				
1	Artificial grass	m2	29		
	Carried Forward to Summary of Section No. 2			R	
	Section 2 SKILLS CENTRE				
	Bill No. 8 Floor Coverings				
	Ga-Phasha Skills Centre				
	1 2 3				
	4 5 6				



Item No					Quantity	Rate	Amount
	SECTION 2						
	BILL No. 9						
	IRONMONGERY						
	GENERAL PREA	MBLES					
	Trades (Septemb	per 2008 Edition)	lodel Preambles for published by the y Surveyors before				
	to include for scre		plugged, prices are ng approved patent aster or tiled finish				
	The following iro	nmongery fixed to	doors, etc.				
	Bolts and latches	<u>5</u>					
1	Roller ball catch fo	or toilet doors and k	eep fixed to steel	No	6		
2		ome flush bolt with to concrete floor as	n a short length of keep	No	6		
	<u>Locks</u>						
	The following loc operation.	ks are to be suita	ble for master key				
3	Bathroom/WC mochrome furniture	ortice indicator loc	ck set with satin	No	6		
4	75mm Three leve chrome furniture	er upright mortice	lockset with satin	No	2		
	Section 2	(Carried to Summary	у		R	
	SKILLS CENTRE Bill No. 9 Ironmongery						
	Ga-Phasha Skills C	Centre					
	1	2	3				
	4	5	6				



1	75mm Four lever upright mortice lockset with satin chrome furniture	No	5		
2	Master Key	No	2		
	Door closers				
3	Overhead surface mounted type door closer with aluminium casing	No	7		
	<u>Sundries</u>				
4	38mm Rubber door stop plugged and screwed to wall or floor	No	29		
5	19mm Stainless steel chromium plated towel rail, 600mm long, with end brackets plugged to plastered or tiled wall	No	6		
6	Approved white built-in type medicine cabinet size 380 x 610 x 100mm deep with mirror front and glass shelves and building in in tiled or plastered wall including forming recess in brickwork and making good	No	3		
	Signage				
7	400mm high aluminium signage as per specialist detail		Item		
8	Contractor's mark-up @ 3%		ltem		
	<u>Artwork</u>				
9	Artwork as per the Architect's specification		Item		
10	Contractor's mark-up @ 3%		Item		
	Push and kicking plates				
11	300mm high x 1.2mm thick x 750mm long grade 304 satin finished stainless steel kicking plate.	No	20		
				_ ا	
	Section 2 SKILLS CENTRE Bill No. 9 Ironmongery			R	



CONTRACT BOQ - ALL INCLUSIVE

Ga-Phasha Skills Centre

1	2	3
4	5	6



	Indicator plates countersunk holed for and screwed to door or brickwork with chromium plated dome-headed screws				
1	190 x 190 x 3mm Thick white perspex international FB2 sign plate with red fire extinguisher symbol plugged to brickwork	No	2		
2	75 x 150mm Aluminium international toilet sign with MALE and/or FEMALE figure screwed to door	No	5		
3	75 x 150 x Aluminium international toilet sign with paraplegic figure screwed to door.	No	1		
	Kitchen Cupboard Units				
	NOTE				
	The kitchen cupboard units shall be of steel construction with baked enamel finish of approved colour with 18mm interior particle board worktops finished on one side and on edges with 1,2mm standard grade high pressure plastic laminate of approved pattern and colour				
	Adjacent worktops of different units shall be neatly butt- jointed and finished off with matching cover strips and prices are to include for same				
	All doors are to be supplied with standard locks and duplicate keys and prices of units are to include for lockable doors where applicable				
	Prices for sink units are to include for stainless steel sinks with draining boards with single or double sinks, each complete with chromium plated flanged waste fitting, plug and chain				
	Prices for all units are to include for fixing in position to plastered walls and on floors with screed, protecting against injury and cleaning down on completion				
				_	
	Carried to Summary Section 2			R	
	SKILLS CENTRE Bill No. 9				
	Ironmongery				
	Ga-Phasha Skills Centre				
	1 2 3				



4	5	6



	Floor and sink units	1			
1	Sink unit 1350mm long with single bowl sink and drainer, one shelf and three doors	No	1		
	Writing boards, Projection screens, etc.				
2	Pull down PVC screen size 2450mm wide x 1420mm high (viewing area 2350 x 1320mm) with wall mounted code SC0400 keystone brackets adjustable set of 2, size 300mm supplied and installed with all necessary accessories	No	2		
	Pinboard size 1800mm W x 1000mm H comprising of laminated soft board core pinning material beaded all round with anodised aluminium channel surround mitred at the corners.To be fitted complete with fixing brackets, screws and wall plugs at 900mm above floor level. Sample to be provided to Architect for Approval				
3	1800 wide x 1000mm high pin board	No	4		
	"Parrot Products"				
4	"BDO452" 1200 x 1200mm Aluminium framed carpet bulletin board	No	4		
	"Clipstrip" or similar and approved				
5	50 x 50 x 3mm Thick anodised aluminium corner protector fixed to walls.	m	70		
				-	
	Carried to Summary Section 2 SKILLS CENTRE Bill No. 9 Ironmongery			R	
	Ga-Phasha Skills Centre				
	OF.				



1	2	3
4	5	6



Section 2			
Bill No. 9			
Ironmongery			
SUMMARY			
	Page No		Amount
Total Brought Forward from Page No.	90		
	91		
	93		
	95		
Carried Forward to Summary of Section No. 2		R	
Section 2 SKILLS CENTRE			
Bill No. 9 Ironmongery			
Ga-Phasha Skills Centre			
1 2 3			



4	5	6



	Quantity	Rate	Amount
SECTION 2			
BILL No. 10			
<u>METALWORK</u>			
GENERAL PREAMBLES			
Tenderers are advised to study the Model Preambles for Trades (September 2008 Edition) published by the Association of south African Quantity Surveyors before pricing this bill			
Mild Steel			
The following in twelve framed and welded mild steel security gates and fixing in position complete			
Single gate size 840mm x 2067mm high overall formed of 40 x 60 x 2mm rectangular hollow section framing all round mitred and welded at angles with two 40 x 6mm flat section horizontal intermediate rails with ends welded to framing and with five 19mm diameter rod vertical bars framed through intermediate rails with ends welded to framing including hinges, locking devices, etc	1		
Hot-dipped galvanised mild steel			
Carried to Summary		R	
Section 2 SKILLS CENTRE			
Bill No. 10 Metalwork			
eDumbe Skills Centre (Bilanyoni)			
1 2 3			
4 5 6			



1

2

3

CONSTRUCTION OF GA-PHASHA SKILLS CENTRE

Roll up see-thru galvanised and epoxy coated m/s perforated roller shutter for openings up to 2.5mm x 2.1mm. electrically operated with 220 volt hl 600 motor with manual override, with 75 x 1,0mm thick galvanised endlocked slats complete with nylon end locks, 120mm extra wide tamper proof m/s guides, powder coated ancillary components, including door curtain. 4.5mm thick end plates, guide ralls closed shaft, extruded aluminium t bar with astragal rubber weather seal and single spam (no join) galv, cover box, operated with high security key switch. fixed to brick and structural beam over, electrically operated with 220 volt hl 600 motor with manual.				
2100mm high opening	No	1		
NOTE				
The following are to be hot-dipped galvanised after fabrication of complete units				
Hot-dipped double spelter galvanised mild steel grab rails formed of 32mm outside diameter x 1,6mm round section rails and 75mm diameter x 3mm flat section fixing flanges each three times holed and bolted to walls with M8 x 50mm expansion bolts				
32mm Grab rail 700mm long with two 80mm return ends bolted	No	1		
32mm Cranked grab rail 300 x 300 x 300mm with two 80mm return ends bolted	No	1		
Door frames, Doors, Windows, etc.				
Galvanised pressed steel door frames				
Carried to Summary Section 2 SKILLS CENTRE Bill No. 10 Metalwork Ga-Phasha Skills Centre			R	
1 2 3				



4	5	6



	1,2mm Double rebated pressed steel door frames suitable for half brick walls				
1	Door frame for door size 0,761 x 2,134m with two 100mm steel butts without striking plate or opening in frame and prepared for roller catch or closet indicators	No	7		
	1,2mm Double rebated pressed steel door frames suitable for one brick walls				
2	Door frame for door size 0,914 x 2,134m with two 100mm steel butts without striking plate or opening in frame and prepared for roller catch or closet indicators	No	1		
3	Door frame for door size 0,914 x 2,134m with two 100mm steel butts and slotted for lock strike	No	5		
	Aluminium windows				
	Note: Tenderers are referred to architect's drawings numbered A102 annexed to these bills of quantities/accompanying these bills of quantities for tender purposes				
	The given sizes are overall, approximate and in the order of width and height. The detailed drawings and building must be carefully checked for exact sizes before placing orders. Any errors in this respect will be at the Contractor's expense and no claims for any extras in this regard will be entertained				
	Where so described windows shall be provided with burglar bars to opening and fixed sections, consisting of 20 x 5mm galvanised mild steel flat sections to standard NBP2 pattern welded at intersections and to window frame				
	Bars in front of fixed sections to be bent 75mm away from the glass surface				
	ALUMINIUM WINDOWS, DOORS, ETC				
	Carried to Summary			R	
	Section 2 SKILLS CENTRE Bill No. 10 Metalwork				
	Ga-Phasha Skills Centre				
	1 2 3				



4	5	6



	Epoxy powder coated aluminium windows glazed with 6mm laminated safety glass and plugged to brickwork or concrete				
	Aluminium window low E glazing, mm Thick monolithic annealed safety glass to comply with part N of SANS 10400, aluminium frame to be powder coated COLOUR: Charcoal Grey				
1	Purpose made aluminium window size 1400mm x 450mm high overall. Ref W1	No	8		
2	Purpose made aluminium window size 3855mm x 2400mm high overall. Ref W2	No	1		
3	Purpose made aluminium window size 1285mm x 2400mm high overall. Ref W3	No	5		
4	Purpose made aluminium window size 900mm x 1400mm high overall. Ref W4	No	10		
5	Purpose made aluminium window size 800mm x 450mm high overall. Ref W5	No	6		
6	Purpose made aluminium window size 2485mm x 450mm high overall. Ref W6	No	6		
7	Purpose made aluminium window size 2485mm x 450mm high overall. Ref W7	No	6		
8	Purpose made aluminium window size 7570mm x 1850mm high overall. Ref W8	No	1		
9	Purpose made aluminium window size 2100mm x 2400mm high overall. Ref W10	No	1		
	STEEL STRONGROOM DOORS, VENTILATORS, ETC.				
	Carried to Summary			R	
	Section 2 SKILLS CENTRE Bill No. 10			IX.	
	104				



CONTRACT BOQ - ALL INCLUSIVE

Metalwork

Ga-Phasha Skills Centre

1	2	3
4	5	6



	Strongroom doors etc suitable for 230mm walls fixed to brickwork or concrete				
1	Mild steel "AUSTIN" save frame with hinges and fitments and mild steel austin save door complete with fitments and ironmongery as supplied by manufacturer.	No	1		
	ALUMINIUM DOORS				
	Epoxy coated anodised aluminium doors, sidelights and fanlights glazed with 6mm laminated safety glass and plugged to brickwork or concrete				
	Aluminium door low E glazing, mm Thick monolithic annealed safety glass to comply with part N of 10400, aluminium frame to be powder coated COLOUR: Charcoal Grey				
	Aluminium frame section measuring 75mm x 75mm, anodised weather bar strip on all external doors, Including locks as per ironmongery schedule.				
2	Purpose made aluminium door size 900mm x 2400mm high overall. Ref W9	No	1		
3	Purpose made aluminium door size 1800mm x 2400mm high overall. Ref D-1	No	2		
4	Purpose made aluminium door size 1800mm x 2400mm high overall. Ref D-3	No	3		
	Sheerline or equal aluminium door frame as per AAAMSA regulations				
5	Purpose made aluminium door size 900mm x 2100mm high overall. Ref D-4	No	4		
	ALUMINIUM SHOPFRONTS				
	Carried to Summary Section 2 SKILLS CENTRE Bill No. 10 Metalwork			R	
	Ga-Phasha Skills Centre				
	-106-	1	'	II	



1	2	3
4	5	6



	Epoxy coated anodised aluminium doors, sidelights and fanlights glazed with 6mm laminated safety glass and plugged to brickwork or concrete				
	Aluminium door low E glazing, mm Thick monolithic annealed safety glass to comply with part N of SANS 10400, aluminium frame to be powder coated COLOUR: Charcoal Grey				
	Aluminium frame section measuring 75mm x 75mm, anodised weather bar strip on all external doors, Including locks as per ironmongery schedule.				
1	Purpose made aluminium door size 2960mm x 1600mm high overall sliding door. Ref W11	No	1		
	Carried to Summary			R	
	Section 2 SKILLS CENTRE Bill No. 10 Metalwork				
	Ga-Phasha Skills Centre				
	1 2 3				



4	5	6



Section 2						
Bill No. 10						
Metalwork						
SUMMARY						
				Page		Amount
Total Brought Forw	rard from Page No			No 99		
Total Bloaght Follow	ard from Fage 140.					
				100		
				102		
				104		
				106		
				108		
Carried	Forward to Summa	y of Section No. 2	1		R	
Section 2 SKILLS CENTRE Bill No. 10	roi waru to Sullillia	y or Section No. 2	•		K	
Metalwork						
Ga-Phasha Skills C	entre					
1	2	3				
4	5	6				



Item No

CONSTRUCTION OF GA-PHASHA SKILLS CENTRE

SECTION 2 BILL No. 11		Amount
BILL No. 11		
<u>SIEE HOLLI</u>		i
STRUCTURAL STEELWORK		
SUPPLEMENTARY PREAMBLES		
<u>Descriptions</u>		
Descriptions of bolts shall be deemed to include nuts and washers		
Descriptions of L-shaped and U-shaped anchor bolts shall be deemed to include bending, threading, nuts and washers and embedding in concrete		
Descriptions of expansion anchors and bolts and chemical anchors and bolts shall be deemed to include nuts, washers and mortices in brickwork or concrete		
Descriptions of L-shaped and U-shaped anchor bolts shall be deemed to include bending, threading, nuts and washers and embedding in concrete. Where anchor bolts are described as embedded in sides or soffits of concrete it shall be deemed to include holes through formwork.		
Descriptions of expansion anchors and bolts and chemical anchors and bolts shall be deemed to include nuts, washers and mortices in brickwork or concrete.		
STEEL COLUMNS AND BEAMS		
STRUCTURAL STEEL MEMBERS (GALVANISED)		
STANCHIONS / COLUMNS		
Carried to Summary	R	
Section 2 SKILLS CENTRE Bill No. 11 Structural steelwork		
Ga-Phasha Skills Centre		
1 2 3		
4 5 6		



	Steel members to include welding, holes, black bolts, nuts, washers, rivets, bolting and riveting integral with structural steelwork.				
	Welded columns in single lengths with flat section base, top, bearer and connection plates bolted to ring beams.				
	219.1 x 6.0mm CHS Circular hollow section columns				
1	Column	t	3.648		
	254mm x 146mm x 31kg/m CH columns				
2	Column	t	0.125		
	203mm x 133mm x 25kg/m CH columns				
3	Column	t	0.145		
	RAFTER				
	203mm x 133mm x 25kg/m CH Rafter				
4	Rafter	t	0.100		
	254mm x 146mm x 31kg/m CH Rafter				
5	Rafter	t	1.010		
	160mm x 82mm x 16kg/m IPE Beam				
6	Beam	t	0.377		
	114 x 4.0mm CHS Circular hollow section beams				
	Carried to Summary			R	
	Section 2 SKILLS CENTRE Bill No. 11 Structural steelwork			K	
	Ga-Phasha Skills Centre				



1	2	3
4	5	6



	114 X 4.0mm Thick CHS cross members				
1	Steel tube	t	0.216		
	60.3 X 3.5mm Thick CHS cross members				
2	Steel tube	t	0.118		
	PURLING				
	75 x 50 x 20 x 2.5mm Purling				
3	Purling	t	0.271		
	RAFTER BRACING				
	50 X 50 X 5m L Cross bracing				
4	Cross bracing	t	0.288		
	<u>FLATS</u>				
	250 X 16m Thick flat bar				
5	Flats	t	0.365		
	BASE PLATES				
	360mm Dia x 16mm base plate bolted to concrete base				
6	16mm Base plate	t	0.005		
	450 x 300 x 20mm base plate				
7	20mm Base plate	t	0.002		
	Carried to Summary			R	
	Section 2 SKILLS CENTRE Bill No. 11 Structural steelwork			, , ,	
				. I	I



CONTRACT BOQ - ALL INCLUSIVE

Ga-Phasha Skills Centre

1	2	3
4	5	6



CONTRACT BOQ - ALL INCLUSIVE

	220 x 220 x 12mm base plate		
1	12mm Base plate	t	0.001
	END PLATES		
	475 x 254 x 20mm end plate		
2	20mm End plate	t	0.010
	280 x 180 x 10mm end plate		
3	10mm End plate	t	0.002
	GUSSET PLATES		
	6mm Gusset plate welded		
4	6mm Gusset plate	t	0.040
	BOLTS		
	4.8 HD bolts (Galvanised)		
5	M16 Hd bolts	No	240.000
	16mm Diameter G.R. 4.8 bolts welded (Galvanised)		
6	16mm Diameter bolts	No	240.000
7	Delivery of steel structure to site	t	6.723
8	Erection of steel structure on ready made footings	t	6.723
9	Painting of all steel structure components	m2	144

Carried to Summary

R

Section 2 SKILLS CENTRE Bill No. 11 Structural steelwork



4	10	10		
1	2	3		
4	5	6		



Section 2			
Bill No. 11			
Structural steelwork			
SUMMARY			
	Page		Amount
Total Brought Forward from Page No.	No		
	112		
	114		
	117		
Carried Forward to Summary of Section No. 2		R	
Section 2 SKILLS CENTRE			
Bill No. 11 Structural steelwork			
Ga-Phasha Skills Centre			
1 2 3			



4	5	6



Item No		•	Quantity	Rate	Amount
	SECTION 2				
	BILL No.12				
	PLASTERING				
	GENERAL PREAMBLES				
	Tenderers are advised to study the Model Preambles for Trades (September 2008 Edition) published by the Association of south African Quantity Surveyors before pricing this bill				
	<u>Screeds</u>				
	Screeds on concrete				
1	30mm Thick on floors and landings	n2	477		
	Internal Plaster				
	One coat cement plaster on concrete or brickwork				
2	On walls	n2	1 520		
3	On narrow widths	n2	49		
	One coat (3:1) cement plaster finished to a smooth and even steel trowelled surface				
	On concrete				
4	On ceilings r	n2	32		
	External Plaster				
	Carried to Summary			R	
	Section 2 SKILLS CENTRE Bill No. 12 Plastering				
	Ga-Phasha Skills Centre				
	1 2 3				
	4 5 6				



	One coat cement plaster on concrete or brickwork				
1	On walls	m2	178		
2	On narrow widths	m2	13		
	Carried to Summary			R	
	Section 2 SKILLS CENTRE				
	Bill No. 12 Plastering				
	Ga-Phasha Skills Centre				
	1 2 3				



4	5	6



Section 2			
Bill No. 12			
Plastering			
SUMMARY			
	Page		Amount
Total Brought Forward from Page No.	No 120		
	121		
Carried Forward to Summary of Section No. 2		R	
Section 2 SKILLS CENTRE			
Bill No. 12 Plastering			
Ga-Phasha Skills Centre			



4	5	6



Item No					Quantity	Rate	Amount
	SECTION 2						
	BILL No. 13						
	TILING						
	GENERAL PREA	MBLES					
	Trades (Septemb	per 2008 Edition)	Model Preambles for published by the ty Surveyors before				
	Wall Tiling						
	with an approv		mic wall tiles fixed plaster (plaster ound				
1	To walls			m2	349		
	Floor Tiling						
	finish laid to a adhesive and groapproval. The temper square meter	approved pattern out, colour and pa nderer to allow an r (exclusive of VAT clude for all waste	celain tiles in matt using approved ttern to architect's amount of R160.00 (r) for the supply of a labour and profit				
2	On floors			m2	477		
3	Cut tile skirting 10	0mm high		m	349		
	ALUMINIUM TRIM	<u>MS</u>					
		(Carried to Summary			R	
	Section 2 SKILLS CENTRE Bill No. 13 Tiling						
	Ga-Phasha Skills C	Centre					
	1	2	3				
	4	5	6				



"M-trim" or "Genesis"12mm aluminium straight edge trim to s	uit tile thickness				
with grey grout.					
On walls		m	71		
C	arried to Summery			R	
Section 2 SKILLS CENTRE Bill No. 13 Filing	arried to Summary				
Ga-Phasha Skills Centre					
1 2	3				



4	5	6



Section 2			
Bill No. 13			
Tiling			
SUMMARY			
Total Brought Forward from Page No.	Page No 125		Amount
Total Brought Forward Holli'r age No.	126		
Carried Forward to Summary of Section No. 2		R	
Section 2 SKILLS CENTRE Bill No. 13 Tiling			
Ga-Phasha Skills Centre			
1 2 3			



4	5	6



n O			Quantity	Rate	Amount
	SECTION 2				
	BILL No. 14				
	PLUMBING AND DRAINAGE (PROVISIONAL)				
	GENERAL PREAMBLES				
	Tenderers are advised to study the Model Preambles for Trades (September 2008 Edition) published by the Association of south African Quantity Surveyors before pricing this bill				
	Gutters, downpipes, etc.				
	0,6mm Galvanised sheet iron Class Z 275				
1	200 x 200mm Box rain water downpipe encased inside brick wall	m	6		
	Sanitary Fittings				
2	560 x 405mm White vitreous china wash hand basin complete with and including one chromium plated pillar tap, one tap hole plug, waste, plug and chain and concealed brackets	No	5		
0		INO	5		
3	560 x 405mm White vitreous china wash hand basin complete with and including one chromium plated elbow action pillar tap, one tap hole plug, waste, plug and chain and concealed brackets	No	1		
	Chair and Concealed Brackets	140	·		
	Carried to Summary Section 2			R	
	SKILLS CENTRE Bill No. 14				
	Plumbing and Drainaige (Provisional) Ga-				
	Phasha Skills Centre				
	1 2 3				
	4 5 6				



CONTRACT BOQ - ALL INCLUSIVE

1	610 x 385mm White vitreous china wall urinal with top flush entry complete with and including concealed wall hangers, chromium plated waste outlet and grating, and 4,5 litre white vitreous china cistern complete with valveless syphonic fitting, ball valve, bracket, surface mounted chromium plated push button user control valve with plastic conduit pipe and chromium plated flush pipe with spreader	No	2
2	WC suite comprising white vitreous china pan with P trap, 9 litre low-level white vitreous china cistern complete with valveless syphonic fitting, ball valve and matching flush pipe and heavy duty white single flap seat	No	5
3	WC suite comprising of white vitreous china paraplegic 90 degrees outlet pan with P trap, 9 litre low level matching vitreous china cistern complete with valveless syphonic fitting, ball valve and matching flush pipe and heavy duty white single flap seat.	No	1
	Taps, valves,etc		
	Taps, valves,etc Traps, etc. including joints to steel pipes and/or fittings unless otherwise described		
4	Traps, etc. including joints to steel pipes and/or	No	7
4 5	Traps, etc. including joints to steel pipes and/or fittings unless otherwise described	No No	7
	Traps, etc. including joints to steel pipes and/or fittings unless otherwise described 32-40mm Butyl rubber deep seal P or S trap 40-40mm Chromium plated bottle trap Valves, etc. including joints to steel pipes and/or		
	Traps, etc. including joints to steel pipes and/or fittings unless otherwise described 32-40mm Butyl rubber deep seal P or S trap 40-40mm Chromium plated bottle trap		
5	Traps, etc. including joints to steel pipes and/or fittings unless otherwise described 32-40mm Butyl rubber deep seal P or S trap 40-40mm Chromium plated bottle trap Valves, etc. including joints to steel pipes and/or fittings unless otherwise described	No	3

Carried to Summary

Section 2
SKILLS CENTRE
Bill No. 14
Plumbing and Drainaige (Provisional)

-131-



2	3		
5	6		



CONTRACT BOQ - ALL INCLUSIVE

Sanitary Plumbing

uPVC	pipes	and	fittings
------	-------	-----	----------

	ur vo pipes and nangs		
1	50mm Pipe laid in/under floors or fixed to walls, roof timbers, etc.	m	38
2	100mm Pipe laid in/under floors or fixed to walls, roof timbers, etc.	m	52
	Extra over uPVC pipes for fittings		
3	100 x 50mm Reducer	No	2
4	100mm Bend	No	8
5	100mm Junction	No	4
6	100mm Pan connector	No	5
7	100mm VP stub stack fitting with ABC cleaning eye lid and multiple connections for 50mm waste	No	2
8	100mm Access bend	No	2
9	100mm Access bend with anti-syphon horn	No	2
10	100mm Access junction	No	2
11	100mm Access reducing junction	No	2
12	Two way PVC vent valve suitable for 50mm pipe	No	2
	Galvanised mild steel screwed and socketed pipes and fittings		
13	50mm Pipe and excavation not exceeding 1m deep	m	30

Section 2 SKILLS CENTRE Bill No. 14 Plumbing and Drainaige (Provisional)



		Carried to	Summary
Ga-Phasha SI	kills Centre		
1	2	3	
4	5	6	



CONTRACT BOQ - ALL INCLUSIVE

1	50mm Pipe laid in/under floors or fixed to walls, roof timbers, etc.	m	15
	Extra over galvanised mild steel pipes for galvanised mild steel fittings		
2	50mm Bend	No	6
3	50mm Bush	No	4
	Extra over galvanised mild steel pipes for brass fittings		
4	50mm Bend	No	4
5	50mm Bend with cleaning eye	No	2
6	50mm Junction with cleaning eye	No	2
7	50mm Reducing junction with cleaning eye	No	1
	<u>Sundries</u>		
8	Wire balloon grating in top of pipe not exceeding 100mm diameter	No	2
	Water Supply		
	Class O thin wall hard drawn copper pipes and fittings with capillary soldered type connections		
9	15mm Pipe laid in/under floors or fixed to walls, roof timbers, etc.	m	22
10	15mm Pipe fixed in and including chase in walls	m	28
	Extra over class O copper pipes for soldered capillary fittings		
11	15mm Fittings	No	40
	Bill No. 14		

Section 2 SKILLS CENTRE Plumbing and Drainaige (Provisional)



		Carried to Su	nmary
Ga-Phasha S	kills Centre		
1	2	3	
4	5	6	
l			



<u>EI</u>	ectric water hea	<u>ters</u>					
<u>"K</u>	(wikot" or simila	r approved					
15	60 Litre horizontal	wall mounted elec	ctric water heater	No	1		
<u>Te</u>	esting						
th ins Re	ne whole of the Satallation to epresentative/Age	Sanitary Plumbing the satisfa ent and the Local <i>i</i>	er, etc. for and test and Water Supply ction of the Authority, rectify all ve in perfect order		ltem		
		(Carried to Summary	,		R	
SK Bil	ection 2 KILLS CENTRE II No. 14						
	umbing and Draina nasha Skills Centro	aige (Provisional) 0 e	5a-				
1		2	3				
4		5	6				



Section 2			
Bill No. 14			
Plumbing and Drainaige (Provisional)			
SUMMARY			
	Page		Amount
Total Brought Forward from Page No.	No 130		
	132		
	134		
	136		
	137		
Carried Forward to Summary of Section No. 2		R	
Section 2 SKILLS CENTRE			
Bill No. 14 Plumbing and Drainaige (Provisional)			
Ga-Phasha Skills Centre			
1 2 3			



4	5	6



BILL No. 15 GLAZING GENERAL PREAMBLES Tenderers are advised to study the Model Preambles for Trades (September 2008 Edition) published by the Association of south African Quantity Surveyors before pricing this bill Mirrors NOTE Mirrors shall be of 6mm thick silvered GG quality polished float glass with rounded and polished edges and splayed corners Unless otherwise described, mirrors shall have four holes for and be screwed to and including approved patent plugs in plastered or tiled wall with countersunk steel screws tap-threaded for and including screw type chromium plated dome-headed caps and felt washers Carried Forward to Summary of Section No. 2 Section 2 SKILLS CENTRE BIIN to. 15 Glazing Ga-Phasha Skills Centre					Quantity	Rate	Amount
GENERAL PREAMBLES Tenderers are advised to study the Model Preambles for Trades (September 2008 Edition) published by the Association of south African Quantity Surveyors before pricing this bill Mirrors NOTE Mirrors shall be of 6mm thick silvered GG quality polished float glass with rounded and polished edges and splayed corners Unless otherwise described, mirrors shall have four holes for and be screwed to and including approved patent plugs in plastered or tiled wall with countersunk steel screws tap-threaded for and including screw type chromium plated dome-headed caps and felt washers Mirror size 450 x 600mm No 6 Carried Forward to Summary of Section No. 2 Section 2 SKILLS CENTRE Bill No. 15 Glazing Ga-Phasha Skills Centre	SECTION 2						
GENERAL PREAMBLES Tenderers are advised to study the Model Preambles for Trades (September 2008 Edition) published by the Association of south African Quantity Surveyors before pricing this bill Mirrors NOTE Mirrors shall be of 6mm thick silvered GG quality polished float glass with rounded and polished edges and splayed corners Unless otherwise described, mirrors shall have four holes for and be screwed to and including approved patent plugs in plastered or tiled wall with countersunk steel screws tap-threaded for and including screw type chromium plated dome-headed caps and felt washers Mirror size 450 x 600mm No 6 Carried Forward to Summary of Section No. 2 Section 2 SKILLS CENTRE Bill No. 15 Glazing Ga-Phasha Skills Centre	BILL No. 15						
Tenderers are advised to study the Model Preambles for Trades (September 2008 Edition) published by the Association of south African Quantity Surveyors before pricing this bill Mirrors NOTE Mirrors shall be of 6mm thick silvered GG quality polished float glass with rounded and polished edges and splayed corners Unless otherwise described, mirrors shall have four holes for and be screwed to and including approved patent plugs in plastered or tilled wall with countersunk steel screws tap-threaded for and including screw type chromium plated dome-headed caps and felt washers Mirror size 450 x 600mm No 6 Carried Forward to Summary of Section No. 2 Section 2 SKILLS CENTRE Bill No. 15 Glazing Ga-Phasha Skills Centre	GLAZING						
Trades (September 2008 Edition) published by the Association of south African Quantity Surveyors before pricing this bill Mirrors NOTE Mirrors shall be of 6mm thick silvered GG quality polished float glass with rounded and polished edges and splayed corners Unless otherwise described, mirrors shall have four holes for and be screwed to and including approved patent plugs in plastered or tiled wall with countersunk steel screws tap-threaded for and including screw type chromium plated dome-headed caps and felt washers Mirror size 450 x 600mm No Carried Forward to Summary of Section No. 2 Section 2 SKILLS CENTRE Bill No. 15 Glazing Ga-Phasha Skills Centre	GENERAL PI	REAMBLES					
Mirrors shall be of 6mm thick silvered GG quality polished float glass with rounded and polished edges and splayed corners Unless otherwise described, mirrors shall have four holes for and be screwed to and including approved patent plugs in plastered or tiled wall with countersunk steel screws tap-threaded for and including screw type chromium plated dome-headed caps and felt washers Mirror size 450 x 600mm No Carried Forward to Summary of Section No. 2 Section 2 SKILLS CENTRE Bill No. 15 Glazing Ga-Phasha Skills Centre 1 2 3	Trades (Sep Association of	tember 2008 of south African	Edition) published by	the			
Mirrors shall be of 6mm thick silvered GG quality polished float glass with rounded and polished edges and splayed corners Unless otherwise described, mirrors shall have four holes for and be screwed to and including approved patent plugs in plastered or tiled wall with countersunk steel screws tap-threaded for and including screw type chromium plated dome-headed caps and felt washers Mirror size 450 x 600mm No Carried Forward to Summary of Section No. 2 Section 2 SKILLS CENTRE Bill No. 15 Glazing Ga-Phasha Skills Centre	Mirrors						
float glass with rounded and polished edges and splayed corners Unless otherwise described, mirrors shall have four holes for and be screwed to and including approved patent plugs in plastered or tiled wall with countersunk steel screws tap-threaded for and including screw type chromium plated dome-headed caps and felt washers Mirror size 450 x 600mm No Carried Forward to Summary of Section No. 2 Section 2 SKILLS CENTRE Bill No. 15 Glazing Ga-Phasha Skills Centre	NOTE						
for and be screwed to and including approved patent plugs in plastered or tiled wall with countersunk steel screws tap-threaded for and including screw type chromium plated dome-headed caps and felt washers Mirror size 450 x 600mm No Carried Forward to Summary of Section No. 2 Section 2 Section 2 SkillLS CENTRE Bill No. 15 Glazing Ga-Phasha Skills Centre	float glass wit						
Carried Forward to Summary of Section No. 2 Section 2 SKILLS CENTRE Bill No. 15 Glazing Ga-Phasha Skills Centre 1 2 3	for and be s plugs in plas screws tap-t	crewed to and tered or tiled t hreaded for a	including approved pa wall with countersunk s and including screw t	tent teel ype			
Section 2 SKILLS CENTRE Bill No. 15 Glazing Ga-Phasha Skills Centre	Mirror size 45	0 x 600mm		No	6		
Section 2 SKILLS CENTRE Bill No. 15 Glazing Ga-Phasha Skills Centre							
Section 2 SKILLS CENTRE Bill No. 15 Glazing Ga-Phasha Skills Centre							
Section 2 SKILLS CENTRE Bill No. 15 Glazing Ga-Phasha Skills Centre							
Section 2 SKILLS CENTRE Bill No. 15 Glazing Ga-Phasha Skills Centre							
Section 2 SKILLS CENTRE Bill No. 15 Glazing Ga-Phasha Skills Centre							
SKILLS CENTRE Bill No. 15 Glazing Ga-Phasha Skills Centre 1 2 3	Carı	ried Forward to	Summary of Section N	lo. 2		R	
Ga-Phasha Skills Centre	Section 2 SKILLS CENTI Bill No. 15		·				
	_	ills Centre					
4 5 6	1	2	3				
	4	5	6				



		Quantity	Rate	Amount
SECTION 2				
BILL No. 16				
PAINTWORK				
GENERAL PREAMBLES				
Trades (September 2008 Edition) published I	by the			
Paint on plaster, etc.				
On internal plastered walls	m2	1 110		
On external plastered walls	m2	178		
On internal plastered ceilings	m2	32		
Paint on metal				
Prepare, touch up factory primer and apply on universal undercoat and two full coats high enamel paint	e coat gloss			
On pressed steel door frames	m2	33		
	ımmary		R	
SKILLS CENTRE				
Bill No. 16 Paintwork				
Ga-Phasha Skills Centre				
1 2 3				
4 5 6				
3	BILL No. 16 PAINTWORK GENERAL PREAMBLES Tenderers are advised to study the Model Preamt Trades (September 2008 Edition) published It Association of south African Quantity Surveyors pricing this bill Paint on plaster, etc. Two coats Plascon professional superior low (PEM 1000) or Dulux weather guard ultra sadhesion promoted (D62) acrylic paint. On internal plastered walls On external plastered walls On internal plastered ceilings Paint on metal Prepare, touch up factory primer and apply on universal undercoat and two full coats high enamel paint On pressed steel door frames Carried to Suscition 2 Skills Centre Bill No. 16 Paintwork Ga-Phasha Skills Centre	BILL No. 16 PAINTWORK GENERAL PREAMBLES Tenderers are advised to study the Model Preambles for Trades (September 2008 Edition) published by the Association of south African Quantity Surveyors before pricing this bill Paint on plaster, etc. Two coats Plascon professional superior low sheen (PEM 1000) or Dulux weather guard ultra smooth adhesion promoted (D62) acrylic paint. On internal plastered walls m2 On external plastered walls m2 On internal plastered ceilings m2 Paint on metal Prepare, touch up factory primer and apply one coat universal undercoat and two full coats high gloss enamel paint On pressed steel door frames m2 Carried to Summary Section 2 SKILLS CENTRE Bill No. 16 Paintwork Ga-Phasha Skills Centre	SECTION 2 BILL No. 16 PAINTWORK GENERAL PREAMBLES Tenderers are advised to study the Model Preambles for Trades (September 2008 Edition) published by the Association of south African Quantity Surveyors before pricing this bill Paint on plaster, etc. Two coats Plascon professional superior low sheen (PEM 1000) or Dulux weather guard ultra smooth adhesion promoted (D62) acrylic paint. On internal plastered walls m2 1110 On external plastered walls m2 178 On internal plastered ceilings m2 32 Paint on metal Prepare, touch up factory primer and apply one coat universal undercoat and two full coats high gloss enamel paint On pressed steel door frames m2 33 Carried to Summary Section 2 SKILLS CENTRE Bill No. 16 Paintwork Ga-Phasha Skills Centre	SECTION 2 BILL No. 16 PAINTWORK GENERAL PREAMBLES Tenderers are advised to study the Model Preambles for Trades (September 2008 Edition) published by the Association of south African Quantity Surveyors before pricing this bill Paint on plaster, etc. Two coats Plascon professional superior low sheen (PEM 1000) or Dulux weather guard ultra smooth adhesion promoted (D62) acrylic paint. On internal plastered walls m2 1110 On external plastered walls m2 178 On internal plastered ceilings m2 32 Paint on metal Prepare, touch up factory primer and apply one coat universal undercoat and two full coats high gloss enamel paint On pressed steel door frames m2 33 Carried to Summary R Section 2 SKILLS CENTRE Bill No. 16 Paintwork Ga-Phasha Skills Centre



1	Prepare and apply one coat zinc phosphate alkyd resin primer, one coat universal undercoat and two full coats high gloss enamel paint On grille gates and screens (both sides measured on flat)	m2	4		
	Paint on wood				
	Prepare, stop and apply three full coats polyurethane clear eggshell varnish, lightly sanded down between coats				
2	On general surfaces	m2	44		
	Prepare and apply one coat hardboard primer, one coat universal undercoat and two full coats high gloss enamel paint				
3	On general surfaces	m2	8		
	Carried to Summary Section 2			R	
	SKILLS CENTRE Bill No. 16 Paintwork				
	Ga-Phasha Skills Centre				



1	2	3
4	5	6



Section 2		
Bill No. 16		
Paintwork		
SUMMARY		
Total Brought Forward from Page No.	Page No 141 142	Amount
Carried Forward to Summary of Section No. 2 Section 2 SKILLS CENTRE Bill No. 16 Paintwork	R	
Ga-Phasha Skills Centre		



4	5	6



CONSTRUCTION OF GA-PHASHA SKILLS CENTRE

	SUMMARY - SKILLS CENTRE	1 _	 	I
Bill No		Page No		Amount
1	Foundations (Provisional)	48		R c
2	Concrete, Formwork and Reinforcement	54		
3	Masonry	61		
4	Waterproofing	66		
5	Roof Coverings, etc	71		
6	Carpentry and Joinery	86		
7	Ceilings, Partitions and Access Flooring	88		
8	Floor Coverings	89		
9	Ironmongery	97		
10	Metalwork	110		
11	Structural steelwork	118		
12	Plastering	123		
13	Tiling	128		
14	Plumbing and Drainaige (Provisional)	138		
15	Glazing	140		
16	Paintwork	144		
	Total Carried to Final Summary		R	
	Section 2 SKILLS CENTRE			
	Ga-Phasha Skills Centre			
	2 3			
	4 5 6			



CONSTRUCTION OF GA-PHASHA SKILLS CENTRE

1	Quantity	Rate	A
			Amount
SECTION 3			
BILL No. 1			
<u> </u>			
FOUNDATIONS (PROVISIONAL)			
GENERAL PREAMBLES			
Tenderers are advised to study the Model Preambles for Trades (September 2008 Edition) published by the Association of south African Quantity Surveyors before pricing this bill			
NOTE IN RESPECT OF REMEASUREMENT OF FOUNDATIONS			
Foundation brickwork and concrete walls have been measured to top of unfinished floor level			
Carried to Summary		R	
Section 3			
SIMULATION ROOM			
Bill No. 1 Foundations (Provisional)			
Ga-Phasha Skills Centre			
1 2 3			



4	5	6



EARTHWORKS

CONSTRUCTION OF GA-PHASHA SKILLS CENTRE

All excavations are measured as being in "earth" and/or filling compacted to 95% modified AASHTO density Descriptions of excavations shall be deemed to include for setting aside surplus excavated material in spoil heaps for use as filling, or for depositing within 150m of the perimeter of the excavations and spreading and roughly levelling as directed, as well as for increase in bulk and multiple handling of excavated material caused by the Contractor's method of operation Descriptions of carting away of excavated material shall be deemed to include loading excavated material shall be deemed to include loading excavated material onto trucks directly from the excavations or, alternatively, from stocks directly from the excavations or, alternatively, from stocks directly from the excavations or, alternatively, from stocks directly from the excavations or, alternatively and the concrete, except columns, shall be measured only where the concrete face is less than 750mm from the face of the measured for the width of the column face only where both: Working space for formwork to sides of columns shall be measured for the width of the column face only where both: the top of the column base is more than 1,5m below the commencing level of the excavations and the column face is less than 500mm from the face of the measured excavations Carried to Summary Section 3 SIMULATION ROOM Bill No. 1 Foundations (Provisional) Ga-Phasha Skills Centre 1 2 3 4 5 6 6	NOTE			
for setting aside surplus excavated material in spoil heaps for use as filling, or for depositing within 150m of the perimeter of the excavations and spreading and roughly levelling as directed, as well as for increase in bulk and multiple handling of excavated material caused by the Contractor's method of operation Descriptions of carting away of excavated material shall be deemed to include loading excavated material onto trucks directly from the excavations or, alternatively, from stock piles situated on the building site and for bulking Working space for formwork to sides of all concrete, except columns, shall be measured only where the concrete face is less than 750mm from the face of the measured excavations Working space for formwork to sides of columns shall be measured for the width of the column face only where both: the top of the column base is more than 1,5m below the commencing level of the excavations and the column face is less than 500mm from the face of the measured excavations Carried to Summary Section 3 SIMULATION ROOM Bill No. 1 Poundations (Provisional) Ga-Phasha Skills Centre				
be deemed to include loading excavated material onto trucks directly from the excavations or, alternatively, from stock piles situated on the building site and for bulking Working space for formwork to sides of all concrete, except columns, shall be measured only where the concrete face is less than 750mm from the face of the measured excavations Working space for formwork to sides of columns shall be measured for the width of the column face only where both: the top of the column base is more than 1,5m below the commencing level of the excavations and the column face is less than 500mm from the face of the measured excavations Carried to Summary Section 3 SIMULATION ROOM Bill No. 1 Foundations (Provisional) Ga-Phasha Skills Centre	for setting aside surplus excavate for use as filling, or for deposit perimeter of the excavations and levelling as directed, as well as multiple handling of excavated			
except columns, shall be measured only where the concrete face is less than 750mm from the face of the measured excavations Working space for formwork to sides of columns shall be measured for the width of the column face only where both: the top of the column base is more than 1,5m below the commencing level of the excavations and the column face is less than 500mm from the face of the measured excavations Carried to Summary Section 3 SIMULATION ROOM Bill No. 1 Foundations (Provisional) Ga-Phasha Skills Centre	be deemed to include loading e trucks directly from the excavatio	excavated material onto ns or, alternatively, from		
measured for the width of the column face only where both: the top of the column base is more than 1,5m below the commencing level of the excavations and the column face is less than 500mm from the face of the measured excavations Carried to Summary Section 3 SIMULATION ROOM Bill No. 1 Foundations (Provisional) Ga-Phasha Skills Centre 1 2 3 4 5 6	except columns, shall be mea concrete face is less than 750m	sured only where the		
Carried to Summary Section 3 SIMULATION ROOM Bill No. 1 Foundations (Provisional) Ga-Phasha Skills Centre 1 2 3 4 5 6 6	measured for the width of the o			
Carried to Summary Section 3 SIMULATION ROOM Bill No. 1 Foundations (Provisional) Ga-Phasha Skills Centre 1 2 3 4 5 6				
Section 3 SIMULATION ROOM Bill No. 1 Foundations (Provisional) Ga-Phasha Skills Centre 1 2 3 4 5 6		mm from the face of the		
Section 3 SIMULATION ROOM Bill No. 1 Foundations (Provisional) Ga-Phasha Skills Centre 1 2 3 4 5 6				
Section 3 SIMULATION ROOM Bill No. 1 Foundations (Provisional) Ga-Phasha Skills Centre 1 2 3 4 5 6				
Section 3 SIMULATION ROOM Bill No. 1 Foundations (Provisional) Ga-Phasha Skills Centre 1 2 3 4 5 6				
Bill No. 1 Foundations (Provisional) Ga-Phasha Skills Centre 1 2 3 4 5 6	Section 3	Carried to Summary	R	
1 2 4 5 6	Bill No. 1			
4 5 6	Ga-Phasha Skills Centre			
	1 2	3		
140	5	6		
- 149-	1	-149-		



	No claim shall be considered for any working space for formwork to concrete other than as above described or for working space beyond the sides of trench excavations for the building of brick or block walls				
	Descriptions of excavations for working space shall be deemed to include for any additional risk of collapse so incurred and for the returning and compacting of the excavated material as described				
	Excavations				
	Excavate in earth not exceeding 2m deep below natural, elevated or reduced ground level for				
1	Trenches	m3	17		
2	Holes	m3	2		
	(End of excavations in earth)				
3	Extra over all excavations for carting away surplus material from excavations and/or from stockpiles on site to a dumping site to be located by the Contractor	m3	19		
4	Risk of collapse of sides of reduced level excavations from natural, elevated or reduced ground level to not exceeding 1,5m deep	m2	72		
5	Allow for keeping excavations free of all water other than subterranean water		ltem		
	Filling, etc.				
6	150mm Thick Rip & Re-compact insitu material to 98% MOD.AASHTO at OMC	m3	28		
7	150mm Thick G5 Layer compacted to 98% MOD.AASHTO at OMC	m3	56		
	Carried to Summary			R	
	Section 3 SIMULATION ROOM Bill No. 1 Foundations (Provisional)				
	Foundations (Provisional)				



CONTRACT BOQ - ALL INCLUSIVE

Ga-Phasha Skills Centre

1	2	3
4	5	6



CONTRACT BOQ - ALL INCLUSIVE

Tests Tests to determine the degree of compaction, etc. of ground or filling No 4 **Protection against termites** Poisoning surface of ground in bottoms of trenches, bases, etc. m2 104 Poisoning surface of ground or filling under floors, steps, etc. including raking out 75mm deep V-shaped channels against the walls, etc. treating with poison solution, backfilling and ramming m2 113 **CONCRETE Concrete test cubes** Prepare set of three 150 x 150 x 150mm concrete strength test cubes, label and send to an approved laboratory for testing, pay all charges and submit report to the Principal Agent. Only successful tests will be paid for (Provisional) No 4 Reinforced concrete with a coarse aggregate of 19mm and a minimum compressive strength of 25MPa at 28 days 2 m3 Bases m3 13 6 Ground beams 7 In surface beds cast in panels on waterproofing 19 (elsewhere) m3 **Sundries**

Carried to Summary

m2

113

R

Section 3 SIMULATION ROOM Bill No. 1 Foundations (Provisional)

and even power floated surface

Finish top surface of concrete slabs, etc. to a smooth



	.	T		
1	2	3		
4	5	6		



	<u>FORMWORK</u>				
	ROUGH FORMWORK (DEGREE OF ACCURACY III)				
	Rough formwork to sides				
1	Rectangular ground beams	m2	68		
	Movement Joints				
2	Movement joint not exceeding 300mm wide formed of 13mm bitumen impregnated soft board placed vertically in position in concrete floor	m	42		
	Saw cut joints				
3	6 x 20mm Saw cut joints in top of concrete	m	24		
	Construction joints				
4	Construction joints	m	42		
	Boxing in rough formwork to form				
5	100 x 100mm Chamfers along top or bottom edges of ground beams perpendicular to the sofit of surface bed.	m	219		
	REINFORCEMENT				
	High tensile steel reinforcement to structural concrete work				
6	16mm Diameter bars	t	1.50		
7	12mm Diameter bars	t	1.50		
	Carried to Summary			R	
	Section 3 SIMULATION ROOM				
	Bill No. 1 Foundations (Provisional)				



CONTRACT BOQ - ALL INCLUSIVE

Ga-Phasha Skills Centre

1	2	3
4	5	6



Mesh reinforcement				
Mesh reinforcement with mesh reference number 193 laid in surface beds with 300mm wide side and end laps (measured net)	m2	113		
Carried to Summary Section 3 SIMULATION ROOM			R	
Bill No. 1 Foundations (Provisional)				
Ga-Phasha Skills Centre				
1 2 3				



4	5	6



Section 3		
Bill No. 1		
Foundations (Provisional)		
SUMMARY		
	Page	Amount
Total Brought Forward from Page No.	No	
	150	
	153	
	154	
	156	
Carried Forward to Summary of Section No. 3 Section 3		R
SIMULATION ROOM Bill No. 1		
Foundations (Provisional)		
Ga-Phasha Skills Centre		
1 2 3		



4	5	6



Item No			Quantity	Rate	Amount
	SECTION 3				
	BILL No. 2				
	CONCRETE, FORMWORK AND REINFORCEM	<u>ENT</u>			
	GENERAL PREAMBLES				
	Tenderers are advised to study the Model Pream Trades (September 2008 Edition) published Association of south African Quantity Surveyors pricing this bill	by the			
	CONCRETE				
	Concrete test cubes				
1	Prepare set of three 150 x 150 x 150mm of strength test cubes, label and send to an all laboratory for testing, pay all charges and subm to the Principal agent. Only successful tests will for (Provisional)	oproved it report	4		
	Mass concrete				
	Mass concrete with a coarse aggregate of 19n a minimum compressive strength of 25MPa				
0	<u>days</u>	··· 0	4		
2	In ramps	m3	1		
	Carried Forward to Summary of Section 3	ion No. 3		R	
	SIMULATION ROOM Bill No. 2				
	Concrete, Formwork and Reinforcement Ga-				
	Phasha Skills Centre				
	1 2 3				
	4 5 6				



Item No				Quantity	Rate	Amount
	SECTION 3					
	BILL No. 3					
	MASONRY					
	GENERAL PREAMBLES					
	Trades (September 200)	study the Model Preambles fo 8 Edition) published by th an Quantity Surveyors before	е			
	Brickwork in burnt cla	ay bricks in (5:1) cemen	<u>nt</u>			
1	Piers		m3	15		
2	Half brick wall in beamfillin	a	m2	12		
3	One brick wall	9	m2	188		
	Brick reinforcement		1112	100		
	<u> </u>					
4	with sufficient laps a intersections (measured n			819		
	Joint forming material in	movement joints				
5		oop iron roof tie with one end to top of brickwork and othe nailed to trusses		130		
	Nutec Cement/Fibre-cem	ent window cills				
6	Internal window sill 100mn	n wide	m	4		
	Ocation 0	Carried to Summa	ary		R	
	Section 3 SIMULATION ROOM Bill No. 3 Masonry					
	Ga-Phasha Skills Centre					
	1 2	3				
	4 5	6				



	Prestressed concrete lintels				
1	110 x 75mm Lintels in lengths not exceeding 3m	m	8		
2	110 x 75mm Lintels in lengths exceeding 3m not exceeding 4.5m	m	28		
	FACE BRICKWORK				
	Extra over for face brick: External face bricks pointed with flush horizontal and vertical joints. Firelight Travertine face brick.				
3	230mm brickwork face brickwork.	m2	48		
	WINDOW CILLS				
	Facebrick on edge window sills				
4	Window sill, facebrick on edge	m	4		
	PAVING				
	Paving of clay-brick pavers laid with butt joints to stretcher bond pattern on and including 25mm thick river-sand bed with sand & cement mixture swept into joints and hosed down, including weed killer and preparation of ground				
5	Paving to entrance walkway areas, aprons, etc to falls	m2	66		
6	220mm Wide brick-on-flat header course edging on 75mm thick mortar bed	m	44		
7	Fair raking cutting	m	44		
	Carried to Summary			R	
	Section 3 SIMULATION ROOM Bill No. 3 Masonry				
	Ga-Phasha Skills Centre				



1	2	3
4	5	6



Section 3		
Bill No. 3		
Masonry		
SUMMARY		
	Page	Amount
Total Brought Forward from Page No.	No 164	
	165	
Carried Forward to Summary of Section No. 3		3
Section 3 SIMULATION ROOM Bill No. 3 Masonry		
Ga-Phasha Skills Centre		
1 2 3		



4	5	6



tem No			Quantity	Rate	Amount
	SECTION 3				
	BILL No. 4				
	WATERPROOFING				
	GENERAL PREAMBLES				
	Tenderers are advised to study the Model Preambles for Trades (September 2008 Edition) published by the Association of south African Quantity Surveyors before pricing this bill				
	DAMP-PROOFING TO WALLS				
1	375 Micron embossed black polyethylene damp-proof course to walls, cills, etc. (measured net)	m2	113		
	DAMP-PROOFING UNDER FLOORS, ETC.				
	Colour coded polyethylene sheeting complying with SANS 952, Type C in widest practicable widths with all joints lapped and sealed in accordance with the manufacturer's instructions				
2	250 Micron green medium density damp-proof membrane laid loose on top of sand bed (elsewhere) under solid floors with pressure sensitive tape jointing	m2	113		
3	250 Micron green medium density damp-proof membrane laid loose on top of sand bed (elsewhere) to under sides and both sides of ground beams	m2	104		
				R	
	Carried Forward to Summary of Section No. 3 Section 3 SIMULATION ROOM Bill No. 4				
	Waterproofing Ga-Phasha Skills Centre				
	1 2 3				
	4 5 6				



Item No

CONSTRUCTION OF GA-PHASHA SKILLS CENTRE

	Quantity	Rate	Amount
SECTION 3			
BILL No. 5			
ROOF COVERINGS, ETC.			
GENERAL PREAMBLES			
Tenderers are advised to study the Model Preambles for Trades (September 2008 Edition) published by the Association of south African Quantity Surveyors before pricing this bill			
PROFILED METAL SHEETING AND ACCESSORIES			
0.58mm Thick concealed fixing roofing sheets manufactured from roll-formed from certified steel complying with ISQ 550 (3T). The profile shall have three trapezoidal ribs at 203mm centers giving a net cover of 406mm. The rib height shall be 41mm and provide capillary breaks. The male rib shall have spurs at 283mm centers to ensure a positive double interlocking action at side-laps. Each pan shall incorporate two stiffener ribs. Profiled roof sheets to be coated on both sides with "Global Coat" or "Chromadek Colour" and laid on structural timber/steel structure incorporating all necessary accessories such as flashings and eave closers in strict compliance to manufacturer's instructions			
Note			
The Contractor is to submit a certificate signed by the merchant, stating that the galvanised roof covering supplied complies with the required thickness specified			
Carried to Summary		R	
Section 3 SIMULATION ROOM Bill No. 5 Roof Coverings, etc			
Ga-Phasha Skills Centre			
1 2 3			
4 5 6			



	Chromadek roof sheeting 50mm x 50mm purlins on appro. Underlay on prefabricated trusses to specialist details at max 1200mm centre to centre to Engineers details at 5° roof pitch				
1	0,58mm Roof sheeting with pitch not exceeding 25° fixed to timber purlins (elsewhere)	m2	142		
2	0.58mm Sheet iron side wall flashing 370mm girth	m	49		
	ROOF AND WALL INSULATION				
	50mm Thick Approved FBL foll backed aluminium blanket				
3	Insulation blanket laid taut over purlins (at approximately 1000mm centres) and fixed concurrent with roof covering with stapled longitudinal flap joints, including fixing at top and bottom edges to purlins with and including hoop iron straps				
		m2	142		
	Carried to Summary			R	
	Section 3 SIMULATION ROOM Bill No. 5				
	Roof Coverings, etc				
	Ga-Phasha Skills Centre				
	-168				



1	2	3
4	5	6



Section 3		
Bill No. 5		
Roof Coverings, etc		
SUMMARY		
	Page No	Amount
Total Brought Forward from Page No.	NO	
	170	
Carried Forward to Summary of Section No. 3 Section 3		R
SIMULATION ROOM Bill No. 5		
Roof Coverings, etc		
Ga-Phasha Skills Centre		



4	5	6



CONSTRUCTION OF GA-PHASHA SKILLS CENTRE

n		Quantity	Rate	Amount
)				7
	SECTION 3			
	BILL No. 6			
	CARPENTRY AND JOINERY			
	GENERAL PREAMBLES			
	Tenderers are advised to study the Model Preambles for Trades (September 2008 Edition) published by the Association of south African Quantity Surveyors before pricing this bill			
	TIMBER			
	All softwood to be South African Pine			
	Carried to Summary		R	
	Section 3 SIMULATION ROOM			
	Bill No. 6 Carpentry and Joinery			
	Ga-Phasha Skills Centre			
	1 2 3			



4	5	6



DESCRIPTIONS					
The term "planted of member to another	on" shall mean the n r	ailing of one timber			
The term "screwe screwing of one tin					
	ed on and pelleted ber member to ano d pelleted				
	" shall mean the cou per to and includin ete				
of a timber member	and pelleted" shall oper to and including rete with heads of	ng plastic plugs in			
from underside and	ribed as screwed to d prices are to inclu steel for screw fixir	de for countersunk			
	oors, ceilings, join for all square cuttin				
Descriptions of its deemed to include intersections, etc.					
	rounded angles, ed edges, etc. sha ends, etc.				
Prefabricated me	etal connector pl	ate timber roof			
		ramiadta Comanano		D	
Carried to Summary Section 3 SIMULATION ROOM Bill No. 6 Carpentry and Joinery				R	
Ga-Phasha Skills C	entre				
1	2	3			
4	5	6			



CONTRACT BOQ - ALL INCLUSIVE

Roofs, etc

Allow for the preparation and submission of the following documents (applicable to ALL roofs), inclusive of Detailed shop drawings indicating truss sizes, truss positions, bracings, etc to be submitted for approval prior to commencement of fabrication, Design certificate indicating the licensed programme used, SANS specifications adhered to, general procedures and loading adopted, sizes and grading of timber components, details, etc.

NOTE:

- a. All the roof trusses to be at average 1177mm centres and constructed for a 15 degrees pitch unless otherwise stated
- b. All the roof trusses to be designed and constructed with softwood structural timber to include for live loads, wind loads and to take corrugated roof covering, purlins and fibre cement or gypsum plasterboard ceilings with brandering. Each roof truss shall have all its members accurately cut and close butted together and rigidly fixed by CSIR approved patented galvanized metal spiked connectors, fixed on both sides of each intersection by an approved method, all in accordance with the manufacturer's instructions.
- c. Unless otherwise described all rafter feet are to extend 770mm beyond the length of the tie beam, with ends twice splay cut
- d. The design, manufacture and transportation of the roof trusses, bracing, etc. shall be under the control of a registered Engineer in accordance with SANS 0243 and it shall be required from the manufacturer of the trusses to lodge a written guarantee that his construction has been designed by a qualified Structural Engineer and that he is in possession of a capability certificate issued by the Institute for Timber Construction and approved by the Principal Agent

Carried to Summary

Section 3
SIMULATION ROOM
Bill No. 6
Carpentry and Joinery

Ga-Phasha Skills Centre

1	2	3
4	5	6

R	



f. Erection must be carried out as described in "The Erection and Bracing of Timber Roof Trusses" published by the Truss Plate Association of South Africa Ltd. and the National Timber Research Institute, CSIR. g. Descriptions of roof trusses shall be deemed to include for design, manufacture, supply, hoisting and fixing in position, trimming ends, notching, etc. and for any temporary bracing.				
Mono pitch roof truss size 9.484m long x 2.4m high	No	5.00		
Sundry roof timbers				
Sawn Softwood (Grade 5)				
38 x 114mm Wall plate	m	44		
50 x 76mm Purlin including additional timber supports at spliced joints	m	32		
Roof sundries				
Galvanised mild steel hurricane type fixing clips nailed between rafter and purlin connection (Provisional)	No	50		
Wood preservative				
Two coats wood preservative applied hot on wrought exposed roof timbers	m2	228		
Fascias and bargeboards				
Carried to Summary Section 3 SIMULATION ROOM Bill No. 6 Carpentry and Joinery Ga-Phasha Skills Centre			F	3
	by the Truss Plate Association of South Africa Ltd. and the National Timber Research Institute, CSIR. g. Descriptions of roof trusses shall be deemed to include for design, manufacture, supply, hoisting and fixing in position, trimming ends, notching, etc. and for any temporary bracing. Mono pitch roof truss size 9.484m long x 2.4m high Sundry roof timbers Sawn Softwood (Grade 5) 38 x 114mm Wall plate 50 x 76mm Purlin including additional timber supports at spliced joints Roof sundries Galvanised mild steel hurricane type fixing clips nailed between rafter and purlin connection (Provisional) Wood preservative Two coats wood preservative applied hot on wrought exposed roof timbers Fascias and bargeboards Carried to Summary Section 3 SIMULATION ROOM Bill No. 6 Carpentry and Joinery	by the Truss Plate Association of South Africa Ltd. and the National Timber Research Institute, CSIR. g. Descriptions of roof trusses shall be deemed to include for design, manufacture, supply, hoisting and fixing in position, trimming ends, notching, etc. and for any temporary bracing. Mono pitch roof truss size 9.484m long x 2.4m high No Sundry roof timbers Sawn Softwood (Grade 5) 38 x 114mm Wall plate m 50 x 76mm Purlin including additional timber supports at spliced joints m Roof sundries Galvanised mild steel hurricane type fixing clips nailed between rafter and purlin connection (Provisional) No Wood preservative Two coats wood preservative applied hot on wrought exposed roof timbers Carried to Summary Section 3 SIMULATION ROOM Bill No. 6 Carpentry and Joinery	by the Truss Plate Åssociation of South Africa Ltd. and the National Timber Research Institute, CSIR. g. Descriptions of roof trusses shall be deemed to include for design, manufacture, supply, hoisting and fixing in position, trimming ends, notching, etc. and for any temporary bracing. Mono pitch roof truss size 9.484m long x 2.4m high No 5.00 Sundry roof timbers Sawn Softwood (Grade 5) 38 x 114mm Wall plate m 44 50 x 76mm Purlin including additional timber supports at spliced joints m 32 Roof sundries Galvanised mild steel hurricane type fixing clips nailed between rafter and purlin connection (Provisional) No 50 Wood preservative Two coats wood preservative applied hot on wrought exposed roof timbers m2 228 Fascias and bargeboards Carried to Summary Section 3 SIMULATION ROOM Bill No. 6 Carpentry and Joinery	by the Truss Plate Association of South Africa Ltd. and the National Timber Research Institute, CSIR. g. Descriptions of roof trusses shall be deemed to include for design, manufacture, supply, hoisting and fixing in position, trimming ends, notching, etc. and for any temporary bracing. Mono pitch roof truss size 9.484m long x 2.4m high No 5.00 Sundry roof timbers Sawn Softwood (Grade 5) 38 x 114mm Wall plate m 44 50 x 76mm Purlin including additional timber supports at spliced joints m 32 Roof sundries Galvanised mild steel hurricane type fixing clips nailed between rafter and purlin connection (Provisional) No 50 Wood preservative Two coats wood preservative applied hot on wrought exposed roof timbers Carried to Summary Section 3 SIMULATION ROOM Bill No. 6 Carpentry and Joinery



1	2	3
4	5	6



	Tempered fibre-cement					
	15 x 225mm Fascia board countersunk scr timbers (elsewhere) with two brass screws 1200mm centres and jointed with and include aluminium halfround cover strips at all joints	at maximum ding standard	m	30		
2	15 x 225mm Barge board countersunk so timbers (elsewhere) with two brass screws 1200mm centres and nailed with steel nai joints at maximum 750mm centres and joi including standard aluminium halfround coall joints	at maximum ils into mortar nted with and	m	19		
	<u>FITTINGS</u>					
	<u>General</u>					
	The following cupboard fittings have been complete units i.e. the components of the components of the components are separately measured. The description of such units shall be deemed to components, assembling, housing, noted blocking, planting on and screwing with screws, edge strips, decorative plastic ironmongery, metalwork, paint or varnish (refer Architect's drawings as attached to these Bills of Quantities)	units have not ons, therefore, include all ning, glueing, countersunk finish, glass, finishes, etc				
	Fittings to Administration Building					
	Carrie	d to Summary			R	
	Section 3 SIMULATION ROOM	•				
	Bill No. 6 Carpentry and Joinery					
	Ga-Phasha Skills Centre					
	1 2 3					
	4 5 6					



1	Cupboard: Length 8383mm, 900mm high with Rusternburg Granite worktop with bullnose edge, Windsor Cherry Melamine door fronts with 16mm x 2mm PVC edging strips, 8 Number 128Euro H-011 Alluminium cupboard door pull fitted horizontally with steel self tapper screw and 2 No. Sink 1140mm long stainless steel grade 304 (18/8) on baked enamel steel cupboard with 1 shelf and 3 swing doors as per Architect's drawing Kitchen cupboard Length 8383mm, 900mm high				
	(Provisional)	No	1		
	Store room shelving with back uprights screwed to wall with three masonry wall plugs, 24mm wrought laminated SA pine shelves in running lenghts, fixed with two selftaping screws per rail. Provide butt joints at center of rail where necessary. 18mm x 76mm SA pine filler piece flush with front of shelf. 18mm x 76mm SA pine filler piece flush with top of shelf, Finish as for shelf. Cut to fit between uprights. Finish as for shelf. Cut to fit between rails as per drawing No: DT 54	NO			
2	Store room shelving, 1400mm length and 2000mm height (Provisional)	No	4		
	Carried to Summary	,		R	
	Section 3 SIMULATION ROOM Bill No. 6 Carpentry and Joinery Ga-Phasha Skills Centre				
	1 2 3]			
	4 5 6	-			



Section 3			
Bill No. 6			
Carpentry and Joinery			
SUMMARY			
	Page		Amount
Total Brought Forward from Page No.	No		
	176		
	178		
	179		
Carried Forward to Summary of Section No. 3		R	
Section 3 SIMULATION ROOM			
Bill No. 6 Carpentry and Joinery			
Ga-Phasha Skills Centre			
1 2 3			
1		1	ii .



4	5	6



Item No

CONSTRUCTION OF GA-PHASHA SKILLS CENTRE

	Quantity	Rate	Amount
SECTION 3			7
<u>SECTION 3</u>			
BILL No. 7			
IRONMONGERY			
GENERAL PREAMBLES			
Tenderers are advised to study the Model Preambles for Trades (September 2008 Edition) published by the Association of south African Quantity Surveyors before pricing this bill			
Where ironmongery is described as plugged, prices are to include for screwing to and including approved patent plugs in concrete or brickwork with plaster or tiled finish			
Carried to Summary		R	
Section 3 SIMULATION ROOM Bill No. 7 Ironmongery			
Ga-Phasha Skills Centre			
1 2 3			



4	5	6



	Kitchen Cupboard Units		
	NOTE		
	The kitchen cupboard units shall be of steel construction with baked enamel finish of approved colour with 18mm interior particle board worktops finished on one side and on edges with 1,2mm standard grade high pressure plastic laminate of approved pattern and colour		
	Adjacent worktops of different units shall be neatly butt- jointed and finished off with matching cover strips and prices are to include for same		
	All doors are to be supplied with standard locks and duplicate keys and prices of units are to include for lockable doors where applicable		
	Prices for sink units are to include for stainless steel sinks with draining boards with single or double sinks, each complete with chromium plated flanged waste fitting, plug and chain		
	Prices for all units are to include for fixing in position to plastered walls and on floors with screed, protecting against injury and cleaning down on completion		
	Floor and sink units		
	Sink unit 1350mm long with single bowl sink and drainer, one shelf and three doors No 1		
	Carried to Summary	R	
	Section 3 SIMULATION ROOM Bill No. 7 Ironmongery		
	Ga-Phasha Skills Centre		
ı	l I		I



4	5	6



Bill No. 7 Ironmongery SUMMARY Page No Total Brought Forward from Page No. 186	Section 3					
SUMMARY Page No Total Brought Forward from Page No.	Bill No. 7					
Total Brought Forward from Page No. Page No Amount	Ironmongery					
Total Brought Forward from Page No.	SUMMARY					
Total Brought Forward from Page No.				Page		Amount
	Total Brought Forwa	ard from Page No.		140		
				186		
Carried Forward to Summary of Section No. 3	Carried F	Forward to Summa	ary of Section No. 3		R	
Section 3 SIMULATION ROOM Bill No. 7 Ironmongery	SIMULATION ROOM Bill No. 7	1				
Ga-Phasha Skills Centre		entre				
	1	2	3			



4	5	6



Item No			Quantity	Rate	Amount
	SECTION 3				
	BILL No. 8				
	<u>METALWORK</u>				
	GENERAL PREAMBLES				
	Tenderers are advised to study the Model Preambles for Trades (September 2008 Edition) published by the Association of south African Quantity Surveyors before pricing this bill				
	CLE-VU GATES				
1	Single gate size 1600mm x 2067mm high Cle-Vu	No	1		
	STEEL ROLLER SHUTTERS ETC				
2	Manual push-up slatted roller shutter for 2400 x 2500mm high opening	No	1		
	GALVANISED SCREENS				
3	Mild steel galvanised screen size 3500 x 300mm High	No	2		
	Carried Forward to Summary of Section No. 3 Section 3 SIMULATION ROOM Bill No. 8 Metalwork Ga-Phasha Skills Centre			R	
	4 5 6				



Item No			Quantity	Rate	Amount
	SECTION 3				
	BILL No.9				
	PLASTERING				
	GENERAL PREAMBLES				
	Tenderers are advised to study the Model Preambles for Trades (September 2008 Edition) published by the Association of south African Quantity Surveyors before pricing this bill				
	<u>Screeds</u>				
	Grano on concrete				
1	30mm Thick grano on floors and landings	m2	113		
	Internal Plaster				
	One coat cement plaster on concrete or brickwork				
2	On walls	m2	388		
3	On narrow widths	m2	84		
	External Plaster				
	One coat cement plaster on concrete or brickwork				
4	On walls	m2	66		
5	On narrow widths	m2	4		
	Carried Forward to Summary of Section No. 3 Section 3			R	
	SIMULATION ROOM				
	Bill No. 9 Plastering				
	Ga-Phasha Skills Centre				
	1 2 3				
	4 5 6				



Item No			Quantity	Rate	Amount
	SECTION 3				
	BILL No. 10				
	TILING				
	GENERAL PREAMBLES				
	Tenderers are advised to study the Model Pream Trades (September 2008 Edition) published Association of south African Quantity Surveyors pricing this bill	by the			
	Wall Tiling				
	198 x 198 x 6mm White glazed ceramic wall til with an approved adhesive to plaster elsewhere) and with jointing compound	<u>es fixed</u> (plaster			
1	To walls	m2	10		
	ALUMINIUM TRIMS				
	"M-trim" or "Genesis"12mm silver an aluminium straight edge trim to suit tile the with grey grout.				
2	On walls	m	4		
	Carried Forward to Summary of Secti	on No. 3		R	
	Section 3 SIMULATION ROOM Bill No. 10 Tiling				
	Ga-Phasha Skills Centre				
	1 2 3				
	4 5 6				



Item No			Quantity	Rate	Amount
	SECTION 3				
	BILL No. 11				
	PLUMBING AND DRAINAGE (PROVISIONAL)				
	GENERAL PREAMBLES				
	Tenderers are advised to study the Model Preambles for Trades (September 2008 Edition) published by the Association of south African Quantity Surveyors before pricing this bill				
	Taps, valves,etc				
	Traps, etc. including joints to steel pipes and/or fittings unless otherwise described				
1	32-40mm Butyl rubber deep seal P or S trap	No	1		
2	40-40mm Chromium plated bottle trap	No	1		
	Valves, etc. including joints to steel pipes and/or fittings unless otherwise described				
3	15mm Copper service pipe 350mm girth	No	1		
4	15mm Chromium plated full way ballcock shut-off control valve with screw type control	No	1		
5	15mm Sink mixer with waste union	No	1		
	Sanitary Plumbing				
	Comical to Commence			5	
	Carried to Summary Section 3		R		
	SIMULATION ROOM Bill No. 11				
	Plumbing and Drainaige (Provisional) Ga-				
	Phasha Skills Centre				
	1 2 3				
	4 5 6				



	uPVC pipes and fittings	[1	
1	50mm Pipe laid in/under floors or fixed to walls, roof timbers, etc.	m	10	
2	100mm Pipe laid in/under floors or fixed to walls, roof timbers, etc.	m	12	
	Extra over uPVC pipes for fittings			
3	100 x 50mm Reducer	No	2	
4	100mm Bend	No	2	
5	100mm Junction	No	2	
	Water Supply			
	Class O thin wall hard drawn copper pipes and fittings with capillary soldered type connections			
6	15mm Pipe laid in/under floors or fixed to walls, roof timbers, etc.	m	5	
7	15mm Pipe fixed in and including chase in walls	m	4	
	Extra over class O copper pipes for soldered capillary fittings			
8	15mm Fittings	No	8	
	Electric water heaters			
	"Kwikot" or similar approved			
9	150 Litre horizontal wall mounted electric water heater	No	1	
	Carried to Summary			R
	Section 3 SIMULATION ROOM Bill No. 11 Plumbing and Drainaige (Provisional)			
	-102-			



CONTRACT BOQ - ALL INCLUSIVE

Ga-Phasha Skills Centre

1	2	3
4	5	6



Testing			
rovide all necessary apparatus, water, etc. for and test the whole of the Sanitary Plumbing and Water Supply installation to the satisfaction of the Representative/Agent and the Local Authority, rectify all defective work free of charge and leave in perfect order	ltem		
 Carried to Summary Section 3		R	
SIMULATION ROOM Bill No. 11 Plumbing and Drainaige (Provisional) Ga-Phasha Skills Centre			
1 2 3			



4	5	6



Section 3			
Bill No. 11			
Plumbing and Drainaige (Provisional)			
SUMMARY			
	Page No		Amount
Total Brought Forward from Page No.	NO		
	191		
	192		
	194		
			_
Consided Forestand to Summary of Soction No. 2		Б	
Carried Forward to Summary of Section No. 3 Section 3 SIMULATION ROOM Bill No. 11		R	
Plumbing and Drainaige (Provisional)			
Ga-Phasha Skills Centre			



4	5	6



Item No			Quantity	Rate	Amount
	SECTION 3				
	BILL No. 12				
	<u>PAINTWORK</u>				
	GENERAL PREAMBLES				
	Tenderers are advised to study the Model Preambles for Trades (September 2008 Edition) published by the Association of south African Quantity Surveyors before pricing this bill				
	Paint on plaster, etc.				
	Two coats Plascon professional superior low sheen (PEM 1000) or Dulux weather guard ultra smooth adhesion promoted (D62) acrylic paint.				
1	On internal plastered walls	m2	388		
2	On external plastered walls	m2	66		
	Paint on metal				
	Prepare and apply one coat zinc phosphate alkyd resin primer, one coat universal undercoat and two full coats high gloss enamel paint				
3	On grille gates and screens (both sides measured on flat) m2				
	Carried Forward to Summary of Section No. 3	3		R	
	Section 3 SIMULATION ROOM Bill No. 12				
	Paintwork Ga-Phasha Skills Centre				
	1 2 3	7			
	5 6				
		J	l l		



CONSTRUCTION OF GA-PHASHA SKILLS CENTRE

	SUMMARY - SIMULATION ROOM	l I	
Bill No		Page No	Amount R c
1	Foundations (Provisional)	158	
2	Concrete, Formwork and Reinforcement	160	
3	Masonry	164	
4	Waterproofing	166	
5	Roof Coverings, etc	170	
6	Carpentry and Joinery	180	
7	Ironmongery	186	
8	Metalwork	188	
9	Plastering	189	
40	Tille a		
10	Tiling	190	
11	Plumbing and Drainaige (Provisional)	196	
12	Paintwork	198	
	Total Carried to Final Summary		٦
	Section 3 SIMULATION ROOM		
	Ga-Phasha Skills Centre		
	1 2 3		
	4 5 6		
	-199-		



Item No

CONSTRUCTION OF GA-PHASHA SKILLS CENTRE

	Quantity	Rate	Amount
OFOTION 4			
SECTION 4			
BILL No. 1			
FOUNDATIONS (PROVISIONAL)			
GENERAL PREAMBLES			
Tenderers are advised to study the Model Preambles for Trades (September 2008 Edition) published by the Association of south African Quantity Surveyors before pricing this bill			
NOTE IN RESPECT OF REMEASUREMENT OF FOUNDATIONS			
Foundation brickwork and concrete walls have been measured to top of unfinished floor level			
Carried to Summary		R	
Section 4 GATE HOUSE Bill No. 1			
Foundations (Provisional)			
Ga-Phasha Skills Centre			
1 2 3			



4	5	6



EARTHWORKS

CONSTRUCTION OF GA-PHASHA SKILLS CENTRE

NOTE					
All excavations a filling compacted					
Descriptions of excavations shall be deemed to include for setting aside surplus excavated material in spoil heaps for use as filling, or for depositing within 150m of the perimeter of the excavations and spreading and roughly levelling as directed, as well as for increase in bulk and multiple handling of excavated material caused by the Contractor's method of operation					
be deemed to in trucks directly fro	arting away of excaviclude loading excavim the excavations or ed on the building site.	vated material onto , alternatively, from			
except columns,	for formwork to side shall be measure less than 750mm fr ations	d only where the			
Working space for formwork to sides of columns shall be measured for the width of the column face only where both:					
	umn base is more the lof the excavations				
the column face i	s less than 500mm tations	from the face of the			
	C	Carried to Summary		R	
Section 4 GATE HOUSE Bill No. 1 Foundations (Prov	risional)				
Ga-Phasha Skills	Centre				
1	2	3			
4	5	6			
ı	1	-202-			



	No claim shall be considered for any working space for formwork to concrete other than as above described or for working space beyond the sides of trench excavations for the building of brick or block walls Descriptions of excavations for working space shall be deemed to include for any additional risk of collapse so incurred and for the returning and compacting of the excavated material as described Excavate in earth not exceeding 2m deep below				
1	natural, elevated or reduced ground level for Trenches	m3	8		
2	Holes	m3	2		
	(End of excavations in earth)				
3	Extra over all excavations for carting away surplus material from excavations and/or from stockpiles on site to a dumping site to be located by the Contractor	m3	10		
4	Risk of collapse of sides of reduced level excavations from natural, elevated or reduced ground level to not exceeding 1,5m deep	m2	32		
5	Allow for keeping excavations free of all water other than subterranean water		ltem		
	Filling, etc.				
6	150mm Thick Rip & Re-compact insitu material to 98% MOD.AASHTO at OMC	m3	12		
7	150mm Thick G5 Layer compacted to 98% MOD.AASHTO at OMC	m3	12		
	Carried to Summary Section 4 GATE HOUSE Bill No. 1 Foundations (Provisional)			R	
	-203-	'	'		"



CONTRACT BOQ - ALL INCLUSIVE

Ga-Phasha Skills Centre

1	2	3
4	5	6



CONTRACT BOQ - ALL INCLUSIVE

Tests Tests to determine the degree of compaction, etc. of ground or filling No 4 **Protection against termites** Poisoning surface of ground in bottoms of trenches, bases, etc. m2 49 Poisoning surface of ground or filling under floors, steps, etc. including raking out 75mm deep V-shaped channels against the walls, etc. treating with poison solution, 78 backfilling and ramming m2 **CONCRETE Concrete test cubes** Prepare set of three 150 x 150 x 150mm concrete strength test cubes, label and send to an approved laboratory for testing, pay all charges and submit report to the Principal Agent. Only successful tests will be paid for (Provisional) No 4 Reinforced concrete with a coarse aggregate of 19mm and a minimum compressive strength of 25MPa at 28 days 2 m3 Bases m3 8 6 Ground beams 7 In surface beds cast in panels on waterproofing (elsewhere) m3 8 **Sundries**

Carried to Summary R

m2

78

Section 4
GATE HOUSE
Bill No. 1
Foundations (Provisional)

and even power floated surface

Finish top surface of concrete slabs, etc. to a smooth



1	2	3			
ļ	5	6			



	<u>FORMWORK</u>				
	ROUGH FORMWORK (DEGREE OF ACCURACY III)				
	Rough formwork to sides				
1	Rectangular ground beams	m2	49		
	Movement Joints				
2	Movement joint not exceeding 300mm wide formed of 13mm bitumen impregnated soft board placed vertically in position in concrete floor	m	25		
	Saw cut joints				
3	6 x 20mm Saw cut joints in top of concrete	m	10		
	Construction joints				
4	Construction joints	m	25		
	Boxing in rough formwork to form				
5	100 x 100mm Chamfers along top or bottom edges of ground beams perpendicular to the sofit of surface bed.	m	64		
	REINFORCEMENT				
	High tensile steel reinforcement to structural concrete work				
6	16mm Diameter bars	t	0.10		
7	12mm Diameter bars	t	0.11		
	Carried to Summary			R	
	Section 4 GATE HOUSE				
	Bill No. 1 Foundations (Provisional)				



CONTRACT BOQ - ALL INCLUSIVE

Ga-Phasha Skills Centre

1	2	3
4	5	6



Mesh reinforcement				
Mesh reinforcement with mesh reference number 193 laid in surface beds with 300mm wide side and end laps (measured net)	m2	78		
Carried to Summary Section 4 GATE HOUSE Bill No. 1 Foundations (Provisional)			R	
Ga-Phasha Skills Centre				



4	5	6



Section 4			
Bill No. 1			
Foundations (Provisional)			
SUMMARY			
	Page		Amount
Total Brought Forward from Page No.	No		
	203		
	206		
	207		
	209		
Carried Forward to Summary of Section No. 4		R	
Section 4 GATE HOUSE			
Bill No. 1 Foundations (Provisional)			
Ga-Phasha Skills Centre			
1 2 3			



4	5	6



Item No			Quantity	Rate	Amount
	SECTION 4				
	BILL No. 2				
	CONCRETE, FORMWORK AND REINFORC	EMENT			
	GENERAL PREAMBLES				
	Tenderers are advised to study the Model Pro Trades (September 2008 Edition) publish Association of south African Quantity Survey pricing this bill	ed by the			
	CONCRETE				
	Reinforced concrete				
	Reinforced concrete with a coarse ago 19mm and a minimum compressive s 25MPa at 28 days in	gregate of trength of			
1	Rectangular columns	m3	0.5		
2	Rectangular beams	m3	1		
	<u>FORMWORK</u>				
	Formwork to				
3	Edges, risers, ends and reveals not exceeding high or wide	ng 300mm m	7		
	Carried	to Summary		R	
	Section 4	to Summary		IX	
	GATE HOUSE Bill No. 2				
	Concrete, Formwork and Reinforcement Ga-				
	Phasha Skills Centre				
	1 2 3				
	4 5 6				



	Smooth formwork to sides and soffits of rectangular beams				
1	Beams propped up exceeding 1.5m and not exceeding 3.5m high	m2	2		
	Consolly formatting and soffice				
•	Smooth formwork to sides and soffits	0	0		
2	Column	m2	8		
	Boxing in rough formwork to form				
3	100 x 100mm Chamfers along top or bottom edges of ground beams perpendicular to the sofit of surface bed.	m	51		
	REINFORCEMENT				
	High tensile steel bar reinforcement to structural concrete work				
4	16mm Diameter bars	t	0.20		
5	12mm Diameter bars	t	0.20		
	Carried to Summary			R	
	Section 4 GATE HOUSE Bill No. 2				
	Concrete, Formwork and Reinforcement				
	Ga-Phasha Skills Centre				



1	2	3
4	5	6



Section 4				
Bill No. 2				
Concrete, Formwork and Reinforcement				
SUMMARY				
		Page No		Amount
Total Brought Forward from Page No.		213		
		214		
			-	
Carried Forward to Summary of S	ection No. 4		R⊨	
Section 4 GATE HOUSE				
Bill No. 2 Concrete, Formwork and Reinforcement				
Ga-Phasha Skills Centre				
1 2 3				
		1		



4	5	6



Item No			Quantity	Rate	Amount
	SECTION 4				
	BILL No. 3				
	MASONRY				
	GENERAL PREAMBLES				
	Tenderers are advised to study the Model Preamb Trades (September 2008 Edition) published be Association of south African Quantity Surveyors I pricing this bill				
	Brickwork in burnt clay bricks in (5:1) comortar	<u>ement</u>			
1	Half brick wall	m2	6		
2	Half brick wall in beamfilling	m2	4		
3	One brick wall	m2	42		
	Brick reinforcement				
4	Brick reinforcement 75mm wide built into brick wall sufficient laps at end joints, angles and intersec (measured net)		30		
5	Brick reinforcement 150mm wide built into brick with sufficient laps at end joints, angles intersections (measured net)		126		
	Joint forming material in movement joints				
6	38 x 1,6mm Galvanised hoop iron roof tie with on built six courses deep into top of brickwork and end wrapped around and nailed to trusses		29		
	Carried to Su Section 4	ımmary		R	
	GATE HOUSE Bill No. 3 Masonry				
	Ga-Phasha Skills Centre				
	1 2 3				
	4 5 6				



	Nutec Cement/Fibre-cement window cills			
1	Internal window sill 100mm wide	m	8	
2	External window sill 100mm wide set sloping	m	8	
	Prestressed concrete lintels			
3	110 x 75mm Lintels in lengths not exceeding 3m	m	12	
	FACE BRICKWORK			
	Extra over for face brick: External face bricks pointed with flush horizontal and vertical joints. Firelight Travertine face brick.			
4	230mm brickwork face brickwork.	m2	42	
	WINDOW CILLS			
	Facebrick on edge window sills			
5	Window sill, facebrick on edge	m	8	
	Galvanised hoop iron cramps, ties, etc			
6	50x 1.5mm Wall tie 605mm long, five times bent along length, with one end shot-pinned to concrete and the other end built into brickwork	No	29	
	Carried to Summary	,		R
	Section 4 GATE HOUSE Bill No. 3 Masonry			
	Ga-Phasha Skills Centre			



1	2	3
4	5	6



Section 4			
Bill No. 3			
Masonry			
SUMMARY			
	Page No		Amount
Total Brought Forward from Page No.	218		
	040		
	219		
Carried Forward to Summary of Section No. 4		R	
Section 4 GATE HOUSE			
Bill No. 3 Masonry			
Ga-Phasha Skills Centre			
1 2 3			
	1	1	



4	5	6



Item No			Quantity	Rate	Amount
	SECTION 4				
	BILL No. 4				
	WATERPROOFING				
	GENERAL PREAMBLES				
	Tenderers are advised to study the Model Preambles for Trades (September 2008 Edition) published by the Association of south African Quantity Surveyors before pricing this bill				
	DAMP-PROOFING TO WALLS				
1	375 Micron embossed black polyethylene damp-proof course to walls, cills, etc. (measured net)	m2	55		
	DAMP-PROOFING UNDER FLOORS, ETC.				
	Colour coded polyethylene sheeting complying with SANS 952, Type C in widest practicable widths with all joints lapped and sealed in accordance with the manufacturer's instructions				
2	250 Micron green medium density damp-proof membrane laid loose on top of sand bed (elsewhere) under solid floors with pressure sensitive tape jointing	m2	24		
3	250 Micron green medium density damp-proof membrane laid loose on top of sand bed (elsewhere) to under sides and both sides of ground beams	m2	10		
	Carried Forward to Summary of Section No. 4 Section 4 GATE HOUSE Bill No. 4 Waterproofing			R	
	Ga-Phasha Skills Centre				
	1 2 3				
	4 5 6				



Item No

CONSTRUCTION OF GA-PHASHA SKILLS CENTRE

			Quantity	Rate	Amount
SECTION 4					
BILL No. 5					
ROOF COVER	RINGS, ETC.				
GENERAL PR	EAMBLES				
Trades (Septe	ember 2008 Edit south African Qu	the Model Preambles for tion) published by the lantity Surveyors before			
PROFILED ME	ETAL SHEETING	AND ACCESSORIES			
manufactured complying with trapezoidal rib 406mm. The capillary break centers to enside-laps. Eac Profiled roof s "Global Coat" structural tim necessary acclosers in strict Note The Contractor merchant, sta	from roll-formed ISQ 550 (3T). The sat 203mm center rib height shall as. The male rib shall are a positive dough pan shall incorpsheets to be coally or "Chromadek aber/steel struct cessories such as the compliance to make the struct result and the struct results are the submit a continuous to submit a continuous that the gas at 200 (3T).	fixing roofing sheets of from certified steel or profile shall have three ers giving a net cover of be 41mm and provide all have spurs at 283mm ble interlocking action at corate two stiffener ribs. Ited on both sides with a Colour" and laid on the incorporating all as flashings and eave anufacturer's instructions certificate signed by the allvanised roof covering			
supplied comp	lies with the requir	red thickness specified			
Section 4 GATE HOUSE Bill No. 5 Roof Coverings Ga-Phasha Skil		Carried to Summary		R	
Ga-rnasna SKII					
1	2	3			
4	5	6			



	Chromadek roof sheeting 50mm x 50mm purlins on appro. Underlay on prefabricated trusses to specialist details at max 1200mm centre to centre to Engineers details at 5° roof pitch				
1	0,58mm Roof sheeting with pitch not exceeding 25° fixed to timber purlins (elsewhere)	m2	52		
2	0.58mm Sheet iron side wall flashing 370mm girth	m	29		
	ROOF AND WALL INSULATION				
	50mm Thick Approved FBL foll backed aluminium blanket				
3	Insulation blanket laid taut over purlins (at approximately 1000mm centres) and fixed concurrent with roof covering with stapled longitudinal flap joints, including fixing at top and bottom edges to purlins with and including hoop iron straps				
	·	m2	52		
	Carried to Summary			R	
	Section 4 GATE HOUSE Bill No. 5 Roof Coverings, etc				
	Ga-Phasha Skills Centre				



1	2	3
4	5	6



Section 4						
Bill No. 5						
Roof Covering	gs, etc					
SUMMARY						
Total Brought	t Forward from Pa	ge No.		Page No 225		Amount
Section 4 GATE HOUSE Bill No. 5 Roof Coverin		Summary of Sec	tion No. 4		R	
Ga-Phasha S						
1	2	3				
4	5	6				



CONSTRUCTION OF GA-PHASHA SKILLS CENTRE

		Quantity	Rate	A
l				Amount
	SECTION 4			
	BILL No. 6			
	CARPENTRY AND JOINERY			
	GENERAL PREAMBLES			
	Tenderers are advised to study the Model Preambles for Trades (September 2008 Edition) published by the Association of south African Quantity Surveyors before pricing this bill			
	<u>TIMBER</u>			
	All softwood to be South African Pine			
	7 iii ootiwaa ta ba aaan 7 iii oo ii oo oo			
	Carried to Summary		R	
	Section 4			
	GATE HOUSE Bill No. 6			
	Carpentry and Joinery			
	Ga-Phasha Skills Centre			
	1 2 3			



4	5	6



DESCRIPTIONS					
The term "planted of member to another	on" shall mean the n r	ailing of one timber			
	ed on" shall mean nber member to and				
	ed on and pelleted ber member to ano d pelleted				
	shall mean the couper to and including ete				
of a timber member	and pelleted" shall r per to and includin rete with heads of	ng plastic plugs in			
from underside and	ribed as screwed to d prices are to inclu steel for screw fixin	de for countersunk			
	oors, ceilings, join for all square cuttin				
	ems given in linea de for mitres, sto				
	rounded angles, ed edges, etc. sha ends, etc.				
Prefabricated metrusses	etal connector pl	ate timber roof			
	С	arried to Summary		R	
Section 4 GATE HOUSE Bill No. 6 Carpentry and Joine		·			
Ga-Phasha Skills Co	entre				
1	2	3			
4	F	6			
4	5	6			





CONTRACT BOQ - ALL INCLUSIVE

Roofs, etc

Allow for the preparation and submission of the following documents (applicable to ALL roofs), inclusive of Detailed shop drawings indicating truss sizes, truss positions, bracings, etc to be submitted for approval prior to commencement of fabrication, Design certificate indicating the licensed programme used, SANS specifications adhered to, general procedures and loading adopted, sizes and grading of timber components, details, etc.

NOTE:

- a. All the roof trusses to be at average 1177mm centres and constructed for a 15 degrees pitch unless otherwise stated
- b. All the roof trusses to be designed and constructed with softwood structural timber to include for live loads, wind loads and to take corrugated roof covering, purlins and fibre cement or gypsum plasterboard ceilings with brandering. Each roof truss shall have all its members accurately cut and close butted together and rigidly fixed by CSIR approved patented galvanized metal spiked connectors, fixed on both sides of each intersection by an approved method, all in accordance with the manufacturer's instructions.
- c. Unless otherwise described all rafter feet are to extend 770mm beyond the length of the tie beam, with ends twice splay cut
- d. The design, manufacture and transportation of the roof trusses, bracing, etc. shall be under the control of a registered Engineer in accordance with SANS 0243 and it shall be required from the manufacturer of the trusses to lodge a written guarantee that his construction has been designed by a qualified Structural Engineer and that he is in possession of a capability certificate issued by the Institute for Timber Construction and approved by the Principal Agent

Carried to Summary

Section 4
GATE HOUSE
Bill No. 6
Carpentry and Joinery

Ga-Phasha Skills Centre

1	2	3
4	5	6

R	



	e. The tenderer's attention is drawn to the fact that the Architect's roof truss drawings only represent the overall size and bearing points of the trusses and not the required design. f. Erection must be carried out as described in "The Erection and Bracing of Timber Roof Trusses" published by the Truss Plate Association of South Africa Ltd. and the National Timber Research Institute, CSIR. g. Descriptions of roof trusses shall be deemed to include for design, manufacture, supply, hoisting and fixing in position, trimming ends, notching, etc. and for any temporary bracing.				
1	Mono pitch roof truss size 8.902m long x 2.4m high	No	3.00		
	Sundry roof timbers				
	Sawn Softwood (Grade 5)				
2	38 x 114mm Wall plate	m	16		
3	50 x 76mm Purlin including additional timber supports at spliced joints	m	160		
	Roof sundries				
4	Galvanised mild steel hurricane type fixing clips nailed between rafter and purlin connection (Provisional)	No	60		
	Wood preservative				
5	Two coats wood preservative applied hot on wrought exposed roof timbers	m2	128		
	Carried to Summary Section 4 GATE HOUSE Bill No. 6 Carpentry and Joinery			R	
	Ga-Phasha Skills Centre				



1	2	3
4	5	6



	Doors				
	NOTE				
	All framed and ledged batten doors and combination doors, where battens are utilised, shall only be of construction acceptable to the Department, i.e. mortice and tenon where the tenon is exposed on the outside edges of styles and where the tenon is wedged to form a dovetailed shape				
	40mm Thick flush panel maple veneered door with lightweight core filling				
1	40mm x 0,820 x 2,032m Framed, ledged and braced batten door formed of 40 x 110mm styles and top rail, 20 x 225mm bottom ledge, 20 x 150mm middle ledge and 20 x 110mm diagonal braces, filled in flush one side with 20 x 75mm tongued, grooved and V-jointed both sides vertical boarding fixed in and including grooves in	No			
	styles and top rail	No	1		
	Solid laminated flush panel doors with hardboard face suitable for paint both sides and two wrought Meranti concealed vertical edge strips				
2	40mm x 0,813 x 1,882m Door	No	1		
	Carried to Summary			R	
	Section 4 GATE HOUSE Bill No. 6 Carpentry and Joinery				
	Ga-Phasha Skills Centre				
	1 2 3				
	4 5 6				



Section 4				
Bill No. 6				
Carpentry and Joinery				
SUMMARY				
		Page		Amount
Total Brought Forward from Page No.		No		
		232		
		234		
Carried Forward to Summary of Sect	ion No. 4		R	
Section 4 GATE HOUSE				
Bill No. 6 Carpentry and Joinery				
Ga-Phasha Skills Centre				
1 2 3				
1				



4	5	6



Item No		Quantity	Rate	Amount
	SECTION 4			
	BILL No. 7			
	CEILINGS, PARTITIONS AND ACCESS FLOORING			
	PREAMBLES			
	For preambles see "Specification of Material and Method to be used PW371"			
	SUPPLEMENTARY PREAMBLES			
	Descriptions:			
	Items described as "nailed" shall be deemed to be fixed with hardened steel nails or pins or shot pinned to brickwork or concrete			
	Items described as "plugged" shall be deemed to include screwing to fibre, plastic or metal plugs at not exceeding 600mm centres, and where described as "bolted" the bolts have been given elsewhere			
	<u>CEILINGS ETC</u>			
	SUSPENDED CEILINGS			
	1200 x 600 x 6mmThick Fibre cement vinyl clad ceiling boards on pre-painted exposed tee suspension system including main and cross tees, necessary hangers, grids, etc all as per manufacturer's instruction.			
1	Ceilings suspended not exceeding 1m below timber purlins at 2,00m centres.	5		
2	"Shadowline" pre painted cornice, nailed m	9		
	Carried Forward to Summary of Section No. 4		R	
	Section 4 GATE HOUSE			
	Bill No. 7 Ceilings, Partitions and Access Flooring Ga-			
	Phasha Skills Centre			
	1 2 3			
	4 5 6			



Item No					Quantity	Rate	Amount
	SECTION 4						
	BILL No. 8						
	IRONMONGERY						
	GENERAL PREA	MBLES					
	Trades (Septemb	per 2008 Edition)	Model Preambles for published by the sy Surveyors before				
	to include for scre	wing to and includi	plugged, prices are ng approved patent laster or tiled finish				
	The following iro	nmongery fixed to	o doors, etc.				
	Bolts and latches	<u>5</u>					
1	Roller ball catch fo	or toilet doors and k	keep fixed to steel	No	1		
2		ome flush bolt wit to concrete floor as	h a short length of keep	No	1		
	<u>Locks</u>						
	The following loc operation.	cks are to be suita	ble for master key				
3	Bathroom/WC mochrome furniture	ortice indicator lo	ck set with satin	No	1		
4	75mm Three leve chrome furniture	er upright mortice	lockset with satin	No	1		
	Section 4		Carried to Summary	y		R	
	GATE HOUSE Bill No. 8 Ironmongery						
	Ga-Phasha Skills C	Centre					
	1	2	3				
	4	5	6				



Sundries						
38mm Rubl floor	oer door stop plugge	d and screwed to wall or	No	2		
19mm Sta 600mm Ion tiled wall	inless steel chrom g, with end brackets	ium plated towel rail, plugged to plastered or	No	1		
		Carried to Summary			R	
Section 4 GATE HOUS Bill No. 8 Ironmongery						
Ga-Phasha	Skills Centre					
1	2	3				
	·					



4	5	6



Section 4		
Bill No. 8		
Ironmongery		
SUMMARY		
	Page	Amount
Total Brought Forward from Page No.	No 238	
Total Brought Forward noint ago ito:	239	
Carried Forward to Summary of Section No. 4		R
Section 4 GATE HOUSE		
Bill No. 8 Ironmongery		
Ga-Phasha Skills Centre		
1 2 3		



4	5	6



Item No						Quantity	Rate	Amount
	SECTION 4							
	BILL No. 9							
	METALWORK							
	GENERAL PREAMBLES							
	Tenderers are advised to study the Model Preambles for Trades (September 2008 Edition) published by the Association of south African Quantity Surveyors before pricing this bill							
	Door frames, Doors, Windows, etc.							
	Galvanised press	sed steel doo	or frame:	<u>s</u>				
	1,2mm Double r suitable for half b		sed ste	el door frames				
1	Door frame for of 100mm steel butted frame and prepare	s without stri	iking pla	te or opening in	No	1		
	1,2mm Double r suitable for one k		sed ste	el door frames				
2	100mm steel butts without striking plate or opening in			No	1			
	Aluminium windows							
	Note: Tenderers are referred to architect's drawings numbered A102 annexed to these bills of quantities/accompanying these bills of quantities for tender purposes							
			Ca	rried to Summary			R	
	Section 4 GATE HOUSE							
	Bill No. 9 Metalwork							
	Ga-Phasha Skills Centre							
	1	2	3	3				
	4	5	6					



1

2

3

CONSTRUCTION OF GA-PHASHA SKILLS CENTRE

	The given sizes are overall, approximate and in the order of width and height. The detailed drawings and building must be carefully checked for exact sizes before placing orders. Any errors in this respect will be at the Contractor's expense and no claims for any extras in this regard will be entertained				
	Where so described windows shall be provided with burglar bars to opening and fixed sections, consisting of 20 x 5mm galvanised mild steel flat sections to standard NBP2 pattern welded at intersections and to window frame				
	Bars in front of fixed sections to be bent 75mm away from the glass surface				
	ALUMINIUM WINDOWS, DOORS, ETC				
	Epoxy powder coated aluminium windows glazed with 6mm laminated safety glass and plugged to brickwork or concrete				
	Aluminium window low E glazing, mm Thick monolithic annealed safety glass to comply with part N of SANS 10400,aluminium frame to be powder coated COLOUR: Charcoal Grey				
	Purpose made aluminium window size 800mm x 450mm high overall. Ref W5	No	1		
2	Purpose made aluminium window size 1800mm x 1600mm high overall. Ref W11	No	2		
3	Purpose made aluminium window size 2960mm x 1600mm high overall. Ref W11	No	1		
	Carried to Summary Section 4 GATE HOUSE Bill No. 9 Metalwork			R	
	Ga-Phasha Skills Centre				



1	2	3
4	5	6



Section 4		
Bill No. 9		
Metalwork		
SUMMARY		
	Page	Amount
Total Brought Forward from Page No.	No 243	
	244	
Carried Forward to Summary of Section No. 4	R	
Section 4 GATE HOUSE Bill No. 9 Metalwork		
Ga-Phasha Skills Centre		
1 2 3		



4	5	6



CONSTRUCTION OF GA-PHASHA SKILLS CENTRE

				Ĭ	Quantity	Rate	l
n o							Amount
	SECTION 4						
	<u> </u>						
	BU 1 N 40						
	BILL No. 10						
	SUPPLEMENTARY	Y PREAMBLES					
	<u>Descriptions</u>						
	Descriptions of boand washers	Its shall be deem	ed to include nuts				
	Descriptions of L-shall be deemed to washers and embe	include bending, t	aped anchor bolts threading, nuts and				
		and bolts shall be	s and bolts and deemed to include ork or concrete				
	shall be deemed to washers and embed	o include bending, t dding in concrete. \ mbedded in sides c	aped anchor bolts threading, nuts and Where anchor bolts or soffits of concrete rough formwork.				
	Descriptions of e chemical anchors a nuts, washers and	and bolts shall be	deemed to include				
	STEEL COLUMNS	AND BEAMS					
	STRUCTURAL ST	EEL MEMBERS (GALVANISED)				
	STANCHIONS / CO	OLUMNS					
	<u> </u>	<u>JEOWINS</u>					
		C	Carried to Summary			R	
	Section 4		,				
	GATE HOUSE						
	Bill No. 10 Structural steelwork	(
	Ga-Phasha Skills Ce						
	Ga-Filasila SkillS Ce	enu e					
	1	2	3				
	4	5	6				
	1 1 1		1	l I			i



	Steel members to include welding, holes, black bolts, nuts, washers, rivets, bolting and riveting integral with structural steelwork. Welded columns in single lengths with flat section				
	base, top, bearer and connection plates bolted to ring beams.				
	219.1 x 6.0mm CHS Circular hollow section columns				
1	Column	t	0.730		
	Column	,	000		
	BASE PLATES				
	360mm Dia x 16mm base plate bolted to concrete base				
2	16mm Base plate	t	0.002		
	CAP PLATES				
	360mm Dia x 16mm cap plate bolted to concrete base				
3	16mm Base plate	t	0.002		
	BOLTS				
	4.8 HD bolts (Galvanised)				
4	M16 Hd bolts	No	16.00		
5	Painting of all steel structure components	m2	21		
	Carried to Summary			R	
	Section 4 GATE HOUSE Bill No. 10 Structural steelwork				
	Ga-Phasha Skills Centre				



1	2	3
4	5	6



Section 4		
Bill No. 10		
Structural steelwork		
SUMMARY		
	Page No	Amount
Total Brought Forward from Page No.		
	249	
Carried Forward to Summary of Section No. 4	F	R
Section 4 GATE HOUSE Bill No. 10		
Structural steelwork		
Ga-Phasha Skills Centre		



4	5	6



Item No			Quantity	Rate	Amount
	SECTION 4				
	BILL No.11				
	<u>PLASTERING</u>				
	GENERAL PREAMBLES				
	Tenderers are advised to study the Model Preambles for Trades (September 2008 Edition) published by the Association of south African Quantity Surveyors before pricing this bill				
	<u>Screeds</u>				
	Screeds on concrete				
1	30mm Thick on floors and landings	m2	24		
	Internal Plaster				
	One coat cement plaster on concrete or brickwork				
2	On walls	m2	54		
3	On narrow widths	m2	5		
	External Plaster				
	One coat cement plaster on concrete or brickwork				
4	On narrow widths	m2	16		
	Carried Forward to Summary of Section No. 4 Section 4			R	
	GATE HOUSE				
	Bill No. 11 Plastering				
	Ga-Phasha Skills Centre				
	1 2 3				
	4 5 6				



Item No			Quantity	Rate	Amount
	SECTION 4				
	BILL No. 12				
	TILING				
	GENERAL PREAMBLES				
	Tenderers are advised to study the Model Prea Trades (September 2008 Edition) published Association of south African Quantity Surveyor pricing this bill	d by the			
	Wall Tiling				
	198 x 198 x 6mm White glazed ceramic wall twith an approved adhesive to plaster elsewhere) and with jointing compound				
1	To walls	m2	54		
	Floor Tiling				
	300 x 300mm x 9mm Full body porcelain tile finish laid to approved pattern using a adhesive and grout, colour and pattern to a approval. The tenderer to allow an amount oper square meter (exclusive of VAT) for the tiles only and include for all waste, labour a in the applicable "rate"	approved rchitect's f R160.00 supply of			
2	On floors	m2	24		
	ALUMINIUM TRIMS				
		Summary		R	
	Section 4 GATE HOUSE				
	Bill No. 12 Tiling				
	Ga-Phasha Skills Centre				
	1 2 3				
	4 5 6				



"M-trim" or "Genesis"12mm silver anodised aluminium straight edge trim to suit tile thickness with grey grout.				
On walls	m	44		
Corried to Summery			R	
Carried to Summary Section 4			K	
GATE HOUSE Bill No. 12				
Tiling				
Ga-Phasha Skills Centre				
1 2 3				



4	5	6



Section 4		
Bill No. 12		
Tiling		
SUMMARY		
	Page	Amount
Total Brought Forward from Page No.	No 254	
	255	
Carried Forward to Summary of Section No. 4	R	
Section 4 GATE HOUSE Bill No. 12 Tiling		
Ga-Phasha Skills Centre		
1 2 3		



4	5	6



Item No			Quantity	Rate	Amount
	SECTION 4				
	BILL No. 13				
	PLUMBING AND DRAINAGE (PROVISIONAL)				
	GENERAL PREAMBLES				
	Tenderers are advised to study the Model Preambles for Trades (September 2008 Edition) published by the Association of south African Quantity Surveyors before pricing this bill				
	Sanitary Fittings				
1	560 x 405mm White vitreous china wash hand basin complete with and including one chromium plated pillar tap, one tap hole plug, waste, plug and chain and concealed brackets	No	1		
2	WC suite comprising of white vitreous china paraplegic 90 degrees outlet pan with P trap, 9 litre low level matching vitreous china cistern complete with valveless syphonic fitting, ball valve and matching flush pipe and heavy duty white single flap seat.	No	1		
	Taps, valves,etc				
	Traps, etc. including joints to steel pipes and/or fittings unless otherwise described				
3	32-40mm Butyl rubber deep seal P or S trap	No	1		
	Valves, etc. including joints to steel pipes and/or fittings unless otherwise described				
4	15mm Copper service pipe 350mm girth	No	1		
	Carried to Summary			R	
	Section 4 GATE HOUSE				
	Bill No. 13 Plumbing and Drainaige (Provisional) Ga-				
	Phasha Skills Centre				
	1 2 3				
	4 5 6				

SERVICES SETA

CONSTRUCTION OF GA-PHASHA SKILLS CENTRE

CONTRACT BOQ - ALL INCLUSIVE

1	15mm Chromium plated full way ballcock shut-off control valve with screw type control	No	1
2	15mm Sink mixer with waste union	No	1
	Sanitary Plumbing		
	uPVC pipes and fittings		
3	50mm Pipe laid in/under floors or fixed to walls, roof timbers, etc.	m	8
4	100mm Pipe laid in/under floors or fixed to walls, roof timbers, etc.	m	12
	Extra over uPVC pipes for fittings		
5	100 x 50mm Reducer	No	2
6	100mm Bend	No	8
7	100mm Junction	No	4
8	100mm Pan connector	No	5
9	100mm VP stub stack fitting with ABC cleaning eye lid and multiple connections for 50mm waste	No	2
10	100mm Access bend	No	2
11	100mm Access bend with anti-syphon horn	No	2
12	100mm Access junction	No	2
13	100mm Access reducing junction	No	2
14	Two way PVC vent valve suitable for 50mm pipe	No	2

Section 4 GATE HOUSE Bill No. 13 Plumbing and Drainaige (Provisional)



		Carried to Summary		
		Samed to Summary		
Ga-Phasha Skills Ce		T-	_	_
	2	3		
4	5	6		



	Galvanised mild steel screwed and socketed pipes and fittings				
1	50mm Pipe and excavation not exceeding 1m deep	m	8		
2	50mm Pipe laid in/under floors or fixed to walls, roof timbers, etc.	m	5		
	Extra over galvanised mild steel pipes for galvanised mild steel fittings				
3	50mm Bend	No	2		
4	50mm Bush	No	2		
	Extra over galvanised mild steel pipes for brass fittings				
5	50mm Bend	No	4		
6	50mm Bend with cleaning eye	No	2		
7	50mm Junction with cleaning eye	No	2		
8	50mm Reducing junction with cleaning eye	No	1		
	<u>Sundries</u>				
9	Wire balloon grating in top of pipe not exceeding 100mm diameter	No	2		
	Water Supply				
	Class O thin wall hard drawn copper pipes and fittings with capillary soldered type connections				
10	15mm Pipe laid in/under floors or fixed to walls, roof timbers, etc.	m	10		
11	15mm Pipe fixed in and including chase in walls	m	8		
	Carried to Summary			R	
	Section 4 GATE HOUSE -262-				



CONTRACT BOQ - ALL INCLUSIVE

Bill No. 13 Plumbing and Drainaige (Provisional)

Ga-Phasha Skills Centre

1	2	3
4	5	6



	Extra over class O copper pipes for soldered capillary fittings				
1	15mm Fittings	No	4		
	<u>Testing</u>				
2	Provide all necessary apparatus, water, etc. for and test the whole of the Sanitary Plumbing and Water Supply installation to the satisfaction of the Representative/Agent and the Local Authority, rectify all defective work free of charge and leave in perfect order		ltem		
	Carried to Summary Section 4 GATE HOUSE Bill No. 13 Plumbing and Drainaige (Provisional)			R	
	Ga-Phasha Skills Centre				
	1 2 3				



4	5	6



Section 4			
Bill No. 13			
Plumbing and Drainaige (Provisional)			
SUMMARY			
	Page		Amount
Total Brought Forward from Page No.	No 259		
	261		
	262		
	264		
Carried Forward to Summary of Section No. 4		R	
Section 4			
GATE HOUSE Bill No. 13			
Plumbing and Drainaige (Provisional)			
Ga-Phasha Skills Centre			
1 2 3			
	1	1	



4	5	6



em No					Quantity	Rate	Amount
	SECTION 4						
	BILL No. 14						
	<u>GLAZING</u>						
	GENERAL PREAL	MBLES					
	Trades (Septemb	per 2008 Edition)	lodel Preambles for published by the y Surveyors before				
	<u>Mirrors</u>						
	NOTE						
			GG quality polished edges and splayed				
	for and be screw plugs in plastered screws tap-thread	red to and includin d or tiled wall with	shall have four holes ag approved patent countersunk steel uding screw type and felt washers				
1	Mirror size 450 x 6	600mm		No	1		
	Carried I	Forward to Summa	ary of Section No. 4			R	
	Section 4 GATE HOUSE Bill No. 14 Glazing						
	Ga-Phasha Skills C	Sentre					
	1	2	3]			
	4						
	4	5	6				



Item No				Quantity	Rate	Amount
	SECTION 4					
	BILL No. 15					
	PAINTWORK					
	GENERAL PREAMBLES					
	Tenderers are advised to study the Mo Trades (September 2008 Edition) p Association of south African Quantity pricing this bill	oublished by the				
	Paint on plaster, etc.					
	Two coats Plascon professional sup (PEM 1000) or Dulux weather gua adhesion promoted (D62) acrylic pai	rd ultra smooth				
1	On internal plastered walls		m2	7		
2	On external plastered walls		m2	16		
	Paint on metal					
	Prepare, touch up factory primer and universal undercoat and two full cenamel paint	d apply one coat coats high gloss				
3	On pressed steel door frames		m2	3		
	Paint on wood					
		arried to Summary			R	
	Section 4 GATE HOUSE					
	Bill No. 15 Paintwork					
	Ga-Phasha Skills Centre					
		3				
	4 5	6				



Prepa clear coats	are, stop and apply three eggshell varnish, ligh	ee full coats polyuretha ly sanded down betwe	ne en			
On ge	eneral surfaces		m2	4		
Prepa coat gloss	are and apply one coa universal undercoat s enamel paint	at hardboard primer, o and two full coats hi	ne gh			
On ge	eneral surfaces		m2	4		
		Carried to Summ	arv		R	
Section GATE Bill No Painty	HOUSE o. 15		Š			
Ga-Ph	nasha Skills Centre					
1	2	3				



4	5	6



Section 4					
Bill No. 15					
Paintwork					
SUMMARY					
			Page No		Amount
Total Brought Forwa	ard from Page No.		269		
			270		
	Forward to Summa	ry of Section No. 4		R	
Section 4 GATE HOUSE Bill No. 15					
Paintwork	ontro				
Ga-Phasha Skills C					
	2	3			
4	5	6			



Item No		Quantity	Rate	Amount
	SECTION 4			
	BILL No. 16			
	GENERAL SITEWORKS (PROVISIONAL)			
	GENERAL PREAMBLES			
	Tenderers are advised to study the Model Preambles for Trades (September 2008 Edition) published by the Association of south African Quantity Surveyors before pricing this bill			
	Site clearance			
1	Clear and grub area of the site to be built upon including digging up and removing rubbish, debris, vegetation, hedges, boulders, shrubs and trees with trunk not exceeding 200mm girth	2 78		
2	Preparation and stripping of topsoil to a maximum of 150mm m3	23		
	<u>Earthworks</u>			
	Excavation in earth for open face excavations			
3	Exceeding not exceeding 2m deep m3	141		
	Extra over all excavations for carting away			
4	Surplus material from excavations and/or stock piles on site to a dumping site to be located by the contractor m3	47		
5	Extra over open face excavations in earth for excavations in hard rock m3	27		
	Carried to Summary Section 4		R	
	GATE HOUSE Bill No. 16 General Siteworks			
	Ga-Phasha Skills Centre			
	1 2 3			
	4 5 6			



	Earthworks Platform				
1	Imported G5 material from commercial sources to make up platform levels over site compacted to 95% Mod AASHTO density in layers not exceeding 150mm	m3	78		
2	Scarify top 150mm layer of ground and re-compact to 93% Mod AASHTO density	m2	78		
3	Grade and trim sides of platform	m2	78		
4	Allow for keeping excavations free of all water other than subterranean water		ltem		
	<u>Tests</u>				
5	Tests to determine the degree of compaction, etc. of ground or filling	No	6		
	Carried to Summary Section 4 GATE HOUSE Bill No. 16 General Siteworks			R	
	Ga-Phasha Skills Centre				



1	2	3
4	5	6



Section 4		
Bill No. 16		
General Siteworks		
SUMMARY		
	Page	Amount
Total Brought Forward from Page No.	No 273	
	274	
Carried Farward to Summary of Soction No. 4	R	
Carried Forward to Summary of Section No. 4 Section 4 GATE HOUSE Bill No. 16 General Siteworks	R	
Ga-Phasha Skills Centre		



4	5	6



CONSTRUCTION OF GA-PHASHA SKILLS CENTRE

	SUMMARY - GATE HOUSE	1 _ 1	
Bill No		Page No	Amount R c
1	Foundations (Provisional)	211	
2	Concrete, Formwork and Reinforcement	216	
3	Masonry	221	
4	Waterproofing	223	
5	Roof Coverings, etc	227	
6	Carpentry and Joinery	235	
7	Ceilings, Partitions and Access Flooring	237	
8	Ironmongery	241	
9	Metalwork	246	
10	Structural steelwork	251	
11	Plastering	253	
12	Tiling	257	
13	Plumbing and Drainaige (Provisional)	266	
14	Glazing	268	
15	Paintwork	272	
16	General Siteworks	276	
	Total Carried to Final Summary		R
	Section 4 GATE HOUSE		
	GATE HOUSE		
	Ga-Phasha Skills Centre		
	1 2 3		
	4 5 6		
	270		



CONSTRUCTION OF GA-PHASHA SKILLS CENTRE

1		Quantity	Rate	Amount
				7
	SECTION 5			
	BILL No. 1			
	FOUNDATIONS (PROVISIONAL)			
	GENERAL PREAMBLES			
	Tenderers are advised to study the Model Preambles for Trades (September 2008 Edition) published by the Association of south African Quantity Surveyors before pricing this bill			
	NOTE IN RESPECT OF REMEASUREMENT OF FOUNDATIONS			
	Foundation brickwork and concrete walls have been measured to top of unfinished floor level			
	Carried to Summary		R	
	Section 5			
	ENTRANCE WALL Bill No. 1			
	Foundations (Provisional)			
	Ga-Phasha Skills Centre			
	1 2 3			
	<u> </u>			



4	5	6



EARTHWORKS

CONSTRUCTION OF GA-PHASHA SKILLS CENTRE

All excavations are measured as being in "earth" and/or filling compacted to 95% modified AASHTO density Descriptions of excavations shall be deemed to include for setting aside surplus excavated material in spoil heaps for use as filling, or for depositing within 150m of the perimeter of the excavations and spreading and roughly levelling as directed, as well as for increase in bulk and multiple handling of excavated material caused by the Contractor's method of operation Descriptions of carting away of excavated material shall be deemed to include loading excavated material onto trucks directly from the excavations or, alternatively, from
for setting aside surplus excavated material in spoil heaps for use as filling, or for depositing within 150m of the perimeter of the excavations and spreading and roughly levelling as directed, as well as for increase in bulk and multiple handling of excavated material caused by the Contractor's method of operation Descriptions of carting away of excavated material shall be deemed to include loading excavated material onto trucks directly from the excavations or, alternatively, from
be deemed to include loading excavated material onto trucks directly from the excavations or, alternatively, from
stock piles situated on the building site and for bulking
Working space for formwork to sides of all concrete, except columns, shall be measured only where the concrete face is less than 750mm from the face of the measured excavations
Working space for formwork to sides of columns shall be measured for the width of the column face only where both:
the top of the column base is more than 1,5m below the commencing level of the excavations and
the column face is less than 500mm from the face of the measured excavations
Carried to Summary R
ENTRANCE WALL
Bill No. 1 Foundations (Provisional)
Ga-Phasha Skills Centre
4 5 6



	No claim shall be considered for any working space for formwork to concrete other than as above described or for working space beyond the sides of trench excavations for the building of brick or block walls Descriptions of excavations for working space shall be deemed to include for any additional risk of collapse so incurred and for the returning and compacting of the excavated material as described Excavations Excavate in earth not exceeding 2m deep below natural, elevated or reduced ground level for				
1	Trenches	m3	10		
2	Holes	m3	0.3		
3	(End of excavations in earth) Extra over all excavations for carting away surplus material from excavations and/or from stockpiles on site to a dumping site to be located by the Contractor	m3	6		
4	Risk of collapse of sides of reduced level excavations from natural, elevated or reduced ground level to not exceeding 1,5m deep	m2	40		
5	Allow for keeping excavations free of all water other than subterranean water		ltem		
6	Earth filling obtained from the excavations and/or prescribed stock piles on site (not compacted) Backfilling behind retaining walls	m3	4		
	Carried to Summary Section 5 ENTRANCE WALL Bill No. 1 Foundations (Provisional) Ga-Phasha Skills Centre			R	



1	2	3
4	5	6



	Protection against termites				
1	Poisoning surface of ground in bottoms of trenches, bases, etc.	m2	50		
	CONCRETE				
	Concrete test cubes				
2	Prepare set of three 150 x 150 x 150mm concrete strength test cubes, label and send to an approved laboratory for testing, pay all charges and submit report to the Principal Agent. Only successful tests will be paid for (Provisional)	No	6		
	Reinforced concrete with a coarse aggregate of 19mm and a minimum compressive strength of 25MPa at 28 days				
3	Strip footings	m3	4		
	Carried to Summary			R	
	Section 5 ENTRANCE WALL				
	Bill No. 1 Foundations (Provisional)				
	Ga-Phasha Skills Centre				
		l			



1	2	3
4	5	6



Section 5			
Bill No. 1			
Foundations (Provisional)			
SUMMARY			
	Page		Amount
Total Brought Forward from Page No.	No		
	282		
	284		
Carried Forward to Summary of Section No. 5		R	
Section 5 ENTRANCE WALL			
Bill No. 1 Foundations (Provisional)			
Ga-Phasha Skills Centre			
1 2 3			



4	5	6



Item No				Quantity	Rate	Amount
	SECTION 5					
	BILL No. 2					
	MASONRY					
	GENERAL PREAMBLES					
	Tenderers are advised to study the Model Preambles for Trades (September 2008 Edition) published by the Association of south African Quantity Surveyors before pricing this bill					
	SUPERSTRUCTURE					
	Brickwork in burnt clay bricks mortar	in (5:1) cement				
1	Piers		m3	5		
2	285mm Hollow walls of two half brick skins including wire ties			50		
	Brick reinforcement					
3	Brick reinforcement 150mm wide built into brick walls with sufficient laps at end joints, angles and intersections (measured net)			300		
	FACE BRICKWORK					
	Extra over for face brick: External face bricks pointed with flush horizontal and vertical joints. Firelight Travertine face brick.					
4	230mm brickwork face brickwork.		m2	100		
	Carried to Summary Section 5 ENTRANCE WALL Bill No. 2				R	
	Masonry					
	Ga-Phasha Skills Centre					
	1 2	3				
	4 5	6				



	Brick-on-edge header course copings, sills, etc of "Corobrik" or equally approved face bricks, pointed with recessed joints on all exposed faces				
1	220mm Brick-on-edge roller course	m	20		
	<u>Signage</u>				
2	Signage as per Architect's specification		Item		
3	Contractor's mark-up @ 3%		ltem		
	Section 5 ENTRANCE WALL Bill No. 2 Masonry			R	
	Ga-Phasha Skills Centre				
	1 2 3				



4	5	6



Bill No. 2	
Masonry	
SUMMARY	
Page A	mount
Total Brought Forward from Page No.	
289	
Carried Forward to Summary of Section No. 5	
Section 5 ENTRANCE WALL Bill No. 2 Masonry	
Ga-Phasha Skills Centre	



4	5	6



		Quantity	Rate	Amount
SECTION 5				
<u>GEOTIONS</u>				
BILL No. 3				
WATERPROOFING				
GENERAL PREAMBLES				
Tenderers are advised to study the Model Preambles for Trades (September 2008 Edition) published by the Association of south African Quantity Surveyors before pricing this bill				
DAMP-PROOFING TO WALLS				
375 Micron embossed black polyethylene damp-proof course to walls, cills, etc. (measured net)	m2	6		
Carried Forward to Summary of Section No. 5			R	
Section 5 ENTRANCE WALL				
Bill No. 3 Waterproofing				
Ga-Phasha Skills Centre				
1 2 3				



4	5	6



	SUMMARY - ENTRANCE WALL	1 1		
		Page No		Amount R c
	Foundations (Provisional)	286		
	Masonry	291		
	Waterproofing	293		
l				
	Total Carried to Final Summary		R =	
	Total Carried to Final Summary Section 5 ENTRANCE WALL		R	
	Section 5 ENTRANCE WALL		R	
	Section 5 ENTRANCE WALL Ga-Phasha Skills Centre		R	
	Section 5 ENTRANCE WALL		R	



Item No			Quantity	Rate	Amount
	SECTION 6				
	BILL No. 1				
	GENERAL SITE WORKS (PROVISIONAL)				
	GENERAL PREAMBLES				
	Tenderers are advised to study the Model Pream Trades (September 2008 Edition) published Association of south African Quantity Surveyors pricing this bill				
	Site clearance				
1	digging up and removing rubbish, debris, veg	Clear and grub area of the site to be built upon including digging up and removing rubbish, debris, vegetation, hedges, boulders, shrubs and trees with trunk not exceeding 200mm girth m2			
2	Remove and grub trees and tree stumps of gir 200mm but not exceeding 1m (Provisional)	rth over No	1		
3	Preparation and stripping of topsoil to a maximum of 150mm		297		
	Earthworks Platform				
4	Imported G5 material from commercial sources to up platform levels over site compacted to 95% AASHTO density in layers not exceeding 150mm	6 Mod	95		
5	Earth filling from the excavations to make up levels around buildings compacted to 93% modified AASHTO density m3				
	Carried to S Section 6 EXTERNAL WORKS Bill No. 1 General Siteworks		R		
	Ga-Phasha Skills Centre				
	5 6				



1	Scarify top 150mm layer of ground and re-compact to 93% Mod AASHTO density	m2	1 982		
2	Grade and trim sides of platform	m2	380		
3	Allow for keeping excavations free of all water other than subterranean water		Item		
4	Tests to determine the degree of compaction, etc. of ground or filling	No	25		
5	Galvanised gabion mattresses, 0.3m deep with 80mm x 100mm mesh and diaphragms at 1.0 centres and 7.3mm diameter mesh wire (Refer to Civil Engineer's Drawing: SSETA/BWLM/SDC/W002)	m3	1		
	Carried to Summary Section 6 EXTERNAL WORKS Bill No. 1 General Siteworks			R	
	Ga-Phasha Skills Centre				



1	2	3
4	5	6



Section 6						
Bill No. 1						
General Siteworks						
SUMMARY						
				Page		Amount
Total Brought Forw	ard from Page No.			No 296		
3				297		
Carried F	Forward to Summa	ry of Section No. 6			R	
Bill No. 1 General Siteworks						
Ga-Phasha Skills C	entre					
1	2	3				
4	5	6				



Item No			Quantity	Rate	Amount
	SECTION 6				
	BILL No. 2				
	ROADS AND PARKING (PROVISIONAL)				
	GENERAL PREAMBLES				
	Tenderers are advised to study the Model Preambles for Trades (September 2008 Edition) published by the Association of south African Quantity Surveyors before pricing this bill				
	<u>Earthworks</u>				
1	Extra over open face excavations in earth for excavations in soft rock	m3	25		
2	Extra over open face excavations in earth for excavations in hard rock	m3	25		
3	Allow for keeping excavations free of all water other than subterranean water		Item		
4	Selected layer imported natural gravel material (minimum G5 material to TRH14) supplied by the Contractor and brought onto site from commercial sources in filling under the paving, etc, compacted in layers not exceeding 150mm thick to 95% modified AASHTO density	m3	105		
5	Sub-base layer of imported natural gravel material (minimum C4 material to TRH14) supplied by the Contractor and brought onto site from commercial sources and compacted to 95%modified AASHTO density and process sub-base material with 3% cement	m3	105		
	Carried to Summary Section 6 EXTERNAL WORKS Bill No. 2 Roads and Parking Ga-Phasha Skills Centre 1 2 3 4 5 6			R	



1	25mm Thick dry, clean, river sand layer evenly spread over filling (elsewhere) and levelled to receive paving blocks (elsewhere)	m2	700		
2	Tests Tests to determine the degree of compaction, etc. of ground or filling	No	16		
	Precast Concrete				
3	60mm Thick 35MPa pre cast concrete interlocking block paving of 220 x 97mm grey paving blocks in accordance with SANS Specification 1058 and laid to falls on sand layer (elsewhere) with joints filled in with sand and vibrated, including all straight cutting	m2	700		
4	Pre cast concrete municipal barrier kerbing to SANS 927 Fig. 3 in 1m lengths with 10mm wide butt joints filled in with (2:1) cement mortar and pointed with grooved half round joints and 10mm wide open butt joints at 5m centres including 15MPa/19mm mass concrete bedding size 50mm thick x 300mm wide, 20MPa/19mm mass concrete haunching size 225mm long x 225mm high x 150mm thick at joints, any necessary excavation, formwork, etc. and backfilling at back of kerbs, top soiled and levelled to adjacent surfaces				
		m	136		
5	Pre cast concrete walkway edge restraint to SABS 927 Fig. 12	m	90		
	<u>Metalwork</u>				
	Road Signs				
6	Standard "STOP" sign (R1) with standard 50mm diameter galvanised mild steel fixing post bedded into and including bases, including any necessary excavation, mass concrete, etc.	No	1		
	Carried to Summary Section 6 EXTERNAL WORKS Bill No. 2			R	
	Roads and Parking				



CONTRACT BOQ - ALL INCLUSIVE

Ga-Phasha Skills Centre

1	2	3
4	5	6



1	Standard "Yield" sign with standard 50mm diameter galvanised mild steel fixing post bedded into and including bases, including any necessary excavation, mass concrete, etc.	No	1		
	<u>Paintwork</u>				
	Prepare and apply one coat white reflective road marking paint on pre cast concrete paving blocks				
2	"Stop" marking on road	No	1		
3	Directional marking on road	No	2		
4	Yellow and white chevron marking on speed humps	No	3		
5	"Disabled" marking on parking bay	No	1		
6	100mm Wide white or yellow parking lines	m	100		
	Carried to Summary			R	
	Section 6 EXTERNAL WORKS Bill No. 2 Roads and Parking				
	Ga-Phasha Skills Centre				
	-303-				



1	2	3
4	5	6



Section 6				
Bill No. 2				
Roads and Parking				
SUMMARY				
		Page		Amount
Total Brought Forward from Page No.		No 300		
age no.		301		
		303		
			_	
Carried Forward to Summary of Sec Section 6 EXTERNAL WORKS Bill No. 2 Roads and Parking	tion No. 6		R	
Ga-Phasha Skills Centre				
1 2 3				



4	5	6



Item No			Quantity	Rate	Amount
	SECTION 6				
	BILL No. 3				
	STORM WATER, SEWER AND WATER SUPPLY (PROVISIONAL)				
	GENERAL PREAMBLES				
	Tenderers are advised to study the Model Preambles for Trades (September 2008 Edition) published by the Association of south African Quantity Surveyors before pricing this bill				
	Water Supply				
	Pipe Trenches				
	Galvanised mild steel screwed and socketed pipes and fittings				
1	80mm Pipe laid in trenches (elsewhere)	m	80		
2	80mm Fire hydrant stand pipe (no fixing)	No	2		
	HDPE polyethylene Class 10 (SABS 533 Type 4 Part 11) pipes with O-ring screw type pressure fittings				
3	32mm Diameter pipe laid in trenches (elsewhere)	m	100		
	O-ring screw type pressure fittings for polyethylene pipes				
4	32mm Bend	No	7		
5	63 x 32mm Reducer	No	2		
	Carried to Summary			R	
	Section 6 EXTERNAL WORKS				
	Bill No. 3 Stormwater, Sewer and Water Supply Ga-				
	Phasha Skills Centre				
	1 2 3				
	4 5 6				



CONTRACT BOQ - ALL INCLUSIVE

1	32mm Tee	No	4	
2	63mm Tee	No	2	
	<u>Testing</u>			
3	Provide all necessary apparatus, water, etc for testing the whole of the water supply and fire reticulation installation to the satisfaction of the Principal Agent and Local Authority, rectify all defective work free of charge and leave in perfect working order		ltem	
	Sewage Disposal			
	Pipe Trenches			
4	Excavate in earth not exceeding 2m deep for pipe trenches	m3	76	
5	Risk of collapse of sides of reduced level excavations from natural, elevated or reduced ground level to not exceeding 1,5m deep	m2	150	
6	Selected backfill (material with a PI less than 10 and maximum aggregate size 30mm) obtained from the excavations and compacted to 90% Mod AASHTO density	m3	38	
7	Selected fill bedding (granular material regarded as clean river sand or any non-cohesive material with a PI less than 6 and maximum aggregate size 20mm) obtained from the excavations under and around pipes and compacted to 90% Mod AASHTO density	m3	11	
	uPVC Class 34 (SABS 533 Type 4 Part 11) drain pipes with electro fusion or butt welded joints			
8	110mm Diameter pipes laid in trenches (elsewhere)	m	15	
9	160mm Diameter pipes laid in trenches (elsewhere)	m	50	

Stormwater, Sewer and Water Supply

Section 6 EXTERNAL WORKS Bill No. 3



	,	Carried to Summary	,
-Phasha Skills Cer	ntre		
2	2	3	
5	5	6	
			_



	Sundries				
1	15MPa/19mm Mass concrete in pre cast IE marker block set flush with ground or paving	No	4	2 707.54	
2	Gulley not exceeding 1000mm deep to invert level comprising 100mm diameter vitrified clay gulley trap and head, fitted with 190mm diameter cast iron grating, including excavating for, bedding on and encasing in 15MPa/19mm mass concrete and fitted with and including pre cast gulley top bedded in (3:1) cement mortar	No	3	1 500.00	
3	ABC cast iron straight or bent cleaning eye with removable cover jointed to vitrified clay pipe and set in and including 15MPa/19mm aggregate mass concrete surround with exposed surfaces trowelled smooth	No	3	750.00	
	Precast Concrete Manholes				
4	Deep type pre cast prefabricated concrete manhole rings, exceeding 500mm but not exceeding 1000mm deep, the bottom ring set on and including 100mm thick 20MPa/19mm aggregate mass concrete base projecting 75mm beyond external face of chamber ring and sealed to ring with 75mm wide x 125mm high 20MPa/19mm agg mass concrete triangular fillet complete with pre cast concrete medium duty cover and frame comprising 125mm thick x 67kg frame and 125mm thick x 66kg cover including step irons, 20MPa/19mm agg mass concrete benching in bottom with top surfaces to falls, finished smooth with 1:1 cement plaster, 150mm vitrified clay channels, bends, junctions, etc with additional excavation and backfilling compacted to 93% Mod AASHTO density	No	5	5 000.00	
5	Ditto exceeding 1000mm but not exceeding 1500mm deep	No	5	10 000.00	
	Carried to Summary			R	
	Section 6 EXTERNAL WORKS				
	Bill No. 3 Stormwater, Sewer and Water Supply				
	Ga-Phasha Skills Centre				



1	2	3
4	5	6



1	Provide all necessary apparatus, water, etc for testing the whole of the sewer installation to the satisfaction of the Principal Agent and Local Authority, rectify all defective work free of charge and leave in perfect working order		Item		
	Stormwater Drainage				
	All excavations are measured as being in "earth" and/or filling compacted to 98% Mod AASHTO density				
	30MPa/19mm aggregate mass concrete in				
2	V-shaped channel 1500mm wide x 150mm thick concrete lining with rounded salient edges and wood float finish on exposed surfaces, laid to falls in panels not exceeding 1800mm long with 12mm bitumen impregnated softboard movement joints, including all necessary excavation and formwork, all as per drawing number	m	190		
		'''	130		
3	Precast concrete taper chute channel	m	4		
	Carried to Summary Section 6 EXTERNAL WORKS Bill No. 3 Stormwater, Sewer and Water Supply Ga-Phasha Skills Centre 1 2 3			R	



4	5	6



Section 6					
Bill No. 3					
Stormwater, Sewer and Water Sup	ply				
SUMMARY					
			Page		Amount
Total Brought Forward from Page	. No		No 307		
Total Brought of Ward Hom Fage			309		
			310		
			312		
			012		
Carried Forward to Su	ımmary of Section No. 6	;		R	
Section 6 EXTERNAL WORKS					
Bill No. 3 Stormwater, Sewer and Water Sup	pply				
Ga-Phasha Skills Centre					
1 2	3]			
4 5	6	-			



Item No		Quantity	Rate	Amount
	SECTION 6			
	BILL No. 4			
	SECURITY FENCING (PROVISIONAL)			
	GENERAL PREAMBLES			
	Tenderers are advised to study the Model Preambles for Trades (September 2008 Edition) published by the Association of south African Quantity Surveyors before pricing this bill			
	METALWORK			
	"ClearVu" or equal and approved Category 3 Security Fencing System			
1	Supply and install fencing comprising of steel mesh panels size 3297 x 2400mm high at 3382mm centres, 4mm diameter hot dipped galvanised wire with aperture size 76,2mm x 12.7mm, panels to be reinforced with 4 x 50mm "V" recessed bands including 2 x 75mm 70 degree flanges along sides, posts cast into 600mm deep x 400mm wide 15Mpa concrete base on one side, posts 85 x 45mm tapered; posts and panels hot dipped galvanised and polymetic 6000 coated, including all single and double bolt comb clamps galvanised then polymetic 6000 coated and antivandal galvanised bolts, the fence to be fitted with anti-climb comprising 100mm high galvanised "shark tooth" type spike rails, bolted to 50mm wide ClearVu mesh flange bent along fence on top, fitted with anti-burrow comprising 500mm ripper flatwrap at the bottom, all installed according to manufacturer's instructions and specifications.	m 370		
	Carried to Summary		R	
	Section 6 EXTERNAL WORKS Bill No. 4			
	Security Fencing			
	Ga-Phasha Skills Centre			
	1 2 3			
	4 5 6			



1	"ClearVu" Gate and Posts, etc.				
	Double gate size 5900 x 2400mm high overall in two equal leaves, each leaf fitted with similar and equal anticlimb spiked rail on top, including all accessories and installed in accordance with manufacturer's instructions	No	1		
	Pedestrian gate size 1200 x 2455mm high ditto	No	1		
	redestriair gate size 1200 x 2400mm might ditto				
	Carried to Summary Section 6			R	
	EXTERNAL WORKS Bill No. 4 Security Fencing Ga-Phasha Skills Centre				



4	5	6



Bill No. 4 Security Fencing SUMMARY Page No. Total Brought Forward from Page No. 315 316	
SUMMARY Page No. Total Brought Forward from Page No. 315	
Total Brought Forward from Page No. Page No 315	
Total Brought Forward from Page No. No 315	
Total Brought Forward from Page No. 315	
Consider Formwood to Commonwell Spection No. C	
Carried Forward to Summary of Section No. 6 Section 6 EXTERNAL WORKS Bill No. 4 Security Fencing	
Ga-Phasha Skills Centre	



4	5	6



Item No				Quantity	Rate	Amount
	SECTION 6					
	BILL No. 6					
	BOREHOLE					
	GENERAL PREA	MBLES				
	Trades (Septemb	er 2008 Edition)	lodel Preambles for published by the y Surveyors before			
	NOTE IN RESP FOUNDATIONS	PECT OF REME	ASUREMENT OF			
	Foundation bricky measured to top of		e walls have been vel			
	BUDGETARY ALI	LOWANCE				
1	Nine Thousand, Se	even Hundred and ents) for the insta a bore hole com	Two Hundred and d Eight Rands and llation, testing and plete as per the	ltem		
2	Contractor's mark-	-up @ 3%		Item		
		Forward to Summ	ary of Section No. 6		R	
	Section 6 EXTERNAL WORKS Bill No. 5 Borehole	5				
	Ga-Phasha Skills C	entre				
	1	2	3			
	4	5	6			



Item No

CONSTRUCTION OF GA-PHASHA SKILLS CENTRE

			Quant	ity Rate	Amount
SECTION 6					Amount
BILL No. 7					
SEPTIC TANK A	ND FRENCH	DRAIN(PROVISIONAL)			
SUPPLEMENTAR	RY PREAMBL	<u>.ES</u>			
"Polycop" polyp	ropylene pipe	<u>es:</u>			
seamless copper "Fast-fuse" hea	coloured cla t welded t	meter and under shall be use 16 pipes jointed with hermoplastic or brass ned for use with copper			
snap-in pipe clip	os with provient and jointe	Ils etc with coloured nylon sion for accommodating ed and fixed strictly in rer's instructions			
All pipe diameters are nominal external					
Concrete pipes:					
Pipes shall be joir or socket and spig		e joints with rubber collars rubber rings			
uPVC pipes and	fittings:				
Soil, waste and ve	ent pipes and	fittings shall be solvent			
					_
Section 6 EXTERNAL WORK Bill No. 6 Septic tank	S	Carried to Summary			R
Ga-Phasha Skills (Centre				
1	2	3			
4	5	6	-		
]		



1

CONSTRUCTION OF GA-PHASHA SKILLS CENTRE

<u>Excavations</u>				
No claim for rock excavation will be entertained unless the contractor has timeously notified the quantity surveyor thereof prior to backfilling				
"Soft rock" and "hard rock" shall be as defined in "Earthworks"				
Laying, backfilling, bedding, etc. of pipes				
Pipes shall be laid and bedded and trenches shall be carefully backfilled in accordance with manufacturers' instructions				
Where no manufacturers' instructions exist pipes shall be laid in accordance with clauses 5.1 and 5.2 of each of the following: SABS 1200 L: Medium-pressure pipelines LD: Sewers LE: Storm water drainage Pipe trenches etc shall be backfilled in accordance with clauses 3, 5.5, 5.6, 5.7 and 7 of SABS 1200 DB: Earthworks (Pipe trenches) Pipes shall be bedded in accordance with clauses 3.1 to 3.4.1, 5.1 to 5.3 and 7 of SABS 1200 LB: Bedding (Pipes). Unless otherwise described bedding of rigid pipes shall be class B bedding				
EXCAVATION, FILLING, ETC OTHER THAN BULK				
<u>EARTHWORKS</u>				
SITE CLEARANCE ETC				
Site clearance				
Digging up and removing rubbish, debris, vegetation, hedges, shrubs and trees not exceeding 200mm girth, bush, etc	m2	9		
Carried to Summary Section 6			R	
EXTERNAL WORKS Bill No. 6				
Septic tank				
Ga-Phasha Skills Centre				
1 2 3				



4	5	6



CONTRACT BOQ - ALL INCLUSIVE

1	Rip and scarify ground level to a depth of 150mm and consolidate to 90% mod. AASHTO density (minimum CBR 3)	m2	9
	<u>EARTHWORKS</u>		
	Excavate in earth not exceeding 2m deep		
2	Septic tank	m3	17
	Extra over trench and hole excavations in earth for excavations in		
3	Soft rock	m3	1
4	Hard rock	m3	2
	Extra over all excavations for carting away		
5	Surplus material from excavations and/or stock piles on site to a dumping site to be located by the contractor	m3	20
	Risk of collapse of excavations		
6	Risk of collapse of sides of excavations for septic tank from natural, elevated or reduced ground level exceeding 1,5m deep	m2	28
	Keeping excavations free of water		
7	Allow for keeping all excavations entirely free from water and mud		Item
	FILLING ETC		
	Filling of natural gravel material (G5) supplied by the contractor, compacted to 95% Mod AASHTO density		
8	Under floors, steps, pavings, etc	m3	5

Carried to Summary

R

Section 6 EXTERNAL WORKS Bill No. 6 Septic tank



1	2	3	
4	5	6	
4	5	6	



	REINFORCED CONCRETE CAST AGAINST EXCAVATED SURFACES, ETC				
	25Mpa/20mm concrete				
1	Surface bed of septic tank	m3	2		
2	Slab of septic tank	m3	2		
	SMOOTH FORMWORK (DEGREE OF ACCURACY II)				
	Smooth formwork to sides				
	Smooth formwork to soffits				
3	Slabs propped up exceeding 1.5m and not exceeding 3.5m high	m2	9		
	Smooth formwork to sides and soffits				
	REINFORCED CONCRETE				
	30Mpa/20mm concrete				
	Carried to Summary			R	
	Section 6 EXTERNAL WORKS Bill No. 6 Septic tank				
	Ga-Phasha Skills Centre				
	1 2 3				



4	5	6



	REINFORCED CONCRETE				
	30Mpa/20mm concrete				
1	Slabs	m3	2		
	UNREINFORCED CONCRETE				
	19Mpa/20mm concrete behind sockets at 2mm centres maximum				
2	Anchor blocks	m3	5		
	CONCRETE SUNDRIES				
	Finishing top surfaces of concrete smooth with a power float				
3	Surface beds, slabs, etc	m2	17		
	ROUGH FORMWORK (DEGREE OF ACCURACY II)				
	Rough formwork to soffits				
4	Slabs propped up exceeding 1.5m and not exceeding 3m high	m2	9		
	Formwork to sides				
5	Edges, risers, ends and reveals not exceeding 300mm high or wide	m	12		
	REINFORCEMENT				
	Mild steel reinforcement to structural concrete work				
6	8mm Diameter bars	t	0.36		
	Carried to Summary Section 6			R	
	EXTERNAL WORKS Bill No. 6 Septic tank				



CONTRACT BOQ - ALL INCLUSIVE

Ga-Phasha Skills Centre

1	2	3
4	5	6



CONTRACT BOQ - ALL INCLUSIVE

1	10mm Diameter bars	t	0.36	
	High tensile steel reinforcement to structural concrete work			
2	10mm Diameter bars	t	0.36	
3	12mm Diameter bars	t	0.36	
	Fabric reinforcement			
4	Type 617 fabric reinforcement in concrete surface beds	m2	9	
5	Type 617 fabric reinforcement in concrete slabs etc	m2	9	
	MASONRY			
	Brickwork in burnt clay bricks in (5:1) cement mortar			
6	One brick wall	m2	28	
7	Brick reinforcement 150mm wide built into brick walls with sufficient laps at end joints, angles and intersections (measured net)	m	84	
	WATERPROOFING			
	DAMP PROOFING OF WALLS AND FLOORS			
	One layer 250 micron green polyethylene waterproof sheeting (SANS 952-1985 type C) sealed at laps with PVC self-adhesive tape			
8	Under surface beds	m2	30	
9	Vertically behind walls	m2	73	

Carried to Summary

R

Section 6 EXTERNAL WORKS Bill No. 6 Septic tank



1	2	3			
ı	2	3			
1	5	6			



	Primer and two coats heavy duty bitumen emulsion waterproof coating, ABE membrane or similar approved			
1	On concrete floors	m2	8	
2	On walls in foundations (Provisional)	m2	57	
	WATERPROOFING TO ROOFS, BASEMENTS, ETC			
	Prime with one coat bitumen primer and one layer 4mm fully bonded waterproof membrane comprising two bitumen layers reinforced with woven spun bonded polyester fabric and coated with polyethylene film for heat bonding, laid with 75mm side and 100mm end laps			
3	On soffits of slab	m2	9	
4	On flat roofs	m2	9	
5	On walls	m2	57	
6	On bottoms and sides of floor ducts, channels, etc	m2	2	
	PROTECTIVE STONE DRESSING			
	Clean crushed stone dressing free of pyrite or other contaminants, of 20 - 25mm stone evenly spread with larger stones around outlets			
7	Stone dressing behind walls	m3	73	
	PLUMBING AND DRAINAGE			
	Carried to Summary Section 6 EXTERNAL WORKS Bill No. 6 Septic tank			R
	Ga-Phasha Skills Centre			



1	2	3
4	5	6



CONTRACT BOQ - ALL INCLUSIVE

	UPVC pipes		
1	110mm Pipes in trenches	m	50
	Extra over 110mm uPvc pipes for fittings		
2	Standard invert junction	No	4
	Manhole ring, cover adapter and lid		
3	750mm Diameter , 250mm Long manhole ring and 750mm Round cover adaptor slab with 560mm Diameter Hole, 150mm Thick Slab and 560mm Diameter heavy duty concrete lid	No	1
	<u>Sundries</u>		
4	Hole through one brick wall for 110mm pipe	No	1
	FRENCH DRAIN		
	<u>EARTHWORKS</u>		
	Excavate in earth not exceeding 2m deep		
5	Trench	m3	7
	Extra over trench and hole excavations in earth for excavations in		
6	Soft rock	m3	0.4
7	Hard rock	m3	1
	Risk of collapse to sides		
8	Sides of trench excavations not exceeding 1,5m deep	m2	20

Carried to Summary

R

Section 6 EXTERNAL WORKS Bill No. 6 Septic tank



Skills Centre			
2	3		
5	6		



	Carting away excavated material				
1	Surplus excavated material from excavations and/or stock piles on site to a dumping site to be located by the contractor	m3	7		
	Back filling with material supplied by the contractor				
2	40-50mm washed stone filling to french drain	m3	7		
	REINFORCEMENT				
	Fabric reinforcement				
3	Type 617 fabric reinforcement in concrete slabs etc	m2	5		
	Bidium U14 geotextile blanket				
4	Laid with 150mm overlaps to top of stone fill in french drain	m2	22		
	uPVC pipes				
5	110mm Perforated drain pipes laid between stones in french drain	m	12		
	Carried to Summary			R	
	Section 6 EXTERNAL WORKS Bill No. 6 Septic tank				
	Ga-Phasha Skills Centre				
	226	1	ı	ı	



1	2	3
4	5	6



Section 6						
Bill No. 6						
Septic tank						
SUMMARY						
				Page		Amount
Tatal Day all (Face	aultus Davi No			No		
Total Brought Forw	vard from Page No.					
				322		
				325		
				326		
				328		
				331		
				332		
				335		
				336		
Carried	Forward to Summa	a y of Section No. 6	5		R	
Section 6 EXTERNAL WORK						
Bill No. 6	•					
Septic tank						
Ga-Phasha Skills C	Centre					
1	2	3				
4	5	6		1	 	
4	5	6				
	1	l	j			



	SUMMARY - EXTE	RNAL WORKS		İ	I	I	
Bill					Page No		Amount
lo 1	General Siteworks	;			299		R c
2	Roads and Parking	9			305		
3	Stormwater, Sewe	r and Water Supply			314		
4	Security Fencing				318		
5	Borehole				320		
6	Septic tank				338		
Ū							
		Total Carried	d to Final Summary	•		R	
	Section 6 EXTERNAL WORKS	3					
	On Disaste Okilla O						
	Ga-Phasha Skills C			_			
		2	3				
	4	5	6	-			
]			



Item No			Quantity	Rate	Amount
	SECTION 7				
	BILL No. 1				
	KIOSK AND DISTRIBUTION BOARD				
	Kiosk and distribution board				
	Supply rate				
1	Main Kiosk complete with breakers & doors	No	1		
	<u>Install rate</u>				
2	Main Kiosk complete with breakers & doors	No	1		
	Main - Distribution Board (DB/ABTT) - Flush Architrive complete with breakers & doors				
	Supply rate				
3	Main - Distribution Board (DB/ABTT) - Flush Architrive complete with breakers & doors	No	1		
	<u>Install rate</u>				
4	Main - Distribution Board (DB/ABTT) - Flush Architrive complete with breakers & doors	No	1		
	<u>Sub - Distribution Board - Flush Architrive complete</u> <u>with breakers & doors</u>				
	Supply rate				
5	Sub - Distribution Board - Flush Architrive complete with breakers & doors	No	2		
	Carried to Summary			R	
	Section 7 ELECTRICAL INSTALLATION Bill No. 1 Kiosk and distribution board Ga-				
	Phasha Skills Centre				
	1 2 3				
	4 5 6				



	Install rate				
1	Sub - Distribution Board - Flush Architrive complete with breakers & doors	No	2		
	Allowance for breakers installed on site				
	Earth Leakage QA17C 63A 1P + N 6kA				
	Supply rate				
2	Earth Leakage QA17C 63A 1P + N 6kA	No	2		
	<u>Install rate</u>				
3	Earth Leakage QA17C 63A 1P + N 6kA	No	2		
	Surge Arrester with Indication 1 Pole + N 6kA				
	Supply rate				
4	Surge Arrester with Indication 1 Pole + N 6kA	No	3		
	Install rate				
5	Surge Arrester with Indication 1 Pole + N 6kA	No	3		
	Surge Protection and Voltage Limiting Devices (FLP-B+C MAXI V SPD)				
	Supply rate				
6	Surge Protection and Voltage Limiting Devices (FLP-B+C MAXI V SPD)	No	3		
	<u>Install rate</u>				
7	Surge Protection and Voltage Limiting Devices (FLP-B+C MAXI V SPD)	No	3		
	Counied to Summony			D	
	Carried to Summary Section 7 ELECTRICAL INSTALLATION Bill No. 1			R	
	Kiosk and distribution board				



CONTRACT BOQ - ALL INCLUSIVE

Ga-Phasha Skills Centre

1	2	3
4	5	6



CONTRACT BOQ - ALL INCLUSIVE

	MCCB 80A 3P				
	Supply rate				
1	MCCB 80A 3P	No	1		
	<u>Install rate</u>				
2	MCCB 80A 3P	No	1		
	MCB QA1 5A 1P				
	Supply rate				
3	MCB QA1 5A 1P	No	2		
	Install rate				
4	MCB QA1 5A 1P	No	2		
	MCB QA1 10A 1P				
	Supply rate				
5	MCB QA1 10A 1P	No	10		
	<u>Install rate</u>				
6	MCB QA1 10A 1P	No	10		
	MCB QA1 20A 1P				
	Supply rate				
7	MCB QA1 20A 1P	No	11		
	<u>Install rate</u>				
8	MCB QA1 20A 1P	No	11		J
			I	ļ	<u></u>

Carried to Summary

R

Section 7
ELECTRICAL INSTALLATION
Bill No. 1
Kiosk and distribution board Ga-

Phasha Skills Centre

1	2	3
4	5	6



CONTRACT BOQ - ALL INCLUSIVE

	MCB QA1 20A 2P			
	Supply rate			
1	MCB QA1 20A 1P	No	8	
	<u>Install rate</u>			
2	MCB QA1 20A 1P	No	8	
	MCB QA1 40A 2P			
	Supply rate			
3	MCB QA1 40A 2P	No	5	
	Install rate			
4	MCB QA1 40A 2P	No	5	
	MCB QA1 40A 3P			
	Supply rate			
5	MCB QA1 40A 2P	No	4	
	Install rate			
6	MCB QA1 40A 2P	No	4	
	MCB QA1 63A 3P			
	Supply rate			
7	MCB QA1 63A 3P	No	1	
	<u>Install rate</u>			
8	MCB QA1 63A 3P	No	1	

Carried to Summary R

Section 7
ELECTRICAL INSTALLATION
Bill No. 1
Kiosk and distribution board Ga-

Phasha Skills Centre

1	2	3
4	5	6



	MCB QA1 80A 3P							
	Supply rate							
1	MCB QA1 80A 3P				No	2		
	Install rate							
2	MCB QA1 80A 3P				No	2		
	MCB QA1 100A 3F	<u> </u>						
	Supply rate							
3	MCB QA1 100A 3P	•			No	1		
	Install rate							
4	MCB QA1 100A 3P	•			No	1		
								_
			Carried to	Summary			R	
	Section 7 ELECTRICAL INSTA	LLATION						
	Bill No. 1 Kiosk and distribution	on board Ga-						
	Phasha Skills Centre	е						
	1	2	3					
	4	5	6					



Section 7			
Bill No. 1			
Kiosk and distribution board			
SUMMARY			
	Page No		Amount
Total Brought Forward from Page No.	340		
	341		
	343		
	344		
	345		
Carried Forward to Summary of Section No. 7 Section 7		R	
ELECTRICAL INSTALLATION Bill No. 1			
Kiosk and distribution board			
Ga-Phasha Skills Centre			
1 2 3			



4	5	6



Item No			Quantity	Rate	Amount
	SECTION 7				
	BILL No. 2				
	LIGHT FITTINGS AND ALL ACCESSORIES SUCH AS POLES, HOLES E.T.C				
	Light, fittings and all accessories such as poles, holes etc.				
	Type F- Outdoor Wall mount bulkhead, 20W, 1800 lm, IP65, 220 - 240V AC				
	Supply rate				
1	Type F- Outdoor Wall mount bulkhead, 20W, 1800 lm, IP65, 220 - 240V AC	No	28		
	Install rate				
2	Type F- Outdoor Wall mount bulkhead, 20W, 1800 lm, IP65, 220 - 240V AC	No	28		
	Type B - Indoor ceiling mounted 18W Bulkhead/LED/1200 Lumen				
	Supply rate				
3	Type B - Indoor ceiling mounted 18W Bulkhead/LED/1200 Lumen	No	11		
	Install rate				
4	Type B - Indoor ceiling mounted 18W Bulkhead/LED/1200 Lumen	No	11		
	Carried to Summary			R	
	Section 7 ELECTRICAL INSTALLATION Bill No. 2				
	Light, fittings and all accessories such as poles, holes etc. Ga-				
	Phasha Skills Centre				
	1 2 3				
	4 5 6				



	Type C - Enclosed dust and waterproof and corrosion resistant fluorescent Luminaire with LED Tubes				
	Supply rate				
1	Type C - Enclosed dust and waterproof and corrosion resistant fluorescent Luminaire with LED Tubes	No	2		
	<u>Install rate</u>				
2	Type C - Enclosed dust and waterproof and corrosion resistant fluorescent Luminaire with LED Tubes	No	2		
	Type 3L - 3 X 22W,4FT, T5, 600 X 600 Long Recessed Flourescent Fitting With Low Brightness Reflector With Cord				
	Supply rate				
3	Type 3L - 3 X 22W,4FT, T5, 600 X 600 Long Recessed Flourescent Fitting With Low Brightness Reflector With Cord	No	33		
	Install rate				
4	Type 3L - 3 X 22W,4FT, T5, 600 X 600 Long Recessed Flourescent Fitting With Low Brightness Reflector With Cord	No	33		
	Type DL- Downlight 18W LED				
	Supply rate				
5	Type DL- Downlight 18W LED	No	21		
	Install rate				
6	Type DL- Downlight 18W LED	No	21		
	Carried to Summary Section 7 ELECTRICAL INSTALLATION Bill No. 2			R	
	Light, fittings and all accessories such as poles, holes etc.				
	Ga-Phasha Skills Centre				



1	2	3
4	5	6



	Type SL/HL - Mutto Unfold Red Pendant, Size: 325mm, Mounting: Suspended.Wattage:80W			
	Supply rate			
1	Type SL/HL - Mutto Unfold Red Pendant, Size: 325mm, Mounting: Suspended.Wattage:80W	No	9	
	<u>Install rate</u>			
2	Type SL/HL - Mutto Unfold Red Pendant, Size: 325mm, Mounting: Suspended.Wattage:80W	No	9	
	Strong Room Emergency Red Light			
	Supply rate			
3	Strong Room Emergency Red Light	No	1	
	<u>Install rate</u>			
4	Strong Room Emergency Red Light	No	1	
				,
	Carried to Summary Section 7			R
	ELECTRICAL INSTALLATION Bill No. 2			
	Light, fittings and all accessories such as poles, holes etc.			
	Ga-Phasha Skills Centre			



1	2	3
4	5	6



Bill No. 2 Light, fittings and all accessories such as poles, holes etc. SUMMARY Page No 348 349 351 Carried Forward from Page No. 348 Carried Forward to Summary of Section No. 7 Section 7 ELECTRICAL INSTALLATION Bill No. 2 Light, fittings and all accessories such as poles, holes etc. Ga-Phasha Skills Centre	Section 7				
Carried Forward to Summary of Section No. 7 Section 7 ELECTRICAL INSTALLATION Bill No. 2 Light, fittings and all accessories such as poles, holes etc. Ga-Phasha Skills Centre	Bill No. 2				
Carried Forward to Summary of Section No. 7 Section 7 ELECTRICAL INSTALLATION Bill No. 2 Light, fittings and all accessories such as poles, holes etc. Ga-Phasha Skills Centre	Light, fittings and all accessories such a	s poles, holes etc.			
Carried Forward to Summary of Section No. 7 Section 7 ELECTRICAL INSTALLATION Bill No. 2 Light, fittings and all accessories such as poles, holes etc. Ga-Phasha Skills Centre	SUMMARY				
Carried Forward to Summary of Section No. 7 Section 7 ELECTRICAL INSTALLATION Bill No. 2 Light, fittings and all accessories such as poles, holes etc. Ga-Phasha Skills Centre			Page		Amount
Carried Forward to Summary of Section No. 7 Section 7 ELECTRICAL INSTALLATION Bill No. 2 Light, fittings and all accessories such as poles, holes etc. Ga-Phasha Skills Centre	Total Brought Forward from Page No.				
Carried Forward to Summary of Section No. 7 Section 7 ELECTRICAL INSTALLATION Bill No. 2 Light, fittings and all accessories such as poles, holes etc. Ga-Phasha Skills Centre			349		
Section 7 ELECTRICAL INSTALLATION Bill No. 2 Light, fittings and all accessories such as poles, holes etc. Ga-Phasha Skills Centre			351		
Section 7 ELECTRICAL INSTALLATION Bill No. 2 Light, fittings and all accessories such as poles, holes etc. Ga-Phasha Skills Centre					
Section 7 ELECTRICAL INSTALLATION Bill No. 2 Light, fittings and all accessories such as poles, holes etc. Ga-Phasha Skills Centre					
Section 7 ELECTRICAL INSTALLATION Bill No. 2 Light, fittings and all accessories such as poles, holes etc. Ga-Phasha Skills Centre					
Section 7 ELECTRICAL INSTALLATION Bill No. 2 Light, fittings and all accessories such as poles, holes etc. Ga-Phasha Skills Centre					
Section 7 ELECTRICAL INSTALLATION Bill No. 2 Light, fittings and all accessories such as poles, holes etc. Ga-Phasha Skills Centre					
Section 7 ELECTRICAL INSTALLATION Bill No. 2 Light, fittings and all accessories such as poles, holes etc. Ga-Phasha Skills Centre					
Section 7 ELECTRICAL INSTALLATION Bill No. 2 Light, fittings and all accessories such as poles, holes etc. Ga-Phasha Skills Centre					
Section 7 ELECTRICAL INSTALLATION Bill No. 2 Light, fittings and all accessories such as poles, holes etc. Ga-Phasha Skills Centre					
Section 7 ELECTRICAL INSTALLATION Bill No. 2 Light, fittings and all accessories such as poles, holes etc. Ga-Phasha Skills Centre					
Section 7 ELECTRICAL INSTALLATION Bill No. 2 Light, fittings and all accessories such as poles, holes etc. Ga-Phasha Skills Centre					
Section 7 ELECTRICAL INSTALLATION Bill No. 2 Light, fittings and all accessories such as poles, holes etc. Ga-Phasha Skills Centre					
Section 7 ELECTRICAL INSTALLATION Bill No. 2 Light, fittings and all accessories such as poles, holes etc. Ga-Phasha Skills Centre					
Section 7 ELECTRICAL INSTALLATION Bill No. 2 Light, fittings and all accessories such as poles, holes etc. Ga-Phasha Skills Centre					
Section 7 ELECTRICAL INSTALLATION Bill No. 2 Light, fittings and all accessories such as poles, holes etc. Ga-Phasha Skills Centre					
Section 7 ELECTRICAL INSTALLATION Bill No. 2 Light, fittings and all accessories such as poles, holes etc. Ga-Phasha Skills Centre	Comical Forward to Communication	of Continue No. 7			
Light, fittings and all accessories such as poles, holes etc. Ga-Phasha Skills Centre	Section 7 ELECTRICAL INSTALLATION	iry of Section No. 7		R	
		as poles, holes etc.			
	Ga-Phasha Skills Centre				
	1 2	3			



4	5	6



Item No		Quantity	Rate	Amount
	SECTION 7			
	BILL No. 3			
	SWITCHES, SOCKETS AND POWER SKIRTING			
	Switches, sockets and power skirting			
	Ceiling mount high frequency motion sensor with toggle switches (360°, 3-8m sensing range)			
	Supply rate			
1	Ceiling mount high frequency motion sensor with toggle switches (360°, 3-8m sensing range) No	18		
	Install rate			
2	Ceiling mount high frequency motion sensor with toggle switches (360°, 3-8m sensing range) No	18		
	16 Amp, 1 lever, 1 way, flush mounted switch complete with cover and galvanised box			
	Supply rate			
3	16 Amp, 1 lever, 1 way, flush mounted switch complete with cover and galvanised box	8		
	Install rate			
4	16 Amp, 1 lever, 1 way, flush mounted switch complete with cover and galvanised box No	8		
	16 Amp, 2 lever, 1 way, flush mounted switch complete with cover and galvanised box			
	complete with cover and galvanised box			
	Carried to Summary		R	
	Section 7 ELECTRICAL INSTALLATION			
	Bill No. 3 Switches, Sockets and power skirting Ga-			
	Phasha Skills Centre			
	4 5 6			



	Supply rate	1	1		
1	16 Amp, 2 lever, 1 way, flush mounted switch complete with cover and galvanised box	No	4		
	Install rate				
2	16 Amp, 2 lever, 1 way, flush mounted switch complete with cover and galvanised box	No	4		
	16 Amp, 3 lever, 1 way, flush mounted switch complete with cover and galvanised box				
	Supply rate				
3	16 Amp, 3 lever, 1 way, flush mounted switch complete with cover and galvanised box	No	2		
	Install rate				
4	16 Amp, 3 lever, 1 way, flush mounted switch complete with cover and galvanised box	No	2		
	16 Amp, 1 lever, 2 way flush mounted switch complete with cover and galvanised box				
	Supply rate				
5	16 Amp, 1 lever, 2 way flush mounted switch complete with cover and galvanised box	No	2		
	Install rate				
6	16 Amp, 1 lever, 2 way flush mounted switch complete with cover and galvanised box	No	2		
	16 Amp, 1 lever, 3 way flush mounted switch complete with cover and galvanised box				
	Carried to Summary			R	
	Section 7 ELECTRICAL INSTALLATION				
	Bill No. 3 Switches, Sockets and power skirting				
	Ga-Phasha Skills Centre				



1	2	3
4	5	6



	Supply rate				
1	16 Amp, 1 lever, 3 way flush mounted switch complete with cover and galvanised box	No	3		
	<u>Install rate</u>				
2	16 Amp, 1 lever, 3 way flush mounted switch complete with cover and galvanised box	No	3		
	16 Amp, 2 lever, 2 way flush mounted switch complete with cover and galvanised box				
	Supply rate				
3	16 Amp, 2 lever, 2 way flush mounted switch complete with cover and galvanised box	No	1		
	Install rate				
4	16 Amp, 2 lever, 2 way flush mounted switch complete with cover and galvanised box	No	1		
	Type ZS 20A "National" type "or similar approved mounted in a weatherproof "York Box" enclosure.				
	Supply rate				
5	Type ZS 20A "National" type "or similar approved mounted in a weatherproof "York Box" enclosure.	No	2		
	<u>Install rate</u>				
6	Type ZS 20A "National" type "or similar approved mounted in a weatherproof "York Box" enclosure.	No	2		
	Switch for 5W Dimmable down lights (Silicon controlled) with 2 lever				
	Carried to Summary			R	
	Section 7 ELECTRICAL INSTALLATION				
	Bill No. 3 Switches, Sockets and power skirting				
	Ga-Phasha Skills Centre				



1	2	3
4	5	6



	Supply rate				
1	Switch for 5W Dimmable down lights (Silicon controlled) with 2 lever	No	1		
	Install rate				
2	Switch for 5W Dimmable down lights (Silicon controlled) with 2 lever	No	1		
	16 Amp flush mounted single pole switched socket (3 pin triangular) with 3 pin euro (SANS 164-2) complete with galvanised box				
	Supply rate				
3	16 Amp flush mounted single pole switched socket (3 pin triangular) with 3 pin euro (SANS 164-2) complete with galvanised box	No	2		
	Install rate				
4	16 Amp flush mounted single pole switched socket (3 pin triangular) with 3 pin euro (SANS 164-2) complete with galvanised box	No	2		
	16 Amp flush mounted double pole socket (3 pin triangular) with double 3 pin euro (SANS 164-2) complete with galvanised box				
	Supply rate				
5	16 Amp flush mounted double pole socket (3 pin triangular) with double 3 pin euro (SANS 164-2) complete with galvanised box	No	30		
	Carried to Summary			R	
	Section 7			, K	
	ELECTRICAL INSTALLATION Bill No. 3				
	Switches, Sockets and power skirting				
	Ga-Phasha Skills Centre				



1	2	3
4	5	6



i	Lead Honda	ı	ı		l
1	Install rate 16 Amp flush mounted double pole socket (3 pin triangular) with double 3 pin euro (SANS 164-2) complete with galvanised box	No	30		
	2 Channel PVC power skirting complete with covers, bends, splices and all accessories				
	Supply rate				
2	2 Channel PVC power skirting complete with covers, bends, splices and all accessories	m	15		
	<u>Install rate</u>				
3	2 Channel PVC power skirting complete with covers, bends, splices and all accessories	m	15		
	16 Amp normal single pole switched socket outlets in power skirting including covers and fixing material				
	Supply rate				
4	16 Amp normal single pole switched socket outlets in power skirting including covers and fixing material	No	7		
	Install rate				
5	16 Amp normal single pole switched socket outlets in power skirting including covers and fixing material	No	7		
	16 Amp, 3pin normal euro switched socket outlets in power skirting including covers and fixing material				
	Supply rate				
6	16 Amp, 3pin normal euro switched socket outlets in				
	power skirting including covers and fixing material	No	7		
	Carried to Summary			R	
	Section 7				
	ELECTRICAL INSTALLATION Bill No. 3				
	Switches, Sockets and power skirting				
	Ga-Phasha Skills Centre				



1	2	3
4	5	6



	Install rate				
1	16 Amp, 3pin normal euro switched socket outlets in power skirting including covers and fixing material	No	7		
	Weather Proof Box 2X4 S1				
	Supply rate				
2	Weather Proof Box 2X4 S1	No	2		
	Install rate				
3	Weather Proof Box 2X4 S1	No	2		
	FD4 Pedestal, floor mounting complete with 1x normal plugs 16A, 1x dedicated plugs 16A				
	Supply rate				
4	FD4 Pedestal, floor mounting complete with 1x normal plugs 16A, 1x dedicated plugs 16A	No	1		
	Install rate				
5	FD4 Pedestal, floor mounting complete with 1x normal plugs 16A, 1x dedicated plugs 16A	No	1		
	9 Way cluster unit complete with normal plug, dedicated plug, 2 pin plug, data point and telephone point				
	Supply rate				
6	9 Way cluster unit complete with normal plug, dedicated plug, 2 pin plug, data point and telephone point	No	3		
	Carried to Summary			R	
	Section 7 ELECTRICAL INSTALLATION				
	Bill No. 3 Switches, Sockets and power skirting				
	Co Phocho Civillo Contro				
	Ga-Phasha Skills Centre	I	ı	II	



1	2	3
4	5	6



1	Install rate9 Way cluster unit complete with normal plug, dedicated plug, 2 pin plug, data point and telephone point	No	3		
	Flush mounted 40 Amp 2P isolator complete for Air Conditioning				
	Supply rate				
2	Flush mounted 40 Amp 2P isolator complete for Air Conditioning	No	8		
	Install rate				
3	Flush mounted 40 Amp 2P isolator complete for Air Conditioning	No	8		
	Outdoor, Surface mounted 30 Amp 2P isolator complete for Air Conditioning				
	Supply rate				
4	Outdoor, Surface mounted 30 Amp 2P isolator complete for Air Conditioning	No	8		
	Install rate				
5	Outdoor, Surface mounted 30 Amp 2P isolator complete for Air Conditioning	No	8		
	Flush mounted 30 Amp 2P isolator complete for Hand dryer units				
	Supply rate				
6	Flush mounted 30 Amp 2P isolator complete for Hand dryer units	No	3		
	Carried to Summary			R	
	Section 7 ELECTRICAL INSTALLATION Bill No. 3 Switches, Sockets and power skirting				



CONTRACT BOQ - ALL INCLUSIVE

Ga-Phasha Skills Centre

1	2	3
4	5	6



	<u>Install rate</u>				
1	Flush mounted 30 Amp 2P isolator complete for Hand dryer units	No	3		
	Flush mounted 20 Amp 2P isolator complete for toilets extractor				
	Supply rate				
2	Flush mounted 20 Amp 2P isolator complete for toilets extractor	No	3		
	<u>Install rate</u>				
3	Flush mounted 20 Amp 2P isolator complete for toilets extractor	No	3		
	Carried to Summary	,		R	
	Section 7 ELECTRICAL INSTALLATION				
	Bill No. 3 Switches, Sockets and power skirting				
	Ga-Phasha Skills Centre				



1	2	3
4	5	6



Section 7					
Bill No. 3					
Switches, Sockets and power skirting					
SUMMARY					
			Page No		Amount
Total Brought Forward from Page No.			355		
			356		
			358		
			360		
			362		
			364		
			366		
			368		
Carried Forward to Summa Section 7	y of Section No. 7	•		R	
ELECTRICAL INSTALLATION Bill No. 3 Switches, Sockets and power skirting					
Ga-Phasha Skills Centre					
1 2	3				
4 5	6				



Item No			Quantity	Rate	Amount
	SECTION 7				
	BILL No. 4				
	CABLE TRENCHING, CABLE, TERMINATION, CABLE LABELLING AND CABLE WARNING TABLE				
	Cable trenching, cable, termination, cable labelling and cable warning table				
	35 mm² 4C PVC SWA Cable with earth wire				
	Supply rate				
1	35 mm² 4C PVC SWA Cable with earth wire	m	150		
	<u>Install rate</u>				
2	35 mm ² 4C PVC SWA Cable with earth wire	m	150		
	Cable teminations				
	Supply rate				
3	Cable teminations	No	15		
	Install rate				
4	Cable teminations	No	15		
	10 mm² 4c PVC SWA Cable with earth wir				
	Supply rate				
5	10 mm² 4c PVC SWA Cable with earth wir	m	80		
	Carried to Summary			R	
	Section 7 ELECTRICAL INSTALLATION Bill No. 4 Cable trenching, Cable, Termination, cable labelling and cab Ga-				
	Phasha Skills Centre				
	1 2 3				
	4 5 6				



	Install rate				
1	10 mm² 4c PVC SWA Cable with earth wir	m	80		
	Cable teminations				
	Supply rate				
2	Cable teminations	No	8		
	Install rate				
3	Cable teminations	No	8		
	6 mm² 4c PVC SWA Cable with earth wire				
	Supply rate				
4	6 mm² 4c PVC SWA Cable with earth wire	m	150		
	<u>Install rate</u>				
5	6 mm ² 4c PVC SWA Cable with earth wire	m	150		
	Cable teminations				
	Supply rate				
6	Cable teminations	No	15		
	Install rate				
7	Cable teminations	No	15		
	4 mm² 4c PVC SWA Cable with earth wire				
	Supply rate				
8	4 mm² 4c PVC SWA Cable with earth wire	m	130		
J	4 mm 401 VO OWA Gable Wall Caral Wile		100		
	Carried to Summary			R	
	Section 7 ELECTRICAL INSTALLATION Bill No. 4				
	Cable trenching, Cable, Termination, cable labelling and cab				



CONTRACT BOQ - ALL INCLUSIVE

Ga-Phasha Skills Centre

1	2	3
4	5	6



	Install rate				
1	4 mm² 4c PVC SWA Cable with earth wire	m	130		
	Cable teminations				
	Supply rate				
2	Cable teminations	No	13		
	Install rate				
3	Cable teminations	No	13		
	3 x 1,5 mm ² PVC insulated				
	Supply rate				
4	3 x 1,5 mm² PVC insulated	m	3 500		
	Install rate				
5	3 x 1,5 mm² PVC insulated	m	3 500		
	1.5 mm² copper earth wire				
	Supply rate				
6	1.5 mm² copper earth wire	m	3 500		
	Install rate				
7	1.5 mm² copper earth wire	m	3 500		
	3 x 2,5 mm ² PVC insulated				
	Supply rate				
8	3 x 2,5 mm² PVC insulated	m	2 500		
	Carried to Summary			R	
	Section 7 ELECTRICAL INSTALLATION Bill No. 4			,,	
	Cable trenching, Cable, Termination, cable labelling and cab				



CONTRACT BOQ - ALL INCLUSIVE

Ga-Phasha Skills Centre

1	2	3
4	5	6



	Install rate				
1	3 x 2,5 mm ² PVC insulated	m	2 500		
	2.5 mm² copper earth wire				
	Supply rate				
2	2.5 mm ² copper earth wire	m	2 500		
	Install rate				
3	2.5 mm² copper earth wire	m	2 500		
	3 x 4 mm ² PVC insulated				
	Supply rate				
4	3 x 4 mm² PVC insulated	m	100		
	<u>Install rate</u>				
5	3 x 4 mm ² PVC insulated	m	100		
	4 mm² copper earth wire				
	Supply rate				
6	4 mm² copper earth wire	m	100		
	<u>Install rate</u>				
7	4 mm² copper earth wire	m	100		
	3 x 6 mm ² PVC insulated				
	Supply rate				
8	3 x 6 mm² PVC insulated	m	50		
	Carried to Summ	nary		R	
	Section 7 ELECTRICAL INSTALLATION Bill No. 4				
	Cable trenching, Cable, Termination, cable labelling and	cab			



CONTRACT BOQ - ALL INCLUSIVE

Ga-Phasha Skills Centre

1	2	3
4	5	6



	<u>Install rate</u>	1			
1	3 x 6 mm² PVC insulated	m	50		
	6 mm² copper earth wire				
	Supply rate				
2	6 mm² copper earth wire	m	50		
	<u>Install rate</u>				
3	6 mm² copper earth wire	m	50		
	Cable warning Tape (320mm Wide)				
	Supply rate				
4	Cable warning Tape (320mm Wide)	m	255		
	Install rate				
5	Cable warning Tape (320mm Wide)	m	255		
	Cable labelling				
0	Supply rate		lkana		
6	Cable labelling		Item		
	Install rate				
7	Cable labelling		Item		
	Trenching (300mm wide X 600mm deep) and backfilling in compacted layers (300mm), including bedding and installation of warning tape above cable.				
	Carried to Summary			R	
	Section 7 ELECTRICAL INSTALLATION				
	Bill No. 4 Cable trenching, Cable, Termination, cable labelling and cab				
	Ga-Phasha Skills Centre				



1	2	3
4	5	6



	Supply rate				
1	Trenching (300mm wide X 600mm deep) and backfilling in compacted layers (300mm), including bedding and installation of warning tape above cable.	m	255		
	Install rate				
2	Trenching (300mm wide X 600mm deep) and backfilling in compacted layers (300mm), including bedding and installation of warning tape above cable.	m	255		
	Carried to Summary			R	
	Section 7 ELECTRICAL INSTALLATION Bill No. 4				
	Cable trenching, Cable, Termination, cable labelling and cab				
	Ga-Phasha Skills Centre				



4	5	6



Section 7				
Bill No. 4				
Cable trenching, Cable, Termination, cable laboration	elling and cable warr	ning table		
SUMMARY				
		Page		Amount
Total Brought Forward from Page No.		No 371		
Total Brought 1 Stward Holli 1 age 140.				
		372		
		374		
		376		
		378		
		380		
Carried Forward to Summa y of	Section No. 7		R.	
Section 7			:	
ELECTRICAL INSTALLATION Bill No. 4				
Cable trenching, Cable, Termination, cal le lab	pelling and cab			
Ga-Phasha Skills Centre				
1 2 3				
4 5 6				



Item No			Quantity	Rate	Amount
	SECTION 7				
	BILL No. 5				
	CONDUIT , SLEEVES, BOSAL, INCLUDING ALL ACCESSORIES SUCH AS BENDS ELBOWS AND SADDLES				
	Conduit , sleeves, bosal, including all accessories such as bends elbows and saddles				
	20 mm Ø PVC (Power & Data) conduit				
	Supply rate				
1	20 mm Ø PVC (Power & Data) conduit	m	1 845		
	<u>Install rate</u>				
2	20 mm Ø PVC (Power & Data) conduit	m	1 845		
	25 mm Ø PVC (Power & Data) conduit				
	Supply rate				
3	25 mm Ø PVC (Power & Data) conduit	m	615		
	Install rate				
4	25 mm Ø PVC (Power & Data) conduit	m	615		
	25 mm Ø galvanised conduit				
	Carried to Summary			R	
	Section 7 ELECTRICAL INSTALLATION				
	Bill No. 5 Conduit , Sleeves, Bosal, including all accessories such as				
	Ga-Phasha Skills Centre				
	1 2 3				
	4 5 6				



	Supply rate	1			
1	25 mm Ø galvanised conduit	m	100		
	<u>Install rate</u>				
2	25 mm Ø galvanised conduit	m	100		
	30 mm Ø galvanised conduit				
	Supply rate				
3	30 mm Ø galvanised conduit	m	50		
	Install rate				
4	30 mm Ø galvanised conduit	m	50		
	50 mm Ø PVC conduit/Kabelflex Sleeve				
	Supply rate				
5	50 mm Ø PVC conduit/Kabelflex Sleeve	m	128		
	Install rate				
6	50 mm Ø PVC conduit/Kabelflex Sleeve	m	128		
	1 & 2 way round conduit box.				
	Supply rate				
7	1 & 2 way round conduit box.	No	74		
	Install rate				
8	1 & 2 way round conduit box.	No	74		
	3 & 4 way round conduit box.				
	Carried to Summary			R	
	Section 7 ELECTRICAL INSTALLATION				
	Bill No. 5 Conduit , Sleeves, Bosal, including all accessories such as				



CONTRACT BOQ - ALL INCLUSIVE

Ga-Phasha Skills Centre

1	2	3
4	5	6



	Supply rate		I	
1	3 & 4 way round conduit box.	No	74	
	Install rate			
2	3 & 4 way round conduit box.	No	74	
	Cable Trays: P8000, Wire Mesh and Hangers including (Trunking, Elbows, DB entry, Cabined entry, Tee Joints, other accessories)			
	Supply rate			
3	Cable Trays: P8000, Wire Mesh and Hangers including (Trunking, Elbows, DB entry, Cabined entry, Tee Joints, other accessories)	m	20	
	<u>Install rate</u>			
4	Cable Trays: P8000, Wire Mesh and Hangers including (Trunking, Elbows, DB entry, Cabined entry, Tee Joints, other accessories)	m	20	
	Cable Trays: P9000, Wire Mesh and Hangers including (Trunking, Elbows, DB entry, Cabined entry, Tee Joints, other accessories)			
	Supply rate			
5	Cable Trays: P9000, Wire Mesh and Hangers including (Trunking, Elbows, DB entry, Cabined entry, Tee Joints, other accessories)	m	20	
	Install rate			
6	Cable Trays: P9000, Wire Mesh and Hangers including (Trunking, Elbows, DB entry, Cabined entry, Tee Joints, other accessories)	m	20	
	Carried to Summary			R
	Section 7 ELECTRICAL INSTALLATION Bill No. 5			
	Conduit , Sleeves, Bosal, including all accessories such as			
	Ga-Phasha Skills Centre			



1	2	3
4	5	6



Section 7			
Bill No. 5			
Conduit , Sleeves, Bosal, including all accessories such as bends elbo	ws and sad		
SUMMARY			
	Page		Amount
Total Brought Forward from Page No.	No 383		
Total Brought of Ward Holli's ago No.	384		
	386		
	300		
Carried Forward to Summary of Section No. 7 Section 7		R	
ELECTRICAL INSTALLATION			
Bill No. 5 Conduit , Sleeves, Bosal, including all accessories such as			
Ga-Phasha Skills Centre			



4	5	6



tem		Quantity	Rate	Amount
No	SECTION 7			
	BILL No. 6			
	EARTHING SYSTEM AND LIGHTNING PROTECTION			
	Earthing system and Lightning protection			
	Earthrods should ideally be spaced approximately 10m intervals and connected to the earth wire to achieve equal potential bonding.1500mm Copper Earthrods/spikes for Equipotential Bonding Links			
	Supply rate			
1	Earthrods should ideally be spaced approximately 10m intervals and connected to the earth wire to achieve equal potential bonding.1500mm Copper Earthrods/spikes for Equipotential Bonding Links	lo 19		
	Install rate			
2	Earthrods should ideally be spaced approximately 10m intervals and connected to the earth wire to achieve equal potential bonding.1500mm Copper Earthrods/spikes for Equipotential Bonding Links			
	<u></u>	lo 19		
	Supply and Install Down Alluminium rod strictly in accordance with the relevant SANS & IEC Specifications. 50mm2 Aluminium Rods			
	Carried to Summary		R	
	Section 7 ELECTRICAL INSTALLATION Bill No. 6 Earthing system and Lightning protection			
	Ga-Phasha Skills Centre			
	1 2 3			



4	5	6



	Supply rate					
1	Supply and Install Down Alluminium accordance with the relevant Specifications. 50mm2 Aluminium Rod	SANS & IEC	No	57		
	<u>Install rate</u>					
2	Supply and Install Down Alluminium accordance with the relevant Specifications. 50mm2 Aluminium Rod	SANS & IEC	No	57		
	Supply and install Bare Stranded trenches including termination for Bonding strictly in accordance was SANS & IEC Specifications. 50mm2	or Equipotential rith the relevant				
	Supply rate					
3	Supply and install Bare Stranded trenches including termination for Equ strictly in accordance with the relevance Specifications. 50mm2 copper cable	ipotential Bonding	m	57		
	Install rate					
4	Supply and install Bare Stranded trenches including termination for Equ strictly in accordance with the relevance Specifications. 50mm2 copper cable	ipotential Bonding	m	57		
	Bonding of water mains-bond the main to the adjacent down cond pipes, hand basins, sinks, baths, water pipes shall be bonded.	uctor. All water				
	c	arried to Summary			R	
	Section 7 ELECTRICAL INSTALLATION Bill No. 6 Earthing system and Lightning protection	·			, ,	
	Phasha Skills Centre					
	4 10	<u>-</u>				
		3				
	4 5	6				



	Supply rate				
1	Bonding of water mains-bond the proposed water main to the adjacent down conductor. All water pipes, hand basins, sinks, baths, gutters and rain water pipes shall be bonded.		ltem		
	Install rate				
2	Bonding of water mains-bond the proposed water main to the adjacent down conductor. All water pipes, hand basins, sinks, baths, gutters and rain water pipes shall be bonded.		ltem		
	UT1 Boxes (Lighting protection inspection Box)				
	Supply rate				
3	UT1 Boxes (Lighting protection inspection Box)	No	19		
	Install rate				
4	UT1 Boxes (Lighting protection inspection Box)	No	19		
	Cable bonding-all external earth wires and cable armouring from the incoming and outgoing cables will be properly crimped into cable lugs and bolted to their respective earth bars.				
	Supply rate				
5	Cable bonding-all external earth wires and cable armouring from the incoming and outgoing cables will be properly crimped into cable lugs and bolted to their respective earth bars.		ltem		
				_ ا	
	Carried to Summary Section 7			R	
	ELECTRICAL INSTALLATION Bill No. 6				
	Earthing system and Lightning protection				
	Ga-Phasha Skills Centre				



1	2	3
4	5	6



	Install rate				
1	Cable bonding-all external earth wires and cable armouring from the incoming and outgoing cables will be properly crimped into cable lugs and bolted to their respective earth bars.		ltem		
	Supply and install 1.2m copper coated earth spike at every Distribution Board				
	Supply rate				
2	Supply and install 1.2m copper coated earth spike at every Distribution Board	No	4		
	Install rate				
3	Supply and install 1.2m copper coated earth spike at every Distribution Board	No	4		
	Trenching (300mm wide X 500mm deep) and backfilling in compacted layers (300mm), including bedding and installation of warning tape above cable.				
	Supply rate				
4	Trenching (300mm wide X 500mm deep) and backfilling in compacted layers (300mm), including bedding and installation of warning tape above cable.	m	57		
	Install rate				
5	Trenching (300mm wide X 500mm deep) and backfilling in compacted layers (300mm), including bedding and installation of warning tape above cable.	m	57		
	Carried to Summary			R	
	Section 7 ELECTRICAL INSTALLATION Bill No. 6				
	Earthing system and Lightning protection				
	Ga-Phasha Skills Centre				
	-305-				



1	2	3
4	5	6



Section 7			
Bill No. 6			
Earthing system and Lightning protection			
SUMMARY			
	Page		Amount
Total Brought Forward from Page No.	No 390		
	392		
	393		
	395		
Carried Forward to Summary of Section No. 7		R	
Section 7 ELECTRICAL INSTALLATION			
Bill No. 6 Earthing system and Lightning protection			
Ga-Phasha Skills Centre			
1 2 3			



4	5	6



Item No		Quantity	Rate	Amount
	SECTION 7			
	BILL No. 7			
	ETHERNET NETWORK RETICULATION			
	Ethernet network Reticulation			
	9U Wall Box - Glass Front; Lockable; 2 Posts with L Profiles; 1x Fan; 1x Fixed Shelf			
	Supply rate			
1	9U Wall Box - Glass Front; Lockable; 2 Posts with L Profiles; 1x Fan; 1x Fixed Shelf No	1		
	<u>Install rate</u>			
2	9U Wall Box - Glass Front; Lockable; 2 Posts with L Profiles; 1x Fan; 1x Fixed Shelf No	1		
	24 Port Patch Panel			
	Supply rate			
3	24 Port Patch Panel No	1		
	Install rate			
4	24 Port Patch Panel No	1		
	24 Port 5500 HP POE Switch			
	Supply rate			
5	24 Port 5500 HP POE Switch No	1		
	Carried to Summary		R	
	Section 7 ELECTRICAL INSTALLATION Bill No. 7 Ethernet network Reticulation			



CONTRACT BOQ - ALL INCLUSIVE

Ga-Phasha Skills Centre

1	2	3
4	5	6



CONTRACT BOQ - ALL INCLUSIVE

	Install rate			
1	24 Port 5500 HP POE Switch	No	1	
	D-Link 24 Port			
	Supply rate			
2	D-Link 24 Port	No	1	
	Install rate			
3	D-Link 24 Port	No	1	
	RJ45 CAT6 Wall Boxes			
	Supply rate			
4	RJ45 CAT6 Wall Boxes	No	2	
	<u>Install rate</u>			
5	RJ45 CAT6 Wall Boxes	No	2	
	RJ45 Connector - Cat6			
	Supply rate			
6	RJ45 Connector - Cat6	No	4	
	Install rate			
7	RJ45 Connector - Cat6	No	4	
	CAT6 UTP Cable Grey			
	Supply rate			
8	CAT6 UTP Cable Grey	m	250	
8		m	250	

Carried to Summary

R

Section 7
ELECTRICAL INSTALLATION
Bill No. 7
Ethernet network Reticulation



1	2	3	
	5	6	



	Install rate				
1	CAT6 UTP Cable Grey	m	250		
	Fibre Optic Cable				
	Supply rate				
2	Fibre Optic Cable	m	100		
	<u>Install rate</u>				
3	Fibre Optic Cable6	m	100		
J	Tibre Optic Cableo	""	100		
	RJ45 outlets for data points in power skirting, floor pedestal, 9way cluster unit with cover plates				
	Supply rate				
4	RJ45 outlets for data points in power skirting, floor				
	pedestal, 9way cluster unit with cover plates	No	9		
	<u>Install rate</u>				
5	RJ45 outlets for data points in power skirting, floor	No	0		
	pedestal, 9way cluster unit with cover plates	No	9		
	Unifi UAP-AC-Pro dual band 2.4/5GHz n/ac access points				
	Supply rate				
6	Unifi UAP-AC-Pro dual band 2.4/5GHz n/ac access points	No	1		
	Install rate				
7	Unifi UAP-AC-Pro dual band 2.4/5GHz n/ac access points	No	1		_
	рошо	INU	'		
	Carried to Summary	<i>'</i>		R	
	Section 7 ELECTRICAL INSTALLATION				
	Bill No. 7 Ethernet network Reticulation				
	-403-		'	'	ш



CONTRACT BOQ - ALL INCLUSIVE

Ga-Phasha Skills Centre

1	2	3
4	5	6



Section 7			
Bill No. 7			
Ethernet network Reticulation			
SUMMARY			
	Page		Amount
Total Brought Forward from Page No.	No 399		
	402		
	403		
Couried Femurard to Summary of Section No. 7		D	
Carried Forward to Summary of Section No. 7 Section 7 ELECTRICAL INSTALLATION		R	
Bill No. 7 Ethernet network Reticulation			
Ga-Phasha Skills Centre			



4	5	6



SECTION 7 BILL No. 8 ALLOW THE FOLLOWING PROVISIONAL AMOUNTS Allowance for the electrical connection fee for a 100kVA transformer, 3-phase, 400V supply Allowance for the electrical connection fee for a 100kVA transformer, 3-phase, 400V supply Supply and install Allowance for the electrical connection fee for a 100kVA transformer, 3-phase, 400V supply Item Carried Forward to Summary of Section No. 7 Section 7 ELECTRICAL INSTALLATION BII No. 8 Provisional amounts Ga-Phasha Skills Centre			Quantity	Rate	Amount
Allowance for the electrical connection fee for a 100kVA transformer, 3-phase, 400V supply Allowance for the electrical connection fee for a 100kVA transformer, 3-phase, 400V supply Supply and install Allowance for the electrical connection fee for a 100kVA transformer, 3-phase, 400V supply Item Carried Forward to Summary of Section No. 7 Section 7 ELECTRICAL INSTALLATION Bill No. 8 Provisional amounts	SECTION 7				
Allowance for the electrical connection fee for a 100kVA transformer, 3-phase, 400V supply Allowance for the electrical connection fee for a 100kVA transformer, 3-phase, 400V supply Supply and install Allowance for the electrical connection fee for a 100kVA transformer, 3-phase, 400V supply Item Carried Forward to Summary of Section No. 7 Section 7 ELECTRICAL INSTALLATION Bill No. 8 Provisional amounts	BILL No. 8				
Carried Forward to Summary of Section No. 7 Section 7 ELECTRICAL INSTALLATION Bill No. 8 Provisional amounts	ALLOW THE FOLLOW	/ING PROVISIONAL AMOUNTS			
Carried Forward to Summary of Section No. 7 Section 7 ELECTRICAL INSTALLATION Bill No. 8 Provisional amounts	Allowance for the el 100kVA transformer,	ectrical connection fee for a 3-phase, 400V supply			
Allowance for the electrical connection fee for a 100kVA transformer, 3-phase, 400V supply Carried Forward to Summary of Section No. 7 Section 7 ELECTRICAL INSTALLATION Bill No. 8 Provisional amounts	Allowance for the el 100kVA transformer,	ectrical connection fee for a 3-phase, 400V supply			
Carried Forward to Summary of Section No. 7 Section 7 ELECTRICAL INSTALLATION Bill No. 8 Provisional amounts	Supply and install				
Section 7 ELECTRICAL INSTALLATION Bill No. 8 Provisional amounts			Item		
Section 7 ELECTRICAL INSTALLATION Bill No. 8 Provisional amounts					
Section 7 ELECTRICAL INSTALLATION Bill No. 8 Provisional amounts					
Section 7 ELECTRICAL INSTALLATION Bill No. 8 Provisional amounts					
Section 7 ELECTRICAL INSTALLATION Bill No. 8 Provisional amounts					
Section 7 ELECTRICAL INSTALLATION Bill No. 8 Provisional amounts					
Section 7 ELECTRICAL INSTALLATION Bill No. 8 Provisional amounts					
Section 7 ELECTRICAL INSTALLATION Bill No. 8 Provisional amounts					
Section 7 ELECTRICAL INSTALLATION Bill No. 8 Provisional amounts					
Section 7 ELECTRICAL INSTALLATION Bill No. 8 Provisional amounts					
Section 7 ELECTRICAL INSTALLATION Bill No. 8 Provisional amounts					
Section 7 ELECTRICAL INSTALLATION Bill No. 8 Provisional amounts					
Section 7 ELECTRICAL INSTALLATION Bill No. 8 Provisional amounts					
Section 7 ELECTRICAL INSTALLATION Bill No. 8 Provisional amounts	Carried Forw	ard to Summary of Section No. 7		R	
Bill No. 8 Provisional amounts	Section 7				
	Bill No. 8	HON			
Ga-Phasha Skills Centre					
	Ga-Phasha Skills Centre	•			
	1 2	3			



4	5	6



	SUMMARY - ELECTRICAL INSTALLATION	1 _ 1	-
Bill No		Page No	Amount
1	Kiosk and distribution board	346	R c
2	Light, fittings and all accessories such as poles, holes etc.	353	
3	Switches, Sockets and power skirting	370	
4	Cable trenching, Cable, Termination, cable labelling and cable warning table	382	
5	Conduit , Sleeves, Bosal, including all accessories such as bends elbows and sad	388	
6	Earthing system and Lightning protection	397	
7	Ethernet network Reticulation	405	
8	Provisional amounts	407	
	Total Carried to Final Summary Section 7		R
	ELECTRICAL INSTALLATION		
	Ga-Phasha Skills Centre		



4	5	6



FINAL SUMMARY							
Section No		Page No		Amount R c			
1	PRELIMINARIES	36					
2	SKILLS CENTRE	146					
3	SIMULATION ROOM	199					
4	GATE HOUSE	278					
5	ENTRANCE WALL	295					
6	EXTERNAL WORKS	339					
7	ELECTRICAL INSTALLATION	409					
	Sub-total		R				
	PROVISIONAL SUMS						
	Provide the sum of R1 250 000. 00 (One Million and Two Hundred Fifty Thousand Rand only) for Mechanical Work to be used at the discretion of PA and Mechanical Engineer.		SUM				
	Provide the sum of R 2 500 000. 00 (Two Million and Five Hundred Thousand Rand) for Earthworks to be used at the discretion of PA and Structural Engineer.		SUM				
	Sub-total						
	Provide a sum equal to 10% of the measured works for escalations CONTINGENCY		SUM				
	Allow a contingency amount of R550 000. 00 (Five Hundred and Fifty Thousand Rand only) to be used as directed by the Principal Agent.		SUM				
	Sub-total						
	Add : Value added Tax @ 15%						
	Total Carried to Form of Offer and Acceptance						
	Ga-Phasha Skills Centre						